

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 Registered On : 29/Mar/2024 08:56:38 Age/Gender : 31 Y 4 M 3 D /F Collected : 29/Mar/2024 10:30:26 UHID/MR NO : CVAR.0000049387 Received : 29/Mar/2024 10:50:29 Visit ID : CVAR0134992324 Reported : 29/Mar/2024 13:30:38

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---------------------------------------------------------------|------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| | | | | |
| Blood Group (ABO & Rh typing) *, BI | ood | | | |
| Blood Group | АВ | | | ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA |
| Rh (Anti-D) | POSITIVE | | | ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA |
| Complete Blood Count (CBC) * , Whole | e Blood | | | |
| TLC (WBC) DLC Polymorphs (Neutrophils) Lymphocytes Monocytes | 7,300.00 75.00 20.00 3.00 | g/dl /Cu mm % % | 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000 55-70 25-40 3-5 | ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE |
| Eosinophils | 2.00 | % | 1-6 | ELECTRONIC IMPEDANCE |
| Basophils ESR | 0.00 | % | <1 | ELECTRONIC IMPEDANCE |
| Observed | 16.00 | Mm for 1st hr. | | |
| Corrected | 8.00 | Mm for 1st hr. | < 20 | |
| PCV (HCT) Platelet count | 37.30 | % | 40-54 | |
| Platelet Count | 1.50 | LACS/cu mm | 1.5-4.0 | ELECTRONIC IMPEDANCE/MICROSCOPIC |
| PDW (Platelet Distribution width) | 15.60 | fL | 9-17 | ELECTRONIC IMPEDANCE |
| P-LCR (Platelet Large Cell Ratio) | nr | % | 35-60 | ELECTRONIC IMPEDANCE |









Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 Registered On : 29/Mar/2024 08:56:38 Age/Gender : 31 Y 4 M 3 D /F Collected : 29/Mar/2024 10:30:26 UHID/MR NO : CVAR.0000049387 Received : 29/Mar/2024 10:50:29 Visit ID : CVAR0134992324 Reported : 29/Mar/2024 13:30:38 : Final Report Ref Doctor : Dr.MEDIWHEEL VNS -Status

DEPARTM ENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---------------------------------------------|----------|-------------|--------------------|----------------------|
| | | | | |
| PCT (Platelet Hematocrit) | nr | % | 0.108-0.282 | ELECTRONIC IMPEDANCE |
| MPV (Mean Platelet Volume) RBCCount | nr | fL | 6.5-12.0 | ELECTRONIC IMPEDANCE |
| RBC Count Blood Indices (MCV, MCH, MCHC) | 4.33 | Mill./cu mm | 3.7-5.0 | ELECTRONIC IMPEDANCE |
| MCV | 86.30 | fΙ | 80-100 | CALCULATED PARAMETER |
| MCH | 28.20 | pg | 28-35 | CALCULATED PARAMETER |
| MCHC | 32.70 | % | 30-38 | CALCULATED PARAMETER |
| RDW-CV | 13.60 | % | 11-16 | ELECTRONIC IMPEDANCE |
| RDW-SD | 45.90 | fL | 35-60 | ELECTRONIC IMPEDANCE |
| Absolute Neutrophils Count | 5,475.00 | /cu mm | 3000-7000 | |
| Absolute Eosinophils Count (AEC) | 146.00 | /cu mm | 40-440 | |

S.N. Sinta Dr.S.N. Sinha (MD Path)









CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 : 29/Mar/2024 08:56:39 Registered On Age/Gender : 31 Y 4 M 3 D /F Collected : 29/Mar/2024 14:51:37 UHID/MR NO : CVAR.0000049387 Received : 29/Mar/2024 14:52:46 Visit ID : CVAR0134992324 Reported : 29/Mar/2024 15:52:47 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|-------------------------|--------|-------|--------------------------------------------------------|---------|
| | | | | |
| GLUCOSE FASTING, Plasma | | | | |
| Glucose Fasting | 100.60 | mg/dl | < 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes | GOD POD |

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

| Glucose PP | 104.50 | mg/dl | <140 Normal | GOD POD |
|--------------------------|--------|-------|----------------------|----------------|
| Sample:Plasma After Meal | | | 140-199 Pre-diabetes | |
| | | | >200 Diabetes | |

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

S.N. Sinha (MD Path)









CIN: U85110DL2003PLC308206



: 29/Mar/2024 08:56:39 Patient Name : Mrs.SWETA SHIKHA -BOBS17713 Registered On Collected Age/Gender : 31 Y 4 M 3 D /F : 29/Mar/2024 10:30:26 UHID/MR NO : CVAR.0000049387 Received : 30/Mar/2024 11:55:59 Visit ID : CVAR0134992324 Reported : 30/Mar/2024 14:14:24 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name Result Unit Bio. Ref. Interval Method | |
|-------------------------------------------------|--|
|-------------------------------------------------|--|

GLYCOSYLATED HAEM OGLOBIN (HBA1C) **, EDTA BLOOD

| Glycosylated Haemoglobin (HbA1c) | 5.10 | % NGSP | HPLC (NGSP) |
|----------------------------------|-------|---------------|-------------|
| Glycosylated Haemoglobin (HbA1c) | 32.00 | mmol/mol/IFCC | |
| Estimated Average Glucose (eAG) | 99 | mg/dl | |

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | Degree of Glucose Control Unit |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8 | >63.9 | >183 | Action Suggested* |
| 7-8 | 53.0 -63.9 | 154-183 | Fair Control |
| < 7 | <63.9 | <154 | Goal** |
| 6-7 | 42.1 -63.9 | 126-154 | Near-normal glycemia |
| < 6% | <42.1 | <126 | Non-diabetic level |

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy







^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713

Registered On

: 29/Mar/2024 08:56:39

Age/Gender

: 31 Y 4 M 3 D /F

Collected Received : 29/Mar/2024 10:30:26 : 30/Mar/2024 11:55:59

UHID/MR NO Visit ID Ref Doctor : CVAR.000049387 : CVAR0134992324 : Dr.MEDIWHEEL VNS -

Reported

: 30/Mar/2024 14:14:24

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)







^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 Registered On : 29/Mar/2024 08:56:40 Age/Gender : 31 Y 4 M 3 D /F Collected : 29/Mar/2024 10:30:26 UHID/MR NO : CVAR.0000049387 Received : 29/Mar/2024 10:50:29 Visit ID : CVAR0134992324 Reported : 29/Mar/2024 14:39:29 Ref Doctor : Final Report : Dr.MEDIWHEEL VNS -Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|----------------------------------------------------------------------------------------------|-------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| | | | | |
| BUN (Blood Urea Nitrogen) Sample:Serum | 9.40 | mg/dL | 7.0-23.0 | CALCULATED |
| Creatinine Sample:Serum | 0.90 | mg/dl | 0.5-1.20 | MODIFIED JAFFES |
| Uric Acid Sample:Serum | 4.50 | mg/dl | 2.5-6.0 | URICASE |
| LFT (WITH GAMMA GT) * , Serum | | | | |
| SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) | 22.00 25.60 23.60 | U/L U/L IU/L | < 35 < 40 11-50 | IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING |
| Protein Albumin | 6.90 4.00 | gm/dl gm/dl | 6.2-8.0 3.4-5.4 | BIURET B.C.G. |
| Globulin A:G R <mark>atio </mark> Alkaline Phosphatase (Total) | 2.90 1.38 126.50 | gm/dl U/L | 1.8-3.6 1.1-2.0 42.0-165.0 | CALCULATED CALCULATED IFCC METHOD |
| Bilirubin (Total) Bilirubin (Direct) | 0.70 0.30 | mg/dl mg/dl | 0.3-1.2 < 0.30 | JENDRASSIK & GROF JENDRASSIK & GROF |
| Bilirubin (Indirect) | 0.40 | mg/dl | < 0.8 | JENDRASSIK & GROF |
| LIPID PROFILE (MINI), Serum | | | | |
| Cholesterol (Total) | 114.00 | mg/dl | <200 Desirable 200-239 Borderline High > 240 High | CHOD-PAP |
| HDL Cholesterol (Good Cholesterol) | 45.40 | mg/dl | 30-70 | DIRECT ENZYMATIC |
| LDL Cholesterol (Bad Cholesterol) | 32 | mg/dl | < 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High | |
| VLDL | 36.98 | mg/dl | 10-33 | CALCU |
| Triglycerides | 184.90 | mg/dl | < 150 Normal 150-199 Borderline High 200-499 High >500 Very High | GPO-P S. N. Sinha (MD Path) |









Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-3500227 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 Registered On : 29/Mar/2024 08:56:39 Age/Gender : 31 Y 4 M 3 D /F Collected : 29/Mar/2024 10:30:26 UHID/MR NO : CVAR.0000049387 Received : 29/Mar/2024 10:50:29 Visit ID : CVAR0134992324 Reported : 29/Mar/2024 15:02:40

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| | Result | Unit | Bio. Ref. Interval | Method |
|----------------------------------------------|--------------|---------|--------------------|--------------|
| | | | | |
| URINE EXAMINATION, ROUTINE * , υ | rine | | | |
| Color | PALE YELLOW | | | |
| Specific Gravity | 1.010 | | | |
| Reaction PH | Acidic (5.5) | | | DIPSTICK |
| Appearance | CLEAR | | | |
| Protein | ABSENT | mg % | < 10 Absent | DIPSTICK |
| | | | 10-40 (+) | |
| | | | 40-200 (++) | |
| | | | 200-500 (+++) | |
| | | | > 500 (++++) | |
| Sugar | ABSENT | gms% | < 0.5 (+) | DIPSTICK |
| | | | 0.5-1.0 (++) | |
| | | | 1-2 (+++) | |
| | | 1 W 1.1 | > 2 (++++) | |
| Ketone | ABSENT | mg/dl | 0.1-3.0 | BIOCHEMISTRY |
| Bile Salts | ABSENT | | | |
| Bile Pigments | ABSENT | | | |
| Bilirubin | ABSENT | | | DIPSTICK |
| Leucocyte Esterase | ABSENT | | | DIPSTICK |
| Urobilinogen(1:20 dilution) | ABSENT | | | |
| Nitrite | ABSENT | | | DIPSTICK |
| Blood | ABSENT | | | DIPSTICK |
| Microscopic Examination: | | | | |
| Epithelial cells | 0-2/h.p.f | | | MICROSCOPIC |
| | | | | EXAMINATION |
| Pus cells | ABSENT | | | |
| RBCs | ABSENT | | | MICROSCOPIC |
| | | | | EXAMINATION |
| Cast | ABSENT | | | |
| Crystals | ABSENT | | | MICROSCOPIC |
| | | | | EXAMINATION |
| Others | ABSENT | | | |
| SUGAR, FASTING STAGE*, Urine | | | | |
| | ADCENIT | ana a0/ | | |
| Sugar, Fasting stage | ABSENT | gms% | | |

Interpretation:









CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713

Registered On Collected

: 29/Mar/2024 08:56:39 : 29/Mar/2024 10:30:26

Age/Gender UHID/MR NO : 31 Y 4 M 3 D /F : CVAR.0000049387

Received

: 29/Mar/2024 10:50:29

Visit ID

: CVAR0134992324

Reported

: 29/Mar/2024 15:02:40

Ref Doctor : Dr.MEDIWHEEL VNS - Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Unit Bio. Ref. Interval Method Result

< 0.5 (+)

0.5 - 1.0(++)

(+++)1-2

(++++) > 2



S.N. Sinta

Dr.S.N. Sinha (MD Path)









Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 : 29/Mar/2024 08:56:40 Registered On Age/Gender : 31 Y 4 M 3 D /F Collected : 29/Mar/2024 10:30:26 UHID/MR NO : CVAR.0000049387 Received : 29/Mar/2024 10:50:29 Visit ID : CVAR0134992324 Reported : 29/Mar/2024 17:10:46 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|-----------------------------------|--------|----------------|--------------------|-------------|
| | | | | |
| THYROID PROFILE - TOTAL*, Serum | | | | |
| T3, Total (tri-iodothyronine) | 137.00 | ng/dl | 84.61–201.7 | CLIA |
| T4, Total (Thyroxine) | 4.70 | ug/dl | 3.2-12.6 | CLIA |
| TSH (Thyroid Stimulating Hormone) | 2.300 | μIU/mL | 0.27 - 5.5 | CLIA |
| Interpretation: | | , | | |
| . • | | 0.3-4.5 μIU/ı | mL First Trimes | ter |
| | | 0.5-4.6 μIU/1 | mL Second Trin | nester |
| | | 0.8-5.2 μIU/1 | mL Third Trime | ster |
| | | 0.5-8.9 μIU/1 | mL Adults | 55-87 Years |
| | | 0.7-27 μIU/1 | mL Premature | 28-36 Week |
| | | 2.3-13.2 μIU/r | mL Cord Blood | > 37Week |
| | | 0.7-64 μIU/1 | mL Child(21 wk | - 20 Yrs.) |
| | | 1-39 μΙΟ | J/mL Child | 0-4 Days |
| | | 1.7-9.1 μIU/ı | mL Child | 2-20 Week |
| | | | | |

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

S.N. Sinta

Dr.S.N. Sinha (MD Path)



Customer Care No.: +91-9918300637 E-mail: customercare.diagnostic@chandan.co.in Web.: www.chandan.co.in









CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 Registered On : 29/Mar/2024 08:56:41

 Age/Gender
 : 31 Y 4 M 3 D /F
 Collected
 : N/A

 UHID/MR NO
 : CVAR.0000049387
 Received
 : N/A

Visit ID : CVAR0134992324 Reported : 29/Mar/2024 17:19:50

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X- Ray Digital Chest P.A. View

- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

IMPRESSION

* NO OBVIOUS DETECTABLE ABNORMALITY SEEN

Dr Raveesh Chandra Roy (MD-Radio)







Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 Registered On : 29/Mar/2024 08:56:41

 Age/Gender
 : 31 Y 4 M 3 D /F
 Collected
 : N/A

 UHID/MR NO
 : CVAR.0000049387
 Received
 : N/A

Visit ID : CVAR0134992324 Reported : 29/Mar/2024 10:40:26

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is normal in size (15.2 cm in midclavicular line) and has a normal homogenous echo texture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is (9.1 mm in caliber) not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common bile duct is (2.6 mm in caliber) not dilated.
- The gall bladder is **normal** in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Right kidney:-
 - Right kidney is normal in size, measuring ~ 11.7 x 3.2 cms.
 - Cortical echogenicity is normal. Pelvicalyceal system is not dilated.
 - Cortico-medullary demarcation is maintained. Parenchymal thickness appear normal.

• Left kidney:-

- Left kidney is normal in size, measuring ~ 11.8 x 4.1 cms.
- Cortical echogenicity is normal. Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained. Parenchymal thickness appear normal.

SPLEEN

• The spleen is normal in size (~ 12.1 cm in its long axis) and has a normal homogenous echo-



Home Sample Collection 1800-419-0002





CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWETA SHIKHA -BOBS17713 : 29/Mar/2024 08:56:41 Registered On

Age/Gender : 31 Y 4 M 3 D /F Collected : N/A UHID/MR NO : CVAR.0000049387 Received : N/A

Visit ID : CVAR0134992324 Reported : 29/Mar/2024 10:40:26

Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

texture.

ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or large mass.

URETERS

- The upper parts of both the ureters are normal.
- Bilateral vesicoureteric junctions are normal.

URINARY BLADDER

- The urinary bladder is **partially filled**. Bladder wall is normal in thickness and regular.
- Pre-void urine volume is ~ 30 cc.

UTERUS & CERVIX

- The uterus is anteverted and normal in size (~ 81 x 47 x 40 mm / 82 cc) & shape and homogenous myometrial echotexture.
- The endometrial echo is seen in mid line (endometrial thickness ~ 7.1 mm).
- Cervix is normal.

ADNEXA & OVARIES

- Adnexa are normal.
- Both ovaries are visualized and normal.

FINAL IMPRESSION:-

• No significant sonological abnormality noted.

Adv: Clinico-pathological-correlation / further evaluation & Follow up

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

EXAMINATION, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR C

Dr Raveesh Chandra Roy (MD-Radio)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location





