

View Details

Patient Ref. No. 775000006986704

View Report

					diagnostics
PATIENT NAME : DHAVAL PATEL		REF. DOCTOR : SELF			
CODE/NAME & ADDRESS : C000138 ARCOFEMI HEALTHCARE LTD (MED F-703, LADO SARAI, MEHRAULISO DELHI NEW DELHI 110030 8800465156	IWHEEL UTH WEST	ACCESSION NO : <b>0321XC0</b> PATIENT ID : DHAVM27 CLIENT PATIENT ID: ABHA NO :		AGE/SEX :33 Years DRAWN : RECEIVED :29/03/2024 REPORTED :30/03/2024	
Test Report Status <u>Final</u>		Results	Biological	Reference Interval	Jnits
MEDI WHEEL FULL BODY HEALT	H CHECK UP BEL	OW 40 MALE			
XRAY-CHEST					
IMPRESSION		NO ABNORMALITY DETEC	TED		
ECG					
ECG		NORMAL SINUS RHYTHM			
MEDICAL HISTORY					
RELEVANT PRESENT HISTORY		NOT SIGNIFICANT			
RELEVANT PAST HISTORY		NOT SIGNIFICANT			
RELEVANT PERSONAL HISTORY		NOT SIGNIFICANT			
RELEVANT FAMILY HISTORY		NOT SIGNIFICANT			
OCCUPATIONAL HISTORY		NOT SIGNIFICANT			
HISTORY OF MEDICATIONS		NOT SIGNIFICANT			
ANTHROPOMETRIC DATA & BMJ	I				
HEIGHT IN METERS		1.77		mt	S
WEIGHT IN KGS.		103.2		Kg	5
BMI		33	Below 18. 18.5 - 24. 25.0 - 29.	ight Status as followg, 5: Underweight .9: Normal .9: Overweight Above: Obese	(sqmts
GENERAL EXAMINATION					
MENTAL / EMOTIONAL STATE		NORMAL			
PHYSICAL ATTITUDE		NORMAL			
S	P.V. Kapadia				Page 1 Of 22
Dr.Sahil .N.Shah Consultant Radiologist	Dr.Priyank Kapadi Physician	a			

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



#### **PATIENT NAME : DHAVAL PATEL REF. DOCTOR : SELF** CODE/NAME & ADDRESS : C000138364 ACCESSION NO : 0321XC002250 AGE/SEX :33 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : DHAVM270990321 DRAWN : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 09:29:08 DELHI ABHA NO REPORTED : 30/03/2024 15:18:31 : NEW DELHI 110030 8800465156

Test Report Status Final

Results

Biological Reference Interval Units

GENERAL APPEARANCE / NUTRITIONAL STATUS	OBESE
BUILT / SKELETAL FRAMEWORK	TALL STATURE
FACIAL APPEARANCE	NORMAL
SKIN	NORMAL
UPPER LIMB	NORMAL
LOWER LIMB	NORMAL
NECK	NORMAL
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER
THYROID GLAND	NOT ENLARGED
TEMPERATURE	NORMAL
PULSE	76/MIN
RESPIRATORY RATE	NORMAL

# CARDIOVASCULAR SYSTEM

ΒP

	(SITTING)
PERICARDIUM	NORMAL
APEX BEAT	NORMAL
HEART SOUNDS	S1, S2 HEARD NORMALLY
MURMURS	ABSENT

### **RESPIRATORY SYSTEM**

SIZE AND SHAPE OF CHEST MOVEMENTS OF CHEST BREATH SOUNDS INTENSITY BREATH SOUNDS QUALITY ADDED SOUNDS NORMAL SYMMETRICAL NORMAL VESICULAR (NORMAL) ABSENT

110/70 MM HG

P. V. Kapadia

Dr.Sahil .N.Shah Consultant Radiologist Dr.Priyank Kapadia Physician

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in







View Details



mm/Hg



PATIENT NAME : DHAVAL PATEL	<b>REF. DOCTOR :</b>	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703 LADO SARAL MEHRAULISOUTH WEST	ACCESSION NO : <b>0321XC002250</b> PATIENT ID : DHAVM270990321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :33 Years Male DRAWN : RECEIVED :29/03/2024 09:29:08 REPORTED :30/03/2024 15:18:31
8800465156	Results Biological	Reference Interval Units

## PER ABDOMEN

APPEARANCE	NORMAL
LIVER	NOT PALPABLE
SPLEEN	NOT PALPABLE

## **CENTRAL NERVOUS SYSTEM**

HIGHER FUNCTIONS	NORMAL
CRANIAL NERVES	NORMAL
CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL

### **MUSCULOSKELETAL SYSTEM**

SPINE	NORMAL
JOINTS	NORMAL

### BASIC EYE EXAMINATION

DISTANT VISION RIGHT EYE WITHOUT	WITHIN NORMAL LIMIT
GLASSES DISTANT VISION LEFT EYE WITHOUT	WITHIN NORMAL LIMIT
GLASSES	
NEAR VISION RIGHT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT
NEAR VISION LEFT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT
COLOUR VISION	NORMAL

# SUMMARY

RELEVANT HISTORY

NOT SIGNIFICANT

Dr.Sahil .N.Shah Consultant Radiologist Dr.Priyank Kapadia Physician

P. V. Kapadia

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in E S

View Details

6.8



Page 3 Of 22

View Report

Θ.



PATIENT NAME : DHAVAL PATEL	REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>0321XC002250</b> PATIENT ID : DHAVM270990321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :33 Years Male DRAWN : RECEIVED :29/03/2024 09:29:08 REPORTED :30/03/2024 15:18:31
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units
RELEVANT GP EXAMINATION FINDINGS RELEVANT LAB INVESTIGATIONS	NOT SIGNIFICANT HBA1C:- PRE-DIABETIC, MEAN PLASMA URIC ACID:- HIGH	GLUCOSE:- HIGH
	URINE:- LEUKOCYTE ESTERASE DETECT	ED (+)
RELEVANT NON PATHOLOGY DIAGNOSTICS REMARKS / RECOMMENDATIONS	T3:- LOW NO ABNORMALITIES DETECTED 1) HBA1C:- PRE-DIABETIC, MEAN PLAS	MA GLUCOSE:- HIGH
	ADV:- REDUCE INTAKE OF SWEET, SUG PHYSICAL EXERCISE, REPEAT FBS, PPBS OPINION SOS	, ,
	2) URIC ACID:- HIGH	
	ADV:- PHYSICIAN OPINION	
	3) T3:- LOW	
	ADV:- ENDOCRINOLOGIST OPINION	

### Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-CHECK UP DONE BY:- DR. NAMRATA AGRAWAL (M.B.B.S) REPORT REVIEWED BY:- DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE) RADIOLOGIST:- DR. SAHIL N SHAH (M.D.RADIOLOGY)

Dr.Sahil .N.Shah Consultant Radiologist P. V. Kapadia

Dr.Priyank Kapadia Physician

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 4 Of 22

1

ę.



View Details View Report





PATIENT NAME : DHAVAL PATEL	REF. DOCTOR : S	SELF
F-703, LADO SARAI, MEHRAULISOUTH WEST	ACCESSION NO : <b>0321XC002250</b> PATIENT ID : DHAVM270990321 CLIENT PATIENT ID: ABHA NO :	AGE/SEX :33 Years Male DRAWN : RECEIVED :29/03/2024 09:29:08 REPORTED :30/03/2024 15:18:31
Test Report Status <u>Final</u>	Results	Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE **ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN** FATTY LIVER.

TMT OR ECHO **CLINICAL PROFILE** 2D ECHO:-

1) NORMAL CHAMBERS AND VALVES.

2) GOOD LV SYSTOLIC FUNCTION. LVEF 60%. NO RWMA AT REST.

3) NO MR, AR, TR.

4) NORMAL LV COMPLIANCE.

5) NO PAH.

6) NO LV CLOT, VEGETATION OR PERICARDIAL EFFUSION.

7) IAS/IVS INTACT.

Interpretation(s)
MEDICAL
HISTORY-************************************
THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL
EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.
*****

Dr.Sahil .N.Shah **Consultant Radiologist**  P. V. Copadia

Dr.Priyank Kapadia Physician

**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999  ${\sf Email: customercare.ahmedabad@agilus.in}$ 

Page 5 Of 22









PATIENT NAME : DHAVAL PATEL	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XC002250	AGE/SEX : 33 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : DHAVM270990321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 09:29:08
NEW DELHI 110030	ABHA NO :	REPORTED : 30/03/2024 15:18:31
8800465156		
Test Report Status Final	Results Biologica	al Reference Interval Units

н	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP BI	ELOW 40 MALE		
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD : PHOTOMETRIC MEASUREMENT	14.8	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD : COULTER PRINCIPLE	4.98	4.5 - 5.5	mil/µL
WHITE BLOOD CELL (WBC) COUNT METHOD : COULTER PRINCIPLE	8.40	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD : COULTER PRINCIPLE	288	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV)	45.6	40.0 - 50.0	%
METHOD : CALCULATED MEAN CORPUSCULAR VOLUME (MCV) METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM	91.6	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD : CALCULATED	29.7	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED	32.5	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM	13.6	11.6 - 14.0	%
MENTZER INDEX METHOD : CALCULATED PARAMETER	18.4		
MEAN PLATELET VOLUME (MPV) METHOD : DERIVED PARAMETER FROM PLATELET HISTOGRAM	7.7	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD : OPTICAL IMPEDENCE & MICROCSOPY	64	40 - 80	%
LYMPHOCYTES METHOD : OPTICAL IMPEDENCE & MICROCSOPY	25	20 - 40	%

Dr.Miral Gajera **Consultant Pathologist** 

Page 6 Of 22







PATIENT NAME : DHAVAL PATEL	<b>REF. DOCTOR :</b>	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XC002250	AGE/SEX : 33 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : DHAVM270990321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 09:29:08
NEW DELHI 110030	ABHA NO :	REPORTED : 30/03/2024 15:18:31
8800465156		

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
MONOCYTES	7	2.0 - 10.0	%
METHOD : OPTICAL IMPEDENCE & MICROCSOPY			
EOSINOPHILS	4	1.0 - 6.0	%
METHOD : OPTICAL IMPEDENCE & MICROCSOPY			
BASOPHILS	0	0 - 1	%
METHOD : IMPEDANCE			
ABSOLUTE NEUTROPHIL COUNT	5.38	2.0 - 7.0	thou/µL
METHOD : CALCULATED			
ABSOLUTE LYMPHOCYTE COUNT	2.10	1.0 - 3.0	thou/µL
METHOD : CALCULATED PARAMETER			
ABSOLUTE MONOCYTE COUNT	0.59	0.2 - 1.0	thou/µL
METHOD : CALCULATED PARAMETER			
ABSOLUTE EOSINOPHIL COUNT	0.34	0.02 - 0.50	thou/µL
METHOD : CALCULATED			
ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/µL
METHOD : CALCULATED			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	2.6		
METHOD : CALCULATED PARAMETER			

MORPHOLOGY	
RBC	NORMOCYTIC NORMOCHROMIC
METHOD : MICROSCOPIC EXAMINATION	
WBC	NORMAL MORPHOLOGY
METHOD : MICROSCOPIC EXAMINATION	
PLATELETS	ADEQUATE
METHOD : MICROSCOPIC EXAMINATION	
REMARKS	NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT DETECTED.
METHOD : MICROSCOPIC EXAMINATION	

Interpretation(s) BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.</p>

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

**Dr.Miral Gajera Consultant Pathologist** 



Page 7 Of 22

σ.

View Details



**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : DHAVAL PATEL	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : <b>0321XC002250</b> PATIENT ID : DHAVM270990321	AGE/SEX : 33 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	CLIENT PATIENT ID: ABHA NO :	RECEIVED : 29/03/2024 09:29:08 REPORTED :30/03/2024 15:18:31
8800465156		
Test Report Status Final	Results Biologic	al Reference Interval Units

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease. (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

**Dr.Miral Gajera Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999  ${\sf Email: customercare.ahmedabad@agilus.in}$ 

Page 8 Of 22

View Report

Ε.







PATIENT NAME : DHAVAL PATEL	REF. DOCTOR : SELF		
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XC002250	AGE/SEX : 33 Years Male	
	PATIENT ID : DHAVM270990321	DRAWN :	
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 09:29:08	
NEW DELHI 110030	ABHA NO :	REPORTED :30/03/2024 15:18:31	
8800465156			

**Test Report Status** <u>Final</u> Results

Biological Reference Interval Units

			)
MEDI WHEEL FULL BODY HEALTH CHECK UP ERYTHROCYTE SEDIMENTATION RATE (ESR			
BLOOD E.S.R METHOD : WESTERGREN METHOD	18 High	0 - 14	mm at 1 hr
<b>GLYCOSYLATED HEMOGLOBIN(HBA1C), EDT BLOOD</b> HBA1C	A WHOLE 5.8 High	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5	%
METHOD : HPLC		Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	
ESTIMATED AVERAGE GLUCOSE(EAG)	119.8 High	< 116.0	mg/dL

Interpretation(s) ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammator condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

#### LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

Dr.Miral Gajera **Consultant Pathologist** 



Page 9 Of 22

View Report

View Details



**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : DHAVAL PATEL	<b>REF. DOCTOR :</b>	SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : <b>0321XC002250</b> PATIENT ID : DHAVM270990321	AGE/SEX : 33 Years Male DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	CLIENT PATIENT ID: ABHA NO :	RECEIVED :29/03/2024 09:29:08 REPORTED :30/03/2024 15:18:31
8800465156		
Test Report Status Final	Results Biological	Reference Interval Units

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

Diagnosing diabetes.
 Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbAIc (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range. 1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

HbA1c Estimation can get affected due to : 1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days. 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results. 4. Interference of hemoglobinopathies in HbA1c estimation is seen in


a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.) c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.Miral Gajera **Consultant Pathologist** 

Page 10 Of 22





75000006986704



Patient Ref. No

**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : DHAVAL PATEL	REF. DOCTOR : SELF		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		AGE/SEX : 33 Years Male	
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	PATIENT ID : DHAVM270990321 CLIENT PATIENT ID:	DRAWN : RECEIVED : 29/03/2024 09:29:08	
NEW DELHI 110030 8800465156	ABHA NO :	REPORTED :30/03/2024 15:18:31	

Test Report Status <u>Final</u> Results

**Biological Reference Interval** Units

## **IMMUNOHAEMATOLOGY** MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE ABO GROUP & RH TYPE, EDTA WHOLE BLOOD ABO GROUP TYPE O METHOD : TUBE AGGLUTINATION POSITIVE RH TYPE METHOD : TUBE AGGLUTINATION

#### Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

**Dr.Miral Gajera Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in

Page 11 Of 22







				diagnostics
PATIENT NAME : DHAVAL PATEL		REF. DOCTOR : S	SELF	
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : <b>032</b> PATIENT ID : DHA CLIENT PATIENT ID : ABHA NO :	<b>21XC002250</b> AVM270990321	AGE/SEX : 33 Years DRAWN : RECEIVED : 29/03/2 REPORTED : 30/03/2	2024 09:29:08
Test Report Status <u>Final</u>	Results	Biological	Reference Interva	I Units
	BIOCHEMISTRY			,
MEDI WHEEL FULL BODY HEALTH CHECK UP I	BELOW 40 MALE			
GLUCOSE FASTING, FLUORIDE PLASMA				
FBS (FASTING BLOOD SUGAR) METHOD : HEXOKINASE	92	74 - 99		mg/dL
GLUCOSE, POST-PRANDIAL, PLASMA				
PPBS(POST PRANDIAL BLOOD SUGAR) METHOD : HEXOKINASE	82	70 - 140		mg/dL
LIPID PROFILE WITH CALCULATED LDL, SER	.UM			
CHOLESTEROL, TOTAL	157	Desirable: Borderline High: > or	eHigh: 200 - 239	mg/dL
METHOD : ENZYMATIC, COLORIMETRIC TRIGLYCERIDES	93	High: 200	eHigh: 150 - 199	mg/dL
METHOD : ENZYMATIC, COLORIMETRIC HDL CHOLESTEROL	38 Low	< 40 Low		mg/dL

100

119

18.6

CHOLESTEROL LDL

NON HDL CHOLESTEROL

VERY LOW DENSITY LIPOPROTEIN

**Dr.Miral Gajera Consultant Pathologist** 

Page 12 Of 22



mg/dL

mg/dL

mg/dL

View Details

>or = 60High

Optimal < 100

High: 160-189 Very high : = 190

High: 190 - 219 Very high: > or = 220

< or = 30

Near optimal/above optimal:

Borderline high: 130-159

Desirable: Less than 130

Above Desirable: 130 - 159 Borderline High: 160 - 189

Adult levels:

100-129





PATIENT NAME : DHAVAL PATEL	REF. DOCTOR : SELF			
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	PATIENT ID CLIENT PATIENT	: <b>0321XC002250</b> : DHAVM270990321 ID: :	i	:33 Years Male : :29/03/2024 09:29:08 :30/03/2024 15:18:31
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval Units
CHOL/HDL RATIO LDL/HDL RATIO	4.1 2.6	3.3 - 4.4 0.5 - 3.0   3.1 - 6.0   Risk >6.0 High	Borderline	/Low Risk e/Moderate

## Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target. Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Augus Structure for for		ier obeier otre eur urovus	cunti un	scase, by Lipit	1 issociation of the	****
<b>Risk Category</b>						
Extreme risk group	A.CAD with	h > 1 feature of high risl	k group			
	B. CAD wit	B. CAD with > 1 feature of Very high risk group or recurrent ACS (within 1 year) despite LDL-C < or =				
	50 mg/dl or	50 mg/dl or polyvascular disease				
Very High Risk	1. Establish	1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3.				
	Familial Ho	mozygous Hypercholes	terolemi	a		
High Risk		1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ				
	damage. 3.	damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary				
	Artery Calc	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque				
Moderate Risk	2 major AS	2 major ASCVD risk factors				
Low Risk	0-1 major ASCVD risk factors					
Major ASCVD (Ath	erosclerotic c	ardiovascular disease)	Risk Fa	ctors		
1. Age $>$ or $=$ 45 years in males and $>$ or $=$ 55 years in females 3. Current Cigarette smoking or tobacco use			obacco use			
2. Family history of p	remature ASC	CVD		4. High blood	l pressure	
5. Low HDL						
Newer treatment goals	and statin in	itiation thresholds bas	ed on th	e risk categori	ies proposed by LA	I in 2020.
Risk Group		Treatment Goals		~	Consider Drug T	
î		LDL-C (mg/dl)	Non-H	DL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group	Category A	<50 (Optional goal	< 80 (0	Optional goal	>OR = 50	>OR = 80

	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
	< OR = 30)	< OR = 60)		
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or></td></or>	<or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

\*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

**Dr.Miral Gajera Consultant Pathologist** 



Page 13 Of 22







PATIENT NAME : DHAVAL PATEL	REF. DOCTOR	: SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XC002250	AGE/SEX : 33 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : DHAVM270990321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 09:29:08
NEW DELHI 110030	ABHA NO :	REPORTED : 30/03/2024 15:18:31
8800465156		

ults         Biological F           Upto 1.2         Upto 0.2           0.00 - 1.00         6.4 - 8.3           3.5 - 5.2         2.0 - 4.1           1.0 - 2.0         0 - 40	g/dL g/dL g/dL RATIO U/L	1L 1L
High Upto 0.2 0.00 - 1.00 6.4 - 8.3 3.5 - 5.2 2.0 - 4.1 1.0 - 2.0	mg/d 0 mg/d g/dL g/dL RATIO U/L	iL
High Upto 0.2 0.00 - 1.00 6.4 - 8.3 3.5 - 5.2 2.0 - 4.1 1.0 - 2.0	mg/d 0 mg/d g/dL g/dL RATIO U/L	iL
6.4 - 8.3 3.5 - 5.2 2.0 - 4.1 1.0 - 2.0	g/dL g/dL g/dL RATIO U/L	
3.5 - 5.2 2.0 - 4.1 1.0 - 2.0	g/dL g/dL RATIO U/L	
2.0 - 4.1 1.0 - 2.0	g/dL RATIO U/L	
1.0 - 2.0	RATIO U/L	
	U/L	0
0 - 40		
0 - 41	U/L	
40 - 129	U/L	
8 - 61	U/L	
ligh 135 - 225	U/L	
6 - 20	mg/d	ΙL
L <b>ow</b> 0.90 - 1.30	0 mg/d	iL

**BUN/CREAT RATIO** 

BUN/CREAT RATIO

6.74

5.0 - 15.0

Dr.Miral Gajera **Consultant Pathologist** 



Page 14 Of 22







PATIENT NAME : DHAVAL PATEL	REF. DOCTO	R: SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : <b>0321XC002250</b> PATIENT ID : DHAVM270990321	AGE/SEX : 33 Years Male
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030	CLIENT PATIENT ID: ABHA NO :	RECEIVED : 29/03/2024 09:29:08 REPORTED : 30/03/2024 15:18:31
8800465156		
Test Report Status <u>Final</u>	Results Biolog	ical Reference Interval Units

URIC ACID URIC ACID	7.3 High	3.4 - 7.0	mg/dL
TOTAL PROTEIN, SERUM TOTAL PROTEIN METHOD : COLORIMETRIC	7.6	6.4 - 8.3	g/dL
ALBUMIN, SERUM ALBUMIN METHOD : BROMOCRESOL GREEN	4.9	3.5 - 5.2	g/dL
<b>GLOBULIN</b> GLOBULIN	2.7	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM SODIUM, SERUM METHOD : ISE	140.5	136 - 145	mmol/L
POTASSIUM, SERUM METHOD : ISE CHLORIDE, SERUM METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY	4.61 104.3	3.3 - 5.1 98 - 106	mmol/L mmol/L

Interpretation(s)

Sodium

Potassium

Chloride

**Dr.Miral Gajera Consultant Pathologist** 



Page 15 Of 22







<b>REF. DOCTOR :</b>	SELF
ACCESSION NO : 0321XC002250	AGE/SEX : 33 Years Male
PATIENT ID : DHAVM270990321	DRAWN :
CLIENT PATIENT ID:	RECEIVED : 29/03/2024 09:29:08
ABHA NO :	REPORTED :30/03/2024 15:18:31
	ACCESSION NO : <b>0321XC002250</b> PATIENT ID : DHAVM270990321 CLIENT PATIENT ID:

Test Report Status Final

Results

**Biological Reference Interval** Units

Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

#### Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease,

malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol

sulfonylureas,tolbutamide,and other oral hypoglycemic agents.

**NOTE:** While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment,Renal Glyosuria,Glycaemic index & response to food consumed,Alimentary Hypoglycemia,Increased insulin response & sensitivity etc. GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

**Bilirubin** is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver,liver cancer,kidney failure,hemolytic anemia,pancreatitis,hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys,heart,muscles, and pancreas.It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis,sometimes due to a viral infection,ischemia to the liver,chronic

Dr.Miral Gajera Consultant Pathologist



Page 16 Of 22

View Report

View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : DHAVAL PATEL	<b>REF. DOCTOR :</b>	SELF
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO : <b>0321XC002250</b> PATIENT ID : DHAVM270990321	AGE/SEX : 33 Years Male DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	CLIENT PATIENT ID: ABHA NO :	RECEIVED : 29/03/2024 09:29:08 REPORTED : 30/03/2024 15:18:31
Test Report Status Final	Results Biological	Reference Interval Units

hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels

(hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia) Lower than normal level may be due to:• Myasthenia Gravis, Muscuophy URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic

syndrome **Causes of decreased levels**-Low Zinc intake, OCP, Multiple Sclerosis TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin. **Higher-than-normal levels may be due to:** Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

**Dr.Miral Gajera Consultant Pathologist** 

Page 17 Of 22





View Report

View Details



**PERFORMED AT:** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : DHAVAL PATEL		REF. DOCTOR : S	SELF		
			,	:33 Years	Male
F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID :   CLIENT PATIENT II	010000000000000000000000000000000000000		: : 29/03/2024	09:29:08
	ABHA NO :			:30/03/2024	
8800465156					
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval U	Inits

CLINICAL PATH - URINALYSIS						
MEDI WHEEL FULL BODY HEALTH CHECK UP B	MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE					
PHYSICAL EXAMINATION, URINE						
COLOR	Yellow					
APPEARANCE	Clear					
CHEMICAL EXAMINATION, URINE						
PH	5.0	4.7 - 7.5				
METHOD : REFLECTANCE SPECTROPHOTOMETRY						
SPECIFIC GRAVITY	1.015	1.003 - 1.035				
METHOD : REFLECTANCE SPECTROPHOTOMETRY PROTEIN	NOT DETECTED	NOT DETECTED				
METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NOT DETECTED				
GLUCOSE	NOT DETECTED	NEGATIVE				
METHOD : REFLECTANCE SPECTROPHOTOMETRY						
KETONES	NOT DETECTED	NOT DETECTED				
METHOD : REFLECTANCE SPECTROPHOTOMETRY BLOOD	NOT DETECTED	NEGATIVE				
METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NEGATIVE				
BILIRUBIN	NOT DETECTED	NOT DETECTED				
METHOD : REFLECTANCE SPECTROPHOTOMETRY						
UROBILINOGEN	NORMAL	NORMAL				
METHOD : REFLECTANCE SPECTROPHOTOMETRY NITRITE	NOT DETECTED	NOT DETECTED				
NITRITE METHOD : REFLECTANCE SPECTROPHOTOMETRY						
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED				
METHOD : REFLECTANCE SPECTROPHOTOMETRY						

# **MICROSCOPIC EXAMINATION, URINE**

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION PUS CELL (WBC'S)	0-1	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION EPITHELIAL CELLS	NOT DETECTED	0-5	/HPF

**Dr.Miral Gajera Consultant Pathologist** 









#### **PATIENT NAME : DHAVAL PATEL REF. DOCTOR : SELF** CODE/NAME & ADDRESS : C000138364 ACCESSION NO : 0321XC002250 AGE/SEX :33 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : DHAVM270990321 DRAWN : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 09:29:08 DELHI REPORTED :30/03/2024 15:18:31 ABHA NO : NEW DELHI 110030 8800465156 **Test Report Status** <u>Final</u> Results Biological Reference Interval Units

METHOD : MICROSCOPIC EXAMINATION		
CASTS	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION		
CRYSTALS	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION		
BACTERIA	NOT DETECTED	NOT DETECTED
METHOD : MICROSCOPIC EXAMINATION		
YEAST	NOT DETECTED	NOT DETECTED
METHOD : MICROSCOPIC EXAMINATION		
REMARKS	MICROSCOPIC EXAMINATI CENTRIFUGED URINARY S	ON OF URINE IS CARRIED OUT ON EDIMENT.

## Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions		
Proteins	Inflammation or immune illnesses		
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment		
Glucose	Diabetes or kidney disease		
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst		
Urobilinogen	Liver disease such as hepatitis or cirrhosis		
Blood	Renal or genital disorders/trauma		
Bilirubin	Liver disease		
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases		
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions		
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time		
	bladder catheters for protonged periods of time		
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein		
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases		

Dr.Miral Gajera Consultant Pathologist

Page 19 Of 22

View Report







PATIENT NAME : DHAVAL PATEL	REF. DOCTOR : SELF	
	ACCESSION NO : 0321XC002250	AGE/SEX : 33 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	BI/(W12/0550521	DRAWN :
DELHÍ		RECEIVED : 29/03/2024 09:29:08
	ABHA NO :	REPORTED :30/03/2024 15:18:31
8800465156		

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Results

**Biological Reference Interval** Units

Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 20 Of 22



View Details

View Report





PATIENT NAME : DHAVAL PATEL	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321XC002250	AGE/SEX : 33 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : DHAVM270990321	DRAWN :
F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 09:29:08
NEW DELHI 110030	ABHA NO :	REPORTED :30/03/2024 15:18:31
8800465156		
(	1	

**Test Report Status** <u>Final</u> Results

**Biological Reference Interval** Units

#### **SPECIALISED CHEMISTRY - HORMONE**

# MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

THYROID PANEL, SERUM			
ТЗ	79.93 Low	80.0 - 200.0	ng/dL
METHOD : ECLIA			
T4	5.41	5.10 - 14.10	µg/dL
METHOD : ECLIA			
TSH (ULTRASENSITIVE)	2.450	0.270 - 4.200	µIU/mL
METHOD : ECLIA			

### Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
		_			(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism

**Dr.Miral Gaiera Consultant Pathologist** 



Page 21 Of 22

View Details



**PERFORMED AT:** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



#### REF. DOCTOR : SELF **PATIENT NAME : DHAVAL PATEL** CODE/NAME & ADDRESS : C000138364 ACCESSION NO : 0321XC002250 AGE/SEX :33 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : DHAVM270990321 DRAWN : F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 09:29:08 DELHI REPORTED :30/03/2024 15:18:31 ABHA NO NEW DELHI 110030 : 8800465156

Test Report	: Status	<u>Final</u>
-------------	----------	--------------

Results

Biological Reference Interval Units

6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> \*\*End Of Report\*\* Please visit www.agilusdiagnostics.com for related Test Information for this accession

#### **CONDITIONS OF LABORATORY TESTING & REPORTING** 1. It is presumed that the test sample belongs to the patient 5. AGILUS Diagnostics confirms that all tests have been named or identified in the test requisition form. performed or assayed with highest quality standards, clinical 2. All tests are performed and reported as per the safety & technical integrity. turnaround time stated in the AGILUS Directory of Services. 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment interpreted by registered medical practitioners only to breakdown / natural calamities / technical downtime or any determine final diagnosis. other unforeseen event. 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or 4. A requested test might not be performed if: i. Specimen received is insufficient or inappropriate nutritional and dietary changes. Please consult your doctor ii. Specimen quality is unsatisfactory or call us for any clarification. 8. Test results cannot be used for Medico legal purposes. iii. Incorrect specimen type iv. Discrepancy between identification on specimen 9. In case of queries please call customer care container label and test requisition form (91115 91115) within 48 hours of the report. **Agilus Diagnostics Ltd** Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



**Dr.Miral Gaiera Consultant Pathologist** 





View Details

View Report

**PERFORMED AT:** Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in

Patient Ref. No

as 🗉

Page 22 Of 22