Punchi 35yl Height - 165 cm Weight - 63 kg Phone no. 8839152299 BMI - 23.1 BP. 89 My mm mg









64 Helpline No.: +91 95481 32913

ISO 900	175919	- certeery	351/4	FILM
PT. NAME	MRS. PRACHI	AGE/SEX	33171	
		new.	29/13/2124	65.
REF. BY	DR. SELF	DATE:		

X-RAY CHEST PA VIEW

- Both CP angles are normal.
- Trachea is normal in position.
- Cardiac size is within normal limits.
- > Both hila are normal.
- > Heart, aorta & mediastinum are normal
- Bony thoracic cage appears normal.

NORMAL STUDY

DR. MICHIT SHARMA (MBBS)(DMRD) Chief consultant Interventional Radiologist

Dr. Shivangi Singhal

Dr. Sonal Dhingra Anand M.D. Puthology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be computed in the clinic of the clini immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.

Reg. No.: RMEE2229839 | Certificate No.: CMEE2369518 | Dr. Regn. No.: SMC/H1586



Meenakshi Diagnostics

73-C, Garh Road, Near Hotel Harmony Inn, Meerut-250002 (U.P.) Ph.: 0121-2766666, 9458802222, 9458803333, 9458804444, 9458806666

Centre equipped with M.R.I. with upgraded software of 3T Platform, 500 Slice VHS C.T. Scan Digital X-Ray, Mammography, O.P.G., 4D / 5D Ultrasound & Colour Doppler, 2-D Echocardiography

Pt. Name	Mrs. Prachi	Age/Sex	35 Yrs/F	Film
Ref. By	C/o S. D. A Diagnostics	Date:	29.03.2024	02

Patient identity can't be verified

USG WHOLE ABDOMEN

Liver: is normal in size (15.1 cm) with normal parenchymal echogenecity. No focal/ diffuse mass lesion seen. IHBRs are normal. Margins are regular.

Gall Bladder: is well distended. Wall thickness is normal. No calculus / focal mass seen.

No pericholecystic collection seen.

CBD: is normal in caliber, measuring approx. 3.8mm.

Portal Vein: is normal in caliber, measuring approx. 9.4mm.

Visualized pancreas: is normal in size and echotexture. No focal mass seen. Spleen: is normal in size, measuring 8.7 cm and shows normal echopattern.

Right kidney measures 9.7x5.2 cm. It is normal in size, position, contour and cortical echotexture. No calculus/ hydronephrosis seen. Corticomedullary differentiation is maintained. Renal margins are regular.

Left kidney measures 9.8x5.2 cm. It is normal in size, position, contour and cortical echotexture. No calculus/ hydronephrosis seen. Corticomedullary differentiation is maintained. Renal margins are regular.

Urinary Bladder: is well distended with normal wall thickness. No calculus/ focal mass

Uterus: is anteverted, normal in size, measuring 8.5x3.8x4.6 cm. Myometrial echotexture is normal. No focal mass seen. Endometrial thickness is normal, measures 9.3mm.

Right ovary measures 1.9x1.9x2.2cm (vol. 4.4cc). Left ovary measures 1.4x2.4x4cm (vol. 7.5cc). Both ovaries show normal size and echopattern.

No adnexal mass / free fluid seen.

IMPRESSION:

No significant sonological abnormality seen.

Adv: Clinical correlation.

Dr. Renu Diwakar MBBS, KGMU (Sonologist)

Dr. Sandeep Sirohi DMRD

Dr. Mohd. Saalim MD

Dr. Sandeep Singh Soam Dr. Renu Diwakar

MBBS

Dr. Mohd. Qasim DMRD

Note: All congenital anomalies may not be diagnosed in routine USG. The USG findings should always be considered in correlation with clinical and other investigations findings to reach the final diagnosis. Kindly intimate us for any typing mistakes and return the report for correction within 7 days. Not valid for medico-legal purpose.



Meenakshi Diagnostics 73-C, Garh Road, Near Hotel Harmony Inn, Meerut-250002 (U.P.) Ph.: 0121-2766666, 9458802222, 9458803333, 9458804444, 9458806666

Centre equipped with M.R.I. with upgraded software of 3T Platform, 500 Slice VHS C.T. Scan. Digital X-Ray, Mammography, O.P.G., 4D / 5D Ultrasound & Colour Doppler, 2-D Echocardiography

Pt. Name	Mrs. Prachi	Age/Sex	35 Yrs/F
Ref. By	C/o S. D. A Diagnostics	Date:	29.03.2024

ECHOCARDIOGRAPHY REPORT

MEASURESMENTS:

DIMENSION	5	NORMAL			NORMAL
AO (ed)	2.4 cm	(2.1 – 3.7 cm)	IVS (ed)	0.9 cr	m (0.6 – 1.2 cm)
LA (es)	2.5 cm	(2.1 – 3.7 cm)	LVPW (ed)	1.0 cr	m (0.6 – 1.2 cm)
RVID (ed)	2.0 cm	(1.1 – 2.3 cm)	EF	60%	(62% – 85%)
LVID (ed)	5.0 cm	(3.6 – 5.2 cm)	FS	30%	(28% - 42%)

MORPHOLOGICAL DATA:

Mitral	Normal	LA	Normal
Aortic Valve	Normal	RA	Normal
Pulmonary Valve	Normal	IAS	Intact
Tricuspid Valve	Normal	IVS	Intact
LV	Normal	AO	Normal
RV	Normal	Pericardium	Normal

Contd...2

Note: All congenital anomalies may not be diagnosed in routine USG. The USG findings should always be considered in correlation with clinical and other investigations findings to reach the final diagnosis. Kindly intimate us for any typing



Meenakshi Diagnostics

73-C, Garh Road, Near Hotel Harmony Inn, Meens-757777 C.I.P.) Ph.: 0121-2766666, 9458802222, 9458603333, 9458603444, 9458035446

Centre equipped with M.R.I. with upgraded software of 21 Platform, 599 (Sex 745 C. I. Scar. Digital X-Ray, Mammography, G.P.G., 40 / 60 Ultrasocard & Colean Dioppler, 7-0 5-2-2-antisography

	Mrs. Prachi	Age/Sex	35 Yes/5
Pt. Name	C/o S. D. A Diagnostics	Date:	29.03.2024
Ref. By	C/O S. D. A Diagnostics		

11211

2-D ECHOCARDIOGRAPHY FINDINGS:

LV normal in size with normal LV systolic function. No regional wall motion abnormally, and size with adequate contractions. LA and RA are normal. All cardiac valves structurally normal. Pericardium normal. No intra-cardiac mass. Estimated LV ejection fraction is approximately 60%.

COLOR FLOW MAPPING:

Normal.

DOPPLER STUDIES:

MVIS E > A

Peak systolic velocity across aortic valve = 1.1m/sec.

Peak systolic velocity across pulmonary valve = 1.0m/sec.

IMPRESSION:

- > NO RWMA
- Adequate LV systolic function. LVEF = 60%.

Dr. Sanjeev Kumar MD, Dip, Card, FCCS

Note: All congenital anomalies may not be diagnosed in routine USG. The USG findings should always be considered in correlation with clinical and other investigations findings to reach the final diagnosis. Kindly intimate us for any typing mistakes and return the report for correction within 7 days. Not valid for medico-legal purpose.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

Lab Ref. No. : 234030797 C. NO: 10 Centre Name : SDA Diagnostics

Name : Mrs. PRACHI Collection Time : 29-Mar-2024 9:59AM


Age/ Gender : 35Y / Female Referred By : Dr. SELF

Reporting Time : 29-Mar-2024 11:49AM

Sample By :

Test Name	Results	Units	Biological Ref-Interva
	HAEMATOLOGY		
COMPLETE BLOOD COUNT			
HAEMOGLOBIN	10.30	g/dl	12-16.5
(Colorimetry)			
TOTAL LEUCOCYTE COUNT (Electric Impedence)	8900.00	/Cum m	4000-11000
DIFFERENTIAL LEUCOCYTE COUNT (Microscopy)			
Neutrophils	59.00	%	44-68
Lymphocytes	37.00	%	25- 44
Eosinophils	2.00	%	0.0- 4.0
Monocytes	2.00	%	0.0-7.0
Basophils	0.00	%	0.0-1.0
Immature Cells	00	%	
Absolute Count			
Neutrophils Count (calculated)	5251.00	/cumm	2000-7000
Lymphocytes Count (calculated)	3293.00	/cumm	1000-3000
Eosinophils Count (calculated)	178.00	/cumm	40-440
Monocytes Count (calculated)	178.00	/cumm	200-1000
Basophils Count (calculated)l	0.00	/cumm	0-30
TOTAL R.B.C. COUNT (Electric Impedence)	4.59	10^6/uL	3.50-5.50
Haematocrit Value (P.C.V.) (Calculated)	32.80	%	37.0-54.0
MCV	72.00	fL	76-98
(Calculated)			
MCH	22.40	pg	27-32





Dr. Bhavna Sharma M.D. Pathology **Dr. Swati Tiwari** M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

 The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

Lab Ref. No. : 234030797 C. NO: 10 Centre Name : SDA Diagnostics

Name : Mrs. PRACHI Collection Time : 29-Mar-2024 9:59AM Age/ Gender : 35Y / Female Referred By : Dr. SELF Reporting Time : 29-Mar-2024 11:49AM


Sample By :

Test Name	Results	Units	Biological Ref-Interva
(Calculated)			
MCHC (Calculated)	31.30	g/dl	31-35
RDW-CV (Calculated)	18.30	%	11.5 - 14.5
Platelet Count (Electric Impedence)	382	Thousand/cumm	150-450
MPV (Calculated)	9.20	fL	11.5-14.5
PDW (Calculated)	16.80	fL	9.0-17.0
E.S.R (Wintrobe methrod)	18.00	mm	00-20
Peripheral Smear			
BLOOD GROUP			
Blood Group	Α		
Rh Status	POSITIVE		
GLYCATED HAEMOGLOBIN (HbA1c	5.10	%	4.5-6.0
ESTIMATED AVERAGE GLUCOSE EXPECTED RESULTS:	99.67	mg/dl	

Non diabetic patients & Stabilized diabetics : 4.5 % to 6.0 % Good Control of diabetes : 6.1 % to 7.0 % Fair Control of diabetes : 7.1 % to 8.0 % Poor Control od diabetes : 8 % and above

The glycosylated hemoglobin assay has been validated as a reliable indicator of mean blood glucose levels for a period of 8-12 week period prior to HBA1C determination. ADA recommends the testing twice a year in patients with stable blood glucose, and quarterly, if treatment changes, or if blood glucose levels are unstable.





Dr. Bhavna Sharma M.D. Pathology **Dr. Swati Tiwari** M.D. Microbiology Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

• The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

: 234030797 Lab Ref. No.

: Mrs. PRACHI Name Age/ Gender : 35Y / Female Referred By : Dr. SELF

Sample By

C. NO: 10

Centre Name

: SDA Diagnostics

Collection Time

: 29-Mar-2024 9:59AM

Receiving Time


: 29-Mar-2024 9:59AM

Reporting Time

: 29-Mar-2024 2:20PM

Test Name	Results	Units	Biological Ref-Interval
	BIOCHEMISTRY		
BLOOD GLUCOSE FASTING (GOD/POD method)	98.00	mg/dl	70 - 110
BLOOD GLUCOSE P.P. (GOD/POD method)	121.00	mg/dl	70-140
After 2.0 hrs of meal			
BLOOD UREA NITROGEN	9.80	mg/dL	5-25





Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

Lab Ref. No. : 234030797 C. NO: 10 Centre Name : SDA Diagnostics

Name : Mrs. PRACHI Collection Time : 29-Mar-2024 9:59AM Age/ Gender : 35Y / Female Referred By : Dr. SELF Reporting Time : 29-Mar-2024 2:20PM

Sample By :

0.43	mg/dl mg/dl	0.30-1.20 0.00-0.20
0.18	_	
0.18	_	
	mg/dl	0.00-0.20
0.25	mg/dl	0.20-1.00
42.00	U/L	0-45
36.00	U/L	0-45
214.00	IU/L.	35-145
6.80	Gm/dL.	6.0-8.0
4.10	Gm/dL.	3.5-5.2
2.70	Gm/dL.	2.5-3.5
1.52		1.5-2.5
	42.00 36.00 214.00 6.80 4.10 2.70	42.00 U/L 36.00 U/L 214.00 IU/L 6.80 Gm/dL. 4.10 Gm/dL. 2.70 Gm/dL.

LIVER FUNCTION TESTS CHECK THE LEVEL OF CERTAIN ENZYMES AND PROTEINS IN BLOOD

Levels that are higher or lower than normal can indicate liver problems. Some common liver function tests include :

Alanine transaminase (ALT). ALT is an enzyme found in the liver and When the liver is damaged,

 $\ensuremath{\mathsf{ALT}}$ is released into the bloodstream and levels increase.

 $\label{eq:asymptotic problem} \mbox{Aspartate transaminase (AST). AST is an enzyme that helps metabolize alanine, an amino acid.}$

AST is normally present in blood at low levels. An increase in AST levels may indicate

liver damage or disease or muscle damage.

Alkaline phosphatase (ALP). ALP is an enzyme in the liver, bile ducts and bone.

G.G.T.P.(GAMMA G.T.)

34.00

U/L

< 38.0

(Glupa C)



Sonal Dhingra

Dr. Bhavna Sharma M.D. Pathology **Dr. Swati Tiwari** M.D. Microbiology Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

 The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

Lab Ref. No. : 234030797 C. NO: 10 Centre Name : SDA Diagnostics

Name : Mrs. PRACHI Collection Time : 29-Mar-2024 9:59AM Age/ Gender : 35Y / Female Receiving Time : 29-Mar-2024 9:59AM Referred By : Dr. SELF


Sample By : Reporting Time : 29-Mar-2024 2:20PM

Test Name	Results	Units	Biological Ref-Interval	
RENAL PROFILE				
BLOOD UREA (Urease Glutamate dehydrogenase)	21.0	mg/dl	10-50	
SERUM CREATININE (Jaffe's)	0.80	mg/dL.	0.6-1.2	
SERUM URIC ACID (Urecase method)	4.6	mg/dL.	3.5-7.5	
SERUM SODIUM (Na) (ISE Direct)	137.0	mmol/l	135 - 155	
SERUM POTASSIUM (K) (ISE Direct)	4.20	mmol/l	3.5 - 5.5	
SERUM CALCIUM (Arsenazo)	8.4	mg/dl	8.5-10.1	
SERUM PROTEIN				
TOTAL PROTEINS (Biuret)	6.60	Gm/dL.	6.0-8.0	
SERUM ALBUMIN (Bromocresol green Dye)	4.10	Gm/dL.	3.5-5.2	
GLOBULIN (Calculated)	2.50	Gm/dL.	2.5-3.5	
A: G RATIO (Calculated)	1.64	Gm/dL.	1.5-2.5	

INTERPRETATION:

Urea is the end product of protein metabolism. It reflects on funcioning of the kidney in the body. Creatinine is the end product of creatine metabolism. It is a measure of renal function and eleveted levels are observed in patients typically with 50% or greater impairment of renal function. Sodium is critical in maintaining water & osmotic equilibrium in extracellular fluids. Disturbances in acid base and water balance are typically reflected in the sodium concentrations . Potassium is an essential element involved in critical cell functions. Potassium levels are influenced by electrolyte intake ,excretion and other means of elemination, exercise, hydration and medications. Calcium imbalance my cause a spectrum of disease . High concentrations are seen in Hyperparathyroidism, Malignancy & Sarcoidosis. Low levels may be due to protein deficiency, renal insufficiency and Hypoparathyroidism. Repeat measurement is recommended if the values are outside the reference range.





Dr. Bhavna Sharma M.D. Pathology Dr. Swati Tiwari M.D. Microbiology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut

: 29-Mar-2024 2:20PM

1.5-3.0



Helpline No.: +91 95481 32613

Reporting Time

: 234030797 Lab Ref. No. Centre Name C. NO: 10 : SDA Diagnostics

: Mrs. PRACHI Name : 29-Mar-2024 9:59AM Collection Time Age/ Gender : 35Y / Female : 29-Mar-2024 9:59AM Receiving Time Referred By : Dr. SELF

Sample By

Test Name	Results	Units	Biological Ref-Interval
LIPID PROFILE			
SERUM CHOLESTEROL (CHOD - PAP)	223.0	mg/dl	125-200
SERUM TRIGLYCERIDE (GPO-PAP)	231.0	mg/dl	50-150
HDL CHOLESTEROL (Direct Method)	39.0	mg/dl	30-80
VLDL CHOLESTEROL (Calculated)	46.2	mg/dl	5-35
LDL CHOLESTEROL (Calculated)	137.8	mg/dL.	70-130
LDL/HDL RATIO (Calculated)	3.5		0.0-4.9

INTERPRETATION

(Calculated)

CHOL/HDL CHOLESTROL RATIO

TRIGLYCERIDE level > 250mg/dL is associated with an approximately 2-fold greater risk of coronary vascular disease. Elevation of triglycerides can be seen with obesity, medication, fast less than 12 hrs., alcohol intake, diabetes melitus, and pancreatitis.

CHOLESTEROL, its fractions and triglycerides are the important plasma lipids indefining cardiovascular risk factors and in the management of cardiovascular disease. Highest acceptable and optimum values of cholesterol values of cholesterol vary with age. Values above 220 mgm/dl are associated with increased risk of CHD regardless of HDL & LDL values.


5.7

HDL-CHOLESTEROL level <35 mg/dL is associated with an increased risk of coronary vascular disease even in the face of desirable levels of cholesterol and LDL - cholesterol.

LDL - CHOLESTEROL& TOTAL CHOLESTEROL levels can be strikingly altered by thyroid, renal and liver disease as well as hereditary

Based on total cholesterol, LDL- cholesterol, and total cholesterol/HDL - cholesterol ratio, patients may be divided into the three risk





Dr. Bhavna Sharma

M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road. Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613

: 234030797 Lab Ref. No. C. NO: 10 Centre Name : SDA Diagnostics

: Mrs. PRACHI Name : 29-Mar-2024 9:59AM Collection Time Age/ Gender : 35Y / Female : 29-Mar-2024 9:59AM Receiving Time Referred By : Dr. SELF Reporting Time : 29-Mar-2024 2:20PM

Sample By

Test Name	Results	Units	Biological Ref-Interval		
HORMONE					
THYRIOD PROFILE					
Triiodothyronine (T3) (FIA)	1.08	ng/dl	0.52-1.85		
Thyroxine (T4) (FIA)	9.38	ug/dl	4.8-11.6		
THYROID STIMULATING HORMONE (TSH) (FIA)	1.55	mIU/L	0.50-5.50		

Interpretation Note:

Thyroid Stimulating Hormone (TSH) is a highly effective screening assay for thyroid disorders. In patients with an intact pituitarythyroid axis, TSH provides a physiologic indicator of the functional level of thyroid hormone activity. Increased TSH indicates inadequate thyroid hormone, and suppressed s-TSH indicates excess thyroid hormone. Transient s-TSH abnormalities may be found in seriously ill, hospitalized patients, so this is not the ideal setting to assess thyroid function. However, even in these patients, s-TSH works better than total thyroxine (an alternative screening test), when the s-TSH result is abnormal, appropriate follow-up tests T4 & free T3 levels should be performed. If TSH is between 5.0 to 10.0 & free T4 & free T3 level are normal then it is considered as subclinical hypothyroidism which should be followed up after 4 weeks & If TSH is > 10 & free T4 & free T3 level are normal then it is considered as overt hypothyroidism.


Serum triiodothyronine (T3) levels often are depressed in sick and hospitalized patients, caused in part by the biochemical shift to the production of reverse T3. Therefore, T3 generally is not a reliable predictor of hypothyroidism. However, in a small subset of hyperthyroid patients, hyperthyroidism may be caused by overproduction of T3 (T3 toxicosis). To help diagnose and monitor this subgroup, T3 is measured on all specimens with suppressed s-TSH and normal FT4 concentrations.

Normal ranges of TSH & thyroid hormons vary according trimesper in pregnancy.

TSH ref range in Pregnacy Reference range (microIU/ml)

0.24 - 2.00First triemester Second triemester 0.43-2.2 Third triemester 0.8 - 2.5





Dr. Bhavna Sharma

M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613


: 234030797 Lab Ref. No. Centre Name C. NO: 10 : SDA Diagnostics

: Mrs. PRACHI Name : 29-Mar-2024 9:59AM Collection Time Age/ Gender : 35Y / Female : 29-Mar-2024 9:59AM Receiving Time Referred By : Dr. SELF Reporting Time : 29-Mar-2024 4:10PM

Sample By

Test Name	Results	Units	Biological Ref-Interva
	CLINICAL PATHOLO	GY	
URINE EXAMINATION REPORT			
PHYSICAL EXAMINATION			
VOLUME (visual)	20	ml	
COLOUR (visual)	PALE YELLOW		
APPEARENCE (visual)	CLEAR		
рН	6.50		4.6 - 8.0
SPECIFIC GRAVITY (pKa Change)	1.015		1.010-1.030
BIOCHEMICAL EXAMINATION			
UROBILINOGEN (Erlichs)	NIL		NIL
BILIRUBIN (Azo-coupling reaction)	NEGATIVE		NEGATIVE
NITRITE	NEGATIVE		NEGATIVE
SUGAR (Glucose Oxidase Peroxidase)	NIL		Nil
ALBUMIN (Protein-Error-of-Indicator))	NIL		Nil
PHOSPHATE	NIL		Nil
MICROSCOPIC EXAMINATION (Microscopy)			
RED BLOOD CELLS	NIL	/H.P.F.	0-2
PUS CELLS	2-3	/H.P.F.	0-5
EPITHELIAL CELLS	1-2	/H.P.F.	0-5
CRYSTALS	NIL	/H.P.F.	NIL
CASTS	NIL	/L.P.F.	
OTHER			





Dr. Bhavna Sharma M.D. Pathology

Dr. Swati Tiwari M.D. Microbiology

- Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.
- Report purports for patients care and not for medicalegal documents.





Branch-2: G-9, Hitech Plaza, Garh Road, Opp. Yug Hospital, Hapur Bus Stand, Meerut



Helpline No.: +91 95481 32613


Lab Ref. No. : 234030797 C. NO: 10 Centre Name : SDA Diagnostics

Name : Mrs. PRACHI Collection Time : 29-Mar-2024 9:59AM Age/ Gender : 35Y / Female Referred By : Dr. SELF Reporting Time : 29-Mar-2024 4:10PM

Test Name Results Units Biological Ref-Interval

-----{END OF REPORT }-----





Dr. Bhavna Sharma M.D. Pathology Dr. Swati Tiwari M.D. Microbiology

Dr. Sonal Dhingra Anand M.D. Pathology

Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.

• The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepency and should be immediately discussed & alleviated.