

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

General Physical Examination

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date of Examination: 06.04.2024

Name: ASHISH TIKIANI Age: 32 Sex: Male

DOB: 04.11.1992

Referred By: BOB. (Medicisheel)

Photo ID: aadhav ID #: _____

Ht: 173 (cm)

Wt: 82 (Kg)

Chest (Expiration): 100 (cm)

Abdomen Circumference: 97 (cm)

Blood Pressure: 135/91 mm Hg PR: 81 / min

BMI 27.4

Eye Examination: Dis Vision. 6/6 with specs. All eyes. Near vision 6/6 All eyes. Normal Color vision

Other: not significant


On examination he/she appears physically and mentally fit: Yes / No

Signature Of Examinee: Ashish Tikiyani Name of Examinee: _____


Signature Medical Examiner: Dr. Piyush Goyal Name Medical Examiner _____
M.B.B. M.R.D.
RMC Reg. no.-01, 096



Ashish Tikiani



Dr. Divyesh Goyal
B.S. R.D.
Reg. No.-017998



Vent Rate : 82 bpm
 PR Interval : 148 ms
 QRS Duration : 106 ms
 QT/QTc Int : 364/403 ms
 P-QRS-T axis : 61.00 • 65.00 • 31.00
 Allengers ECG (Pisces)(PIS215190517)

Dr. Anish Kumar Mohanta
 M.D. (CC) (P) (F) (C)
 D.E.M. (Cardiology)
 (ECG) (ECG)

10/02



26 / MR ASHISH TIKIANI / 32 Yrs / M / 0 Cms / 0 Kg Date: 06-Apr-2024 Technician : BOB Examined By:

Stage	Time	Duration	Belt Speed (mph)	Elevation	ME-Ts	Rate	% THR Achieved	BP	RPP	PVC	Comments
Supine	00:04	0:06	01.1	00.0	01.0	084	45%	120/80	100	00	
Standing	00:22	0:18	01.1	00.0	01.0	090	48%	120/80	108	00	
HV	00:43	0:21	01.1	00.0	01.0	087	46%	120/80	104	00	
Warm Up	01:05	0:22	01.1	00.0	01.0	084	45%	120/80	100	00	
ExStart	01:50	0:45	01.0	00.0	01.0	094	50%	120/80	112	00	
BRUCE Stage 1	04:50	3:00	01.7	10.0	04.7	140	74%	120/80	168	00	
BRUCE Stage 2	07:50	3:00	02.5	12.0	07.1	161	86%	130/85	209	00	
PeakEx	09:24	1:34	03.4	14.0	08.7	176	94%	140/90	246	00	
Recovery	11:23	2:00	00.0	00.0	01.0	121	64%	135/85	163	00	
Recovery	13:23	4:00	00.0	00.0	01.0	115	61%	125/85	143	00	
Recovery	13:47	4:23	00.0	00.0	01.0	113	60%	125/85	141	00	

Findings :

Exercise Time : 07:34
 Max HR Attained : 176 bpm 94% of Target 188
 Max BP Attained : (Sys) 140/90
 Max Workload Attained : 8.7 Fair response to induced stress
 Max ST Dep Lead & Value : V1 & -1.3 mm in Stage 1 mm
 Test Objective : GHDFEWASFSAFD ASSAS
 Test End Reasons : Test Complete, Heart Rate Achieved

Report :

The test is negative for AFIB

D- Marresh Kumar Mohanaka

MBBS, D.D.CAR, (MCC) (CDRIS)

D.E.M. (R.D.S. - UK)

DR. GOYAL PATH LAB & IMAGING CENTER

26 / MR ASHISH TIKIANI / 32 Yrs / M / 0 Cms / 0 Kg / HR : 84




Date: 06-Apr-2024 02:44:24 PM METS: 1.0l 84 bpm 44% of THR BP: 120/80 mmHg

4X 80 ms Post J Combined Medians/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

Supine



EXTime: 00:09 1.1 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:

(GEM214190403)(R)Allergers

DR. GOYAL PATH LAB & IMAGING CENTER

26 / MR ASHISH TIKANI / 32 Yrs / M / 0 Cms / 0 Kg / HR : 90




Date: 06-Apr-2024 02:44:24 PM METS: 1.0/ 90 bpm 47% of THR BP: 120/80 mmHg

4X 80 ms Post J Combined Medians/ BLC On/ Notch On/ HF 0.05 Hz/ LF 100 Hz

Standing



ExTime: 00:21 1.1 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV






REMARKS:

(GEM214190403)(R)Allengers



ExTime: 00:42 1.1 mph 0.0%
25 mm/Sec. 1.0 Cm/mv



REMARKS:

DR. GOYAL PATH LAB & IMAGING CENTER

26 / MR ASHISH TIJANI / 32 Yrs / M / 0 Cms / 0 Kg / HR : 84



Date: 06-Apr-2024 02:44:24 PM METS: 1.0/ 84 bpm 44% of THR BP: 120/80 mmHg

4X 80 ms Post J Combined Medians/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

Warm Up



ExTime: 01:04 1.1 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:

(GEM214190403)(R)Allengers

DR. GOYAL PATH LAB & IMAGING CENTER

26 / MR ASHISH TIKIANI / 32 Yrs / M / 0 Cms / 0 Kg / HR : 94


Date: 06-Apr-2024 02:44:24 PM METS: 1.0/ 94 bpm 50% of THR BP: 120/80 mmHg

4X 80 ms Post J Combined Medians/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExStart



ExTime: 00:00 1.0 mpph 0.0%
25 mm/Sec: 1.0 Cm/mV




REMARKS:

(GEM214190403)(R)Allengers



ExTime: 03:00 1.7 mph 10.0%
25 mm/Sec. 1.0 cm/mV




REMARKS:

(GEM214190403)(R)Allengers




ExTime: 06:00 2.5 mph 12.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:


(GEM214190403)(R)Allengers



REMARKS:



ExTime: 07:34 0.0 mph 0.0%
25 mm/Sec - 1.0 GmmV




REMARKS:

(GEM214190403)(R)Allengers




ExTime: 07:34 0.0 mpm, 0.0%
25 mm/Sec. 1.0 Cm/mV





ExTime: 07:34 0.0 mph, 0.0%
25 mm/Sec: 1.0 Cm/mV



REMARKS:

(GEM214190403)(R)Allengers



Date: 06-Apr-2024 02:44:24 PM I II III

Supine

STL	STS	avR	avL	avF	V1	V2	V3	V4	V5	V6				
(1) 0:00	1.1 mph	1.6	1.4	-0.2	-1.5	0.9	0.7	0.6	-0.5	3.9	1.9	0.9	1.0	0.9
(2) 0:00	0.0 %	1.4	1.3	-0.1	-1.3	0.7	0.6	0.6	-0.6	2.9	1.4	0.8	1.0	0.8
84 bpm	120/80													

Standing

(1) 0:00	1.1 mph	1.6	1.5	-0.1	-1.5	0.8	0.7	0.7	-0.5	3.7	1.9	1.0	1.0	0.9
(2) 0:00	0.0 %	1.4	1.3	0.0	-1.3	0.7	0.7	0.6	-0.5	2.9	1.5	0.9	1.0	0.8
90 bpm	120/80													

HV

(1) 0:00	1.1 mph	1.6	1.4	-0.2	-1.5	0.9	0.6	0.6	-0.5	3.8	1.9	1.0	1.0	0.8
(2) 0:00	0.0 %	1.4	1.3	-0.1	-1.4	0.7	0.6	0.6	-0.6	2.9	1.4	0.8	0.9	0.7
87 bpm	120/80													

Warm Up

(+) 0:00	1.1 mph	1.8	1.6	-0.2	-1.7	1.0	0.7	0.7	-0.6	4.1	2.0	1.0	1.0	0.9
(2) 0:00	0.0 %	1.5	1.3	-0.2	-1.4	0.9	0.6	0.6	-0.7	3.0	1.4	0.8	1.0	0.8
090 bpm	120/80													

ExStart

(1) 0:00	1.0 mph	0.3	0.0	-0.2	-0.1	0.6	0.2	-0.1	-1.0	2.3	1.4	0.5	0.5	0.4
(2) 0:00	0.0 %	0.1	0.3	0.5	-0.2	0.2	0.2	-0.1	-0.7	1.8	1.3	0.6	0.5	0.6
094 bpm	120/80													

Stage 1






(1) 3:01	1.7 mph	1.5	1.3	0.0	-1.4	0.8	0.5	0.5	-1.0	2.5	1.5	0.9	1.0	0.9
(2) 3:01	10.0 %	2.2	2.5	0.5	-2.3	0.9	1.4	1.4	-1.1	3.7	2.5	1.7	1.7	1.5
141 bpm	120/80													

DR. GOYAL PATH LAB & IMAGING CENTER

26 / MR ASHISH TIKANI / 32 YRS / M / 0 Cms / 0 Kg / HR : 113

Date: 06-Apr-2024 02:44:24 PM I II III

Average



(GEM214190403)(R)Allergens

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Patient ID :-122424805



NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 15:36:42

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

BOB PACKAGE BELOW 40MALE

GLYCOSYLATED HEMOGLOBIN (HbA1C) 5.4 %
Method:- HPLC

Non-diabetic: < 5.7
Pre-diabetics: 5.7-6.4
Diabetics: = 6.5 or higher
ADA Target: 7.0
Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycosylated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE 108 mg/dL
Method:- Calculated Parameter

Non Diabetic < 100 mg/dL
Prediabetic 100- 125 mg/dL
Diabetic 126 mg/dL or Higher

BANWARI
Technologist

Page No: 1 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre



MC- 5509

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Patient ID :- 122424805



Date : 06/04/2024 10:50:33
NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 15:36:42

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
HAEMOGARAM			
HAEMOGLOBIN (Hb)	15.6	g/dL	13.0 - 17.0
TOTAL LEUCOCYTE COUNT	7.22	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	60.0	%	40.0 - 80.0
LYMPHOCYTE	33.4	%	20.0 - 40.0
EOSINOPHIL	3.3	%	1.0 - 6.0
MONOCYTE	3.0	%	2.0 - 10.0
BASOPHIL	0.3	%	0.0 - 2.0
NEUT#	4.34	10 ³ /uL	1.50 - 7.00
LYMPH#	2.42	10 ³ /uL	1.00 - 3.70
EO#	0.23	10 ³ /uL	0.00 - 0.40
MONO#	0.21	10 ³ /uL	0.00 - 0.70
BASO#	0.02	10 ³ /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	5.59 H	x10 ⁶ /uL	4.50 - 5.50
HEMATOCRIT (HCT)	48.60	%	40.00 - 50.00
MEAN CORP VOLUME (MCV)	87.0	fL	83.0 - 101.0
MEAN CORP HB (MCH)	28.0	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	32.1	g/dL	31.5 - 34.5
PLATELET COUNT	295	x10 ³ /uL	150 - 410
RDW-CV	13.5	%	11.6 - 14.0
MENTZER INDEX	15.56		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

BANWARI
Technologist

Page No: 2 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com 10-9010 E-mail: drgoyalpiyush@gmail.com Patient ID :- 122424805



NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 15:36:42

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
Erythrocyte Sedimentation Rate (ESR)	23 H	mm/hr.	00 - 13

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction)

Levels are higher in pregnancy due to hyperfibrinogenaemia.

The "3-figure ESR" $\times > 100$ value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC); Methodology: TLC, DLC, Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance. and of Connective tissue disease.

MCH, MCV, MCHC, MENTZER INDEX are calculated. Instrument Name: Sysmex 6 part fully automatic analyzer XN-L, Japan

BANWARI
Technologist

Page No: 3 of 12



Dr. Rashmi Bakshi
MBBS. MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019
Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Patient ID :- 122424805



Date :- 06/04/2024 10:50:55

NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 13:48:11

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	259.51 H	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	282.15 H	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	34.29	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	178.20 H	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	56.43	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	7.57 H		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	5.20 H		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	888.68	mg/dl	400.00 - 1000.00
TOTAL CHOLESTEROL InstrumentName:Radox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism disorders.			
TRIGLYCERIDES InstrumentName:Radox Rx Imola Interpretation : Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.			
DIRECT HDLCHOLESTERO InstrumentName:Radox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.			
DIRECT LDL-CHOLESTEROL InstrumentName:Radox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.			
TOTAL LIPID AND VLDL ARE CALCULATED			

SURENDRAKHANGA

Page No: 4 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.dr.goyalpathlab.com | 0-50855 Patient ID :- 122424805

NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 13:48:11

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.78	mg/dl	Up to - 1.0 Cord blood <2 Premature < 6 days <16 Full-term < 6 days= 12 1month - <12 months <2 1-19 years <1.5 Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.24	mg/dL	Adult - Up to 0.25 Newborn - <0.6 >- 1 month - <0.2
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.54	mg/dl	0.30-0.70
SGOT Method:- IFCC	30.8	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	63.5 H	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	90.60	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	48.20	U/L	11.00 - 50.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.05	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.62	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.43	gm/dl	2.20 - 3.50
A/G RATIO	1.90		1.30 - 2.50

Total Bilirubin Methodology: Colorimetric method InstrumentName: Randox Rx Imola Interpretation: An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName: Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCC InstrumentName: Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent InstrumentName: Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName: Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal)

SURENDRAKHANGA

Page No: 5 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com Patient ID :- 122424805



NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 12:49:52

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.150	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	7.180	ug/dl	6.530 - 13.210
SERUM TSH ULTRA Method:- Enhanced Chemiluminescence Immunoassay	2.540	µIU/mL	0.350 - 5.500

Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

Interpretation : The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

Interpretation : TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

NARENDRAKUMAR
Technologist

Page No: 6 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com Patient ID :- 122424805



NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- URINE

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 16:00:37

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
Urine Routine			
PHYSICAL EXAMINATION			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
CHEMICAL EXAMINATION			
REACTION(PH)	6.0		5.0 - 7.5
Method:- Reagent Strip(Double indicator blue reaction)			
SPECIFIC GRAVITY	1.010		1.010 - 1.030
Method:- Reagent Strip(bromthymol blue)			
PROTEIN	NIL		NIL
Method:- Reagent Strip (Sulphosalicylic acid test)			
GLUCOSE	NIL		NIL
Method:- Reagent Strip (Glu.Oxidase Peroxidase Benedict)			
BILIRUBIN	NEGATIVE		NEGATIVE
Method:- Reagent Strip (Azo-coupling reaction)			
UROBILINOGEN	NORMAL		NORMAL
Method:- Reagent Strip (Modified ehrlich reaction)			
KETONES	NEGATIVE		NEGATIVE
Method:- Reagent Strip (Sodium Nitropruside) Rothera's			
NITRITE	NEGATIVE		NEGATIVE
Method:- Reagent Strip (Diazotization reaction)			
MICROSCOPY EXAMINATION			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	1-2	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		ABSENT

AJAYKUMAR
Technologist

Page No: 7 of 12



Dr. Rashmi Bakshi
MBBS, MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019
Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com Patient ID :- 122424805



Date :- 06/04/2024 10:50:55
NAME :- Mr. ASHISH TIKIANI
 Sex / Age :- Male 32 Yrs 2 Days
 Company :- MediWheel

Ref. By Dr:- BOB
 Lab/Hosp :-

Sample Type :- KOx/Na FLUORIDE-F, KOx/Na Sodium Phosphate
 Date of Test :- 06/04/2024 11:04:03
 Final Authentication : 06/04/2024 18:07:46

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP	93.0	mg/dl	75.0 - 115.0

Impaired glucose tolerance (IGT)	111 - 125 mg/dL
Diabetes Mellitus (DM)	> 126 mg/dL

Instrument Name: Randox Rx Imola **Interpretation:** Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

BLOOD SUGAR PP (Plasma) Method:- GOD PAP	108.7	mg/dl	70.0 - 140.0
---	-------	-------	--------------

Instrument Name: Randox Rx Imola **Interpretation:** Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

SERUM CREATININE Method:- Colorimetric Method	0.95	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
SERUM URIC ACID Method:- Enzymatic colorimetric	8.30 H	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

MUKESH SINGH, SURENDRAKHANGA

Page No: 9 of 12



Dr. Rashmi Bakshi
 MBBS, MD (Path)
 RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019
Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com Patient ID :- 122424805



NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA, URINE

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 16:00:37

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BLOOD GROUP ABO	"B" POSITIVE		
BLOOD GROUP ABO Methodology : Haemagglutination reaction Kit Name : Monoclonal agglutinating antibodies (Span clone).			
URINE SUGAR (FASTING) Collected Sample Received	Nil		Nil

AJAYKUMAR, BANWARI
Technologist

Page No: 11 of 12



Dr. Rashmi Bakshi
MBBS. MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com Patient ID :- 122424805



NAME :- Mr. ASHISH TIKIANI

Ref. By Dr:- BOB

Sex / Age :- Male 32 Yrs 2 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 06/04/2024 11:04:03

Final Authentication : 06/04/2024 13:48:11

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
BLOOD UREA NITROGEN (BUN)	9.1	mg/dl	0.0 - 23.0

*** End of Report ***

SURENDRAKHANGA

Page No: 12 of 12



Dr. Rashmi Bakshi
MBBS. MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road, Jaipur
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalspathlab.com E-mail : drgoyalpiyush@gmail.com



Date :- 06/04/2024 10:50:35
NAME :- Mr. ASHISH TIKIANI
Sex / Age :- Male 32 Yrs 2 Days
Company :- MediWheel

Patient ID :- 122424805
Ref. By Doctor:-BOB
Lab/Hosp :-

Final Authentication : 06/04/2024 12:50:19

BOB PACKAGE BELOW 40MALE

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.


Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)



Dr. NAVNEET AGARWAL (MD, DNB RADIO-DIAGNOSIS, MNAMS)
EX-SR NEURO-RADIOLOGY AIIMS NEW DELHI
(RMC No. 33613 / 14911)

*** End of Report ***

Dr. Piyush Goyal
(D.M.R.D.) BILAL

Page No: 1 of 1

Transcript by.

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg No. 017996

Dr. Ashish Choudhary
MBBS, MD (Radio Diagnosis)
Fetal Medicine Consultant
FMF ID - 260517 | RMC No 22430

Dr. Abhishek Jain
MBBS, DNB, (Radio-Diagnosis)
RMC No. 21687

Dr. Navneet Agarwal
MD, DNB (Radio Diagnosis)
RMC No. 33613/14911

Dr. Poorvi Malik
MBBS, MD, DNB (Radio Diagnosis)
RMC No. 21505



Date :- 06/04/2024 10:50:35
NAME :- Mr. ASHISH TIKIANI
Sex / Age :- Male 32 Yrs 2 Days
Company :- MediWheel

Patient ID :- 122424805
Ref. By Doctor :- BOB
Lab/Hosp :-

Final Authentication : 06/04/2024 14:01:48

BOB PACKAGE BELOW 40MALE

USG WHOLE ABDOMEN

Liver is of normal size and shows mildly raised parenchymal echogenicity. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. Collecting system does not show any dilatation or calculus.

Small subcentimetric sized simple cyst measuring ~6.5 mm is seen in upper cortex of right kidney.

Urinary bladder is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size with normal echo-texture and outline. No significant free fluid is seen in peritoneal cavity.

IMPRESSION:

*** Grade I fatty liver.**

Needs clinical correlation.

*** End of Report ***

06.04.2024
15:50 PM
C1-6-D
204/79.5cm
Absence of ABD
HMP16.50, 1.93
C7/M3
FZ/73
SB114162.2

Dr. Goyal's Path Lab, Jaipur

ASHISH TIWARI, 32
E19168-24-04-06-30

06.04.2024
15:50 PM
C1-6-D
204/79.5cm
Absence of ABD
HMP16.50, 1.93
C7/M3
FZ/73
SB114162.2

Dr. Goyal's Path Lab, Jaipur

ASHISH TIWARI, 32
E19168-24-04-06-30

06.04.2024
15:53 PM
C1-6-D
204/79.5cm
Absence of ABD
HMP16.50, 1.93
C7/M3
FZ/73
SB114162.2

Dr. Goyal's Path Lab, Jaipur

ASHISH TIWARI, 32
E19168-24-04-06-30

1D.6.57mm

06.04.2024
15:50 PM
C1-6-D
204/79.5cm
Absence of ABD
HMP16.50, 1.93
C7/M3
FZ/73
SB114162.2

Dr. Goyal's Path Lab, Jaipur

ASHISH TIWARI, 32
E19168-24-04-06-30

06.04.2024
15:54 PM
C1-6-D
204/79.5cm
Absence of ABD
HMP16.50, 1.93
C7/M3
FZ/73
SB114162.2

Dr. Goyal's Path Lab, Jaipur

ASHISH TIWARI, 32
E19168-24-04-06-30

06.04.2024
15:53 PM
C1-6-D
204/79.5cm
Absence of ABD
HMP16.50, 1.93
C7/M3
FZ/73
SB114162.2

Dr. Goyal's Path Lab, Jaipur

ASHISH TIWARI, 32
E19168-24-04-06-30