



CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920 Registered On : 26/Apr/2024 09:58:59 Age/Gender : 36 Y 1 M 0 D /M Collected : 26/Apr/2024 10:28:41 UHID/MR NO : ALDP.0000115739 Received : 26/Apr/2024 11:45:59 Visit ID : ALDP0030062425 Reported : 26/Apr/2024 13:45:29

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing)	* , Blood			
Blood Group	А			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) *	Whole Blood			
Haemoglobin	14.80	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	5,000.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	56.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	35.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	3.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	6.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	2.00	Mm for 1st hr.		
Corrected	45	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	44.00	%	40-54	
Platelet Count	1.50	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	16.40 -	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE











CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920 Registered On : 26/Apr/2024 09:58:59 Age/Gender : 36 Y 1 M 0 D /M Collected : 26/Apr/2024 10:28:41 UHID/MR NO : 26/Apr/2024 11:45:59 : ALDP.0000115739 Received Visit ID : ALDP0030062425 Reported : 26/Apr/2024 13:45:29

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.18	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.95	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	90.50	۶I	80-100	CALCULATED PARAMETER
MCH	30.00	pg	28-35	CALCULATED PARAMETER
MCHC	33.20	%	30-38	CALCULATED PARAMETER
RDW-CV	14.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	48.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,800.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	300.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)









CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920 : 26/Apr/2024 09:59:04 Registered On Age/Gender : 36 Y 1 M 0 D /M Collected : 26/Apr/2024 10:28:41 UHID/MR NO : ALDP.0000115739 Received : 26/Apr/2024 11:45:59 Visit ID : ALDP0030062425 Reported : 26/Apr/2024 13:01:35

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

	Test Name	Result	Ur	nit	Bio. Ref. Interva	al	Method	
(GLUCOSE FASTING * , Plasma							
	Glucose Fasting	101.10	mg/dl	< 100 [Normal	GOD PO	D	

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	24.40	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	79	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level









CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920 : 26/Apr/2024 09:59:04 Registered On Collected Age/Gender : 36 Y 1 M 0 D /M : 26/Apr/2024 10:28:41 UHID/MR NO : ALDP.0000115739 Received : 26/Apr/2024 11:45:59 Visit ID : ALDP0030062425 Reported : 26/Apr/2024 13:01:35

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	11.63	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.00	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.46	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	30.20	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	55.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	14.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.10	gm/dl	6.2-8.0	BIURET
Albumin	4.40	gm/dl	3.4-5.4	B.C.G.
Globulin	2.70	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.63		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	106.20	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.10	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8	JENDRASSIK & GROF







^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





CIN: U85110DL2003PLC308206



Patient Name

: Mr.RAHUL SHUKLA-171920

Registered On

: 26/Apr/2024 09:59:04

Age/Gender

: 36 Y 1 M 0 D /M

Collected Received : 26/Apr/2024 10:28:41 : 26/Apr/2024 11:45:59

UHID/MR NO Visit ID

: ALDP.0000115739 : ALDP0030062425

Reported

: 26/Apr/2024 13:01:35

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inter	rval Method
LIDID DDOFILE (AMINIL) *				
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	149.00	mg/dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP igh
HDL Cholesterol (Good Cholesterol)	49.40	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	69	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			Optimal/Above Optir	nal
			130-159 Borderline Hi	igh
			160-189 High	
			> 190 Very High	
VLDL	30.44	mg/dl	10-33	CALCULATED
Triglycerides	152.20	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP igh

AS

Dr. Akanksha Singh (MD Pathology)









CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920 Registered On : 26/Apr/2024 09:59:02 : 36 Y 1 M 0 D /M Age/Gender Collected : 26/Apr/2024 12:34:12 UHID/MR NO : ALDP.0000115739 Received : 26/Apr/2024 13:36:06 Visit ID : ALDP0030062425 Reported : 26/Apr/2024 16:27:52

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , υ	rine			
Color	PALE YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Cugar	ADCENIT	ana o 0/	> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
•	·			EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
	,40			EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifuged u	urine sediment.			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
Sugar, rasting stage	MDSEINI	y111570		











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mr.RAHUL SHUKLA-171920

Registered On

: 26/Apr/2024 09:59:02

Age/Gender

 $: \ 36 \ Y \ 1 \ M \ 0 \ D \ / M$

CARE LTD -

Collected

: 26/Apr/2024 12:34:12 : 26/Apr/2024 13:36:06

UHID/MR NO Visit ID

: ALDP.0000115739 : ALDP0030062425 Received Reported

: 26/Apr/2024 16:27:52

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2



Dr. Akanksha Singh (MD Pathology)











UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920 Age/Gender : 36 Y 1 M 0 D /M

: ALDP.0000115739

: ALDP0030062425 : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Registered On Collected

Received

: 26/Apr/2024 09:59:06

: 26/Apr/2024 10:28:41 : 27/Apr/2024 09:49:52

Reported : 27/Apr/2024 13:28:49

Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.97	ng/mL	<4.1	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone:
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Bring

Dr. Anupam Singh (MBBS MD Pathology)

Page 8 of 12









CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920 : 26/Apr/2024 09:59:03 Registered On Age/Gender Collected : 36 Y 1 M 0 D /M : 26/Apr/2024 10:28:41 UHID/MR NO : ALDP.0000115739 Received : 26/Apr/2024 11:45:59 Visit ID : 26/Apr/2024 14:21:20 : ALDP0030062425 Reported

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	l Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	138.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	5.40	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.200	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
. •		0.3-4.5 μIU/n	nL First Trimes	ter
		0.5-4.6 μIU/n	nL Second Trin	nester
		0.8-5.2 μIU/n	nL Third Trime	ster
		0.5-8.9 μIU/n	nL Adults	55-87 Years
		0.7-27 μIU/n	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	z - 20 Yrs.)
		1-39 μIU		0-4 Days
		1.7-9.1 μIU/n		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Page 9 of 12





CHANDAN DIAGNOSTIC CENTRE



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920

: 36 Y 1 M 0 D /M

Collected

: 26/Apr/2024 09:59:06

Age/Gender UHID/MR NO

: ALDP.0000115739

Received Reported

Registered On

: 26/Apr/2024 15:06:27

Visit ID

: ALDP0030062425 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: N/A

: N/A

Ref Doctor CARE LTD - : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis





Page 10 of 12





CIN: U85110DL2003PLC308206



Patient Name : Mr.RAHUL SHUKLA-171920 Registered On : 26/Apr/2024 09:59:06

 Age/Gender
 : 36 Y 1 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000115739
 Received
 : N/A

Visit ID : ALDP0030062425 Reported : 26/Apr/2024 13: 42: 14

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (14.5 cm), shape and **shows diffusely raised echotexture**. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER: Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (10.2 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Is adequately distended. No evidence of wall thickening/calculus is seen.

PROSTATE: Normal in size (2.4 x 2.0 x 2.9 cm vol - 7.5 cc), shape and echo pattern.

HIGH RESOLUTION:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION: Grade I fatty liver.

Please correlate clinically



Dr. Aishwarya Neha (MD Radiodiagnosis







CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mr.RAHUL SHUKLA-171920

Registered On

: 26/Apr/2024 09:59:07

Age/Gender

: 36 Y 1 M 0 D /M

Collected : N/A

UHID/MR NO

: ALDP.0000115739

Received

Visit ID

: ALDP0030062425

Reported

: 28/Apr/2024 10:14:35

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

: N/A

DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT) *

NORMAL

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG





Dr. R K VERMA

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location

Page 12 of 12



