

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mr.SUSHANTO MALIK - 117134

Registered On

: 10/Feb/2024 09:38:32

Age/Gender UHID/MR NO : 31 Y 8 M 14 D /M

Collected

: N/A

UHID/MI Visit ID : ALDP.0000100759 : ALDP0357982324 Received Reported

: 11/Feb/2024 10:15:59

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

: N/A

# DEPARTMENT OF CARDIOLOGY-ECG

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ECG / EKG \*

1. Machnism, Rhythm

Sinus, Regular

2. Atrial Rate

**78** 

/mt

3. Ventricular Rate

**78** 

/mt

4. P - Wave

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: Configuration:

Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T – Wave

Normal

**FINAL IMPRESSION** 

E.C.G. is within normal limits.

Dr. R K VERMA MBBS, PGDGM











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134 Registered On : 10/Feb/2024 09:38:24 Age/Gender Collected : 10/Feb/2024 09:54:11 : 31 Y 8 M 14 D /M UHID/MR NO : ALDP.0000100759 Received : 10/Feb/2024 10:01:54 Visit ID : ALDP0357982324 Reported : 10/Feb/2024 12:42:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

# DEPARTMENT OF HAEMATOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Blood Group (ABO & Rh typing) * , Blood	Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group					
Blood Group	Blood Group (ABO & Rh typing) * Blood	4			
Rh ( Anti-D)  POSITIVE  PO					FDVTHDOCVTF
RR ( Anti-D)	Blood Group	A			MAGNETIZED TECHNOLOGY / TUBE
Complete Blood Count (CBC) * , Whole Blood	Rh ( Anti-D)	POSITIVE	·		ERYTHROCYTE MAGNETIZED
Haemoglobin					
1 WK- 13.5-19.5 g/dl   1 Mo- 10.0-18.0 g/dl   3-6 Mo- 9.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   0.5-2 Yr- 11.5-15.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   6-12 Yr- 11.5-15.5 g/dl   6-12 Y	Complete Blood Count (CBC) *, Whole B.	lood			
1 Mo- 10.0-18.0 g/dl   3-6 Mo- 9.5-13.5 g/dl   0.5-2 Yr- 10.5-13.5 g/dl   12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Male- 13.5 g/dl   Male- 13.5-17.5 g/dl   Male- 13.5 g/	Haemoglobin	14.40	g/dl		
Company   Comp					
Corrected   Corr					
12-18 Yr 13.0-16.0 g/dl   Male- 13.5-17.5 g/dl   Female- 12.0-15.5 g/					
Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl F					
TLC (WBC) 8,100.00 /Cu mm 4000-10000 ELECTRONIC IMPEDANCE DLC  Polymorphs (Neutrophils) 61.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 33.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 5.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR  Observed 4.00 Mm for 1st hr. Corrected - Mm for 1st hr. <9 PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count 1.51 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE MPEDANCE IMPEDANCE IMPED				· ·	
DLCPolymorphs (Neutrophils )61.00%55-70ELECTRONIC IMPEDANCELymphocytes33.00%25-40ELECTRONIC IMPEDANCEMonocytes5.00%3-5ELECTRONIC IMPEDANCEEosinophils1.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1				Female- 12.0-15.5 g/dl	
Polymorphs (Neutrophils ) 61.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 33.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 5.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR  Observed 4.00 Mm for 1st hr. <9 PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count 1.51 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE IMP		8,100.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Lymphocytes 33.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 5.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR  Observed 4.00 Mm for 1st hr. <9 PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count  PDW (Platelet Distribution width) 17.10 fL 9-17 ELECTRONIC IMPEDANCE	DLC				
Monocytes 5.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE  ESR  Observed 4.00 Mm for 1st hr.  Corrected - Mm for 1st hr. <9  PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count 1.51 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE  PDW (Platelet Distribution width) 17.10 fL 9-17 ELECTRONIC IMPEDANCE	Polymorphs (Neutrophils )	61.00	%	55-70	ELECTRONIC IMPEDANCE
Eosinophils Basophils 0.00 % 1-6 ELECTRONIC IMPEDANCE ESR  Observed Corrected - Mm for 1st hr. <9 PCV (HCT) Platelet Count  Platelet Count  PDW (Platelet Distribution width)  1.00 % 1-6 ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE	Lymphocytes	33.00	%	25-40	ELECTRONIC IMPEDANCE
Basophils 0.00 % <1 ELECTRONIC IMPEDANCE  ESR  Observed 4.00 Mm for 1st hr.  Corrected - Mm for 1st hr. <9  PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count 1.51 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE	Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Corrected 4.00 Mm for 1st hr.  Corrected - Mm for 1st hr. < 9 PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count 1.51 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE	Eosinophils	1.00	%	1-6	ELECTRONIC IMPEDANCE
Observed 4.00 Mm for 1st hr.  Corrected - Mm for 1st hr. < 9  PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count 1.51 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE	Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
Corrected - Mm for 1st hr. <9 PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count 1.51 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE I	ESR				
Corrected - Mm for 1st hr. <9 PCV (HCT) 43.00 % 40-54  Platelet count  Platelet Count 1.51 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE IMP	Observed	4.00	Mm for 1st hr.		
Platelet count       Platelet Count     1.51     LACS/cu mm     1.5-4.0     ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE       PDW (Platelet Distribution width)     17.10     fL     9-17     ELECTRONIC IMPEDANCE	Corrected	49	Mm for 1st hr.	< 9	
Platelet count       Platelet Count     1.51     LACS/cu mm     1.5-4.0     ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE       PDW (Platelet Distribution width)     17.10     fL     9-17     ELECTRONIC IMPEDANCE	PCV (HCT)	43.00	%	40-54	
PDW (Platelet Distribution width)  17.10  IMPEDANCE/MICROSCOPIC  ELECTRONIC IMPEDANCE					
PDW (Platelet Distribution width) 17.10 fL 9-17 ELECTRONIC IMPEDANCE	Platelet Count	1.51	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
	PDW (Platelet Distribution width)	17.10	fL	9-17	
	· · · · · · · · · · · · · · · · · · ·	-			











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134 Registered On : 10/Feb/2024 09:38:24 Age/Gender : 31 Y 8 M 14 D /M Collected : 10/Feb/2024 09:54:11 UHID/MR NO Received : ALDP.0000100759 : 10/Feb/2024 10:01:54 Visit ID : ALDP0357982324 Reported : 10/Feb/2024 12:42:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

# **DEPARTMENT OF HAEMATOLOGY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.17	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.86	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	89.60	fl	80-100	CALCULATED PARAMETER
MCH	29.60	pg	28-35	CALCULATED PARAMETER
MCHC	33.10	%	30-38	CALCULATED PARAMETER
RDW-CV	13.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.60	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,941.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	81.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134

Registered On

: 10/Feb/2024 09:38:29 : 10/Feb/2024 09:54:11

Age/Gender UHID/MR NO : 31 Y 8 M 14 D /M

Collected Received

: 10/Feb/2024 10:01:54

Visit ID Ref Doctor : ALDP0357982324 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

: ALDP.0000100759

Reported

: 10/Feb/2024 13:05:31

CARE LTD -

Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

**GLUCOSE FASTING** \*, Plasma

Glucose Fasting

106.30

mg/dl

< 100 Normal

**GOD POD** 

100-125 Pre-diabetes

≥ 126 Diabetes

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP \*
Sample:Plasma After Meal

115.10

mg/dl

<140 Normal

**GOD POD** 

140-199 Pre-diabetes

>200 Diabetes

# **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.30	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	34.50	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	106	mg/dl	

# Interpretation:

## NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002





Ref Doctor

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134 Registered On : 10/Feb/2024 09:38:29 Collected Age/Gender : 31 Y 8 M 14 D /M : 10/Feb/2024 09:54:11 UHID/MR NO : ALDP.0000100759 Received : 10/Feb/2024 10:01:54 Visit ID : ALDP0357982324 Reported : 10/Feb/2024 13:05:31 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status : Final Report CARE LTD -

## **DEPARTMENT OF BIOCHEMISTRY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	10.00	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.80	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.84	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) \*, Serum





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134 Registered On : 10/Feb/2024 09:38:29 Age/Gender Collected : 10/Feb/2024 09:54:11 : 31 Y 8 M 14 D /M UHID/MR NO : ALDP.0000100759 Received : 10/Feb/2024 10:01:54 Visit ID : ALDP0357982324 Reported : 10/Feb/2024 13:05:31

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

# DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	val Method
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT)	<b>39.20</b> <b>58.40</b> 20.50	U/L U/L IU/L	< 35 < 40 11-50	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING
Protein Albumin	6.60 4.20	gm/dl gm/dl	6.2-8.0 3.4-5.4	BIURET B.C.G.
Globulin A:G Ratio Alkaline Phosphatase (Total)	2.40 1.75 87.30	gm/dl , U/L	1.8-3.6 1.1-2.0 42.0-165.0	CALCULATED CALCULATED IFCC METHOD
Bilirubin (Total) Bilirubin (Direct) Bilirubin (Indirect)	0.70 0.30 0.40	mg/dl mg/dl mg/dl	0.3-1.2 < 0.30 < 0.8	JENDRASSIK & GROF JENDRASSIK & GROF JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	157.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	41.60 100	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL Triglycerides	15.12 75.60	mg/dl mg/dl	10-33 < 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	CALCULATED GPO-PAP Ih

Dr. Akanksha Singh (MD Pathology)









UHID/MR NO

Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134 Registered On Age/Gender : 31 Y 8 M 14 D /M Collected

: 31 Y 8 M 14 D /M : ALDP.0000100759

Received

: 10/Feb/2024 14:17:47 : 10/Feb/2024 15:01:12

: 10/Feb/2024 09:38:28

Visit ID : ALDP0357982324

Reported

: 10/Feb/2024 16:05:45

Method

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

Unit

: Final Report

Rio Ref Interval

# DEPARTMENT OF CLINICAL PATHOLOGY

Result

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	. Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.005			
Reaction PH	Acidic ( 6.5 )			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Curan	ADCENT	auga a 0/	> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	2-3/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	3-4/h.p.f			
RBCs	1-2/h.p.f			MICROSCOPIC
Cast	ABSENT			EXAMINATION
Crystals	ABSENT			MICROSCOPIC
or ystais	ADSLIVI			EXAMINATION
Others	ABSENT			270 00000
Urine Microscopy is done on centrifug	ed urine sediment.			
zama an continue				

**SUGAR, FASTING STAGE \***, Urine

Sugar, Fasting stage

**ABSENT** 

gms%







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134

. WI . 303 IANTO WALK -

Registered On Collected : 10/Feb/2024 09:38:28 : 10/Feb/2024 14:17:47

Age/Gender

: 31 Y 8 M 14 D /M

Conected

: 10/Feb/2024 15:01:12

UHID/MR NO Visit ID

: ALDP.0000100759 : ALDP0357982324 Received Reported

: 10/Feb/2024 16:05:45

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

## **Interpretation:**

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

# SUGAR, PP STAGE \* , Urine

Sugar, PP Stage

**ABSENT** 

## **Interpretation:**

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

AS-

Dr. Akanksha Singh (MD Pathology)

Page 8 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : 10/Feb/2024 09:38:29 : Mr.SUSHANTO MALIK - 117134 Registered On Age/Gender Collected : 31 Y 8 M 14 D /M : 10/Feb/2024 09:54:11 UHID/MR NO : ALDP.0000100759 Received : 10/Feb/2024 10:01:54 Visit ID : ALDP0357982324 Reported : 10/Feb/2024 12:52:53

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

## DEPARTMENT OF IMMUNOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	133.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.10	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.600	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		,		
		0.3-4.5 μIU/m	nL First Trimes	ter
		0.5-4.6 μIU/m	nL Second Trin	nester
		0.8-5.2 μIU/m	nL Third Trime	ster
		0.5-8.9 µIU/m	nL Adults	55-87 Years
		0.7-27 μIU/m	nL Premature	28-36 Week
		2.3-13.2 μIU/m	L Cord Blood	> 37Week
		0.7-64 μIU/m		z - 20 Yrs.)
		1-39 μΙU/		0-4 Days
		1.7-9.1 μIU/n		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Page 9 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134

WI . SUSHANTO MALIK - 11/134

Registered On Collected : 10/Feb/2024 09:38:32

Age/Gender UHID/MR NO : 31 Y 8 M 14 D /M : ALDP.0000100759

Received

: N/A

Visit ID

: ALDP0357982324

Reported

: 10/Feb/2024 13:37:33

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

: N/A

## **DEPARTMENT OF X-RAY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

## X-RAY DIGITAL CHEST PA \*

# X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS,DMRE)

Page 10 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.SUSHANTO MALIK - 117134 Registered On

: 10/Feb/2024 09:38:33

Age/Gender UHID/MR NO : 31 Y 8 M 14 D /M : ALDP.0000100759 Collected Received

: N/A

Visit ID

: ALDP0357982324

Reported

: 10/Feb/2024 11:13:47

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

CARE LTD -

: Final Report

: N/A

## DEPARTMENT OF ULTRASOUND

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

## **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

LIVER: - Enlarged in size (16.5 cm), with normal shape and shows diffuse increase in the liver parenchymal echogenicity with patchy attenuation of portal venous walls, suggestive of grade II fatty **changes.** No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: - Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

**CBD**:- Normal in calibre at porta.

**PORTAL VEIN:** - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

**SPLEEN**: - Normal in size, shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size (9.3 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (11.0 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER:** Normal in shape, outline and distension. No e/o wall thickening / calculus.

**PROSTATE:** Normal in size (2.7 x 3.4 x 2.4 cm vol - 11.8 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

**IMPRESSION**: Mild hepatomegaly grade II fatty liver.

Please correlate clinically

\*\*\* End Of Report \*\*\*

Result/s to Follow:



**EXAMINATION** 

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open \*Facilities Available at Select Location





