
### **Chandan Diagnostic**



Age / Gender:58/MalePatient ID:CHL20076082425Patient Name:Mr.SAHNI MANOJ

Date and Time: 2nd Jun 24 1:40 PM





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:52
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 13:33:56
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 14:02:12
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 15:34:19
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

## DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * '	, Blood			
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE
Rh ( Anti-D)	POSITIVE			AGGLUTINA ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) ** , I	Whole Blood			
Haemoglobin	16.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl	
TLC (WBC) <u>DLC</u>	8,100.00	/Cu mm	Female- 12.0-15.5 g/dl 4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils ) Lymphocytes Monocytes Eosinophils Basophils ESR	68.00 27.00 3.00 2.00 0.00	% % % %	40-80 20-40 2-10 1-6 < 1-2	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Observed	20.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8 Pregnancy	





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:52
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 13:33:56
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 14:02:12
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 15:34:19
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

### DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	NR	Mm for 1st hr.	<9	
PCV (HCT) Platelet count	51.00	%	40-54	
Platelet Count	2.58	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	10.00	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	18.50	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume) RBC Count	8.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count Blood Indices (MCV, MCH, MCHC)	4.70	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
MCV	107.30	fl	80-100	CALCULATED PARAMETER
МСН	35.10	pg	27-32	CALCULATED PARAMETER
МСНС	32.70	%	30-38	CALCULATED PARAMETER
RDW-CV	14.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	61.30	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5 <i>,</i> 508.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	162.00	/cu mm	40-440	

Dr.Pankaj Punetha DNB(Pathology)

Page 2 of 12







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:54
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 13:33:55
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 14:02:12
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 14:59:51
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Ur	nit Bio. Ref. Interv	al Method
GLUCOSE FASTING ** , Plasma				
Glucose Fasting	96.60	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEM OGLOBIN (HBA1C) \*\* , EDTA BLOOD

	, EDIA DECOD		
Glycosylated Haemoglobin (HbA1c)	5.80	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	40.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	120	mg/dl	

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:54
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 13:33:55
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 14:02:12
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 14:59:51
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) ** Sample:Serum	13.60	mg/dL	7.0-23.0	CALCULATED
Creatinine ** Sample:Serum	1.28	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid ** Sample:Serum	4.80	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) ** , Serum				
SGOT / Aspartate Aminotransferase (AST)	19.47	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	12.60	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	12.70	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.20	gm/dl	6.2-8.0	BIURET
Albumin	3.65	gm/dl	3.4-5.4	B.C.G.
Globulin	2.55	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.43		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	86.12	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.27	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.54	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.73	mg/dl	< 0.8	JENDRASSIK & GROF





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:54
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 13:33:55
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 14:02:12
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 14:59:51
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Result	L	Init Bio. Ref. Inter	rval Method
189.00	mg/dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP gh
55.30	mg/dl	30-70	DIRECT ENZYMATIC
109	mg/dl	130-159 Borderline Hi 160-189 High	
24.40	mg/dl	10-33	CALCULATED
122.00	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP gh
	189.00 55.30 109 24.40	189.00 mg/dl 55.30 mg/dl 109 mg/dl 24.40 mg/dl	189.00 mg/dl <200 Desirable

Dr Vinod Ojha MD Pathologist

Page 5 of 12





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:53
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 15:49:15
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 16:43:29
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 17:59:28
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE** ,	Urine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic ( 5.0 )			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
Ketone	ABSENT	mg/dl	> 2 (++++) 0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	ing/ui	0.1-3.0	BIOCHLIVIISTRY
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and the second second	DIPSTICK
	ABSENT			DIPSTICK
Leucocyte Esterase Urobilinogen(1:20 dilution)	ABSENT			DIPSTICK
Nitrite	ABSENT			DIPSTICK
Blood				
Microscopic Examination:	ABSENT			DIPSTICK
Epithelial cells	2-3/h.p.f			MICROSCOPIC
Due colle	4.24			EXAMINATION
Puscells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
Cast	ABSENT			EXAMINATION
Cast				MICROSCODIC
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			LAAMINATION
Others	ADJEINI			
SUGAR, FASTING STAGE * * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
Sugar, I usting stuge	ADJENT	5111370		

#### Interpretation:

Page 6 of 12





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:53
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 15:49:15
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 16:43:29
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 17:59:28
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
(+) < 0.5 (++) 0.5-1.0 (+++) 1-2 (++++) > 2				
		,		

Dr.Pankaj Punetha DNB(Pathology)

Page 7 of 12







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:54
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 13:33:55
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 14:02:12
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 14:58:04
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	1.20	ng/mL	<4.1	CLIA	
Sample:Serum					

#### Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone<sup>-</sup>
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

#### THYROID PROFILE - TOTAL \*\* , Serum

T3, Total (tri-iodothyronine)	126.40	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	10.30	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.000	μlU/mL	0.27 - 5.5	CLIA

#### Interpretation:

0.3-4.5	µIU/mL	First Trimest	er
0.5-4.6	µIU/mL	Second Trim	ester
0.8-5.2	µIU/mL	Third Trimes	ter
0.5-8.9	µIU/mL	Adults	55-87 Years
0.7-27	µIU/mL	Premature	28-36 Week
2.3-13.2	µIU/mL	Cord Blood	> 37Week
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)
1-39	µIU/mL	Child	0-4 Days
1.7-9.1	µIU/mL	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

Page 8 of 12







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:54
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: 02/Jun/2024 13:33:55
UHID/MR NO	: CHL2.0000165370	Received	: 02/Jun/2024 14:02:12
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 14:58:04
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method
---

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary

hypothyroidism.4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a

4) Patients having high 13 and 14 levels but normal 1SH levels may suffer from toxic multihodular gotter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr Vinod Ojha MD Pathologist

Page 9 of 12





Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:55
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: N/A
UHID/MR NO	: CHL2.0000165370	Received	: N/A
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 14:03:17
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

## DEPARTMENT OF X-RAY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### X-RAY DIGITAL CHEST PA \*

# (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

# **DIGITAL CHEST P-A VIEW:-**

- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.

## **IMPRESSION:-**

## No significant abnormality is seen.

## Adv:-Clinico-pathological correlation.









#### Since 1991

# CHANDAN DIAGNOSTIC CENTRE

Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:55
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: N/A
UHID/MR NO	: CHL2.0000165370	Received	: N/A
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 15:52:52
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

### DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) \*

## WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

### LIVER

• The liver is normal in size (~11.7 cms) and has a normal homogenous echo texture. No focal lesion is seen. (Note: - Small isoechoic focal lesion cannot be ruled out).

## PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is not dilated.
- Porta hepatis is normal.

### BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common bile duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

## PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

## KIDNEYS (Note- CT is more sensitive to detect renal calculi).

### • Right kidney:-

- Simple cyst of size measuring ~ 1.7x1.5 cms is seen at lower pole of right kidney.
- Right kidney is normal in size, measuring ~9.6x4.6 cms.
- Cortical echogenicity is normal.
- Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained.
- Parenchymal thickness appear normal.

### Left kidney:-

- Left kidney is normal in size, measuring  $\sim 10.1 \times 5.2$  cms.
- Cortical echogenicity is normal.
- Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained.
- Parenchymal thickness appear normal.

#### SPLEEN

• The spleen is normal in size (~8.1 cms) and has a normal homogenous echo-texture.

Page 11 of 12







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-CIN : U85110DL2003PLC308206



Patient Name	: Mr.SAHNI MANOJ	Registered On	: 02/Jun/2024 13:17:55
Age/Gender	: 58 Y 0 M 0 D /M	Collected	: N/A
UHID/MR NO	: CHL2.0000165370	Received	: N/A
Visit ID	: CHL20076082425	Reported	: 02/Jun/2024 15:52:52
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

## DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

## ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or large mass.
- No free fluid is noted in peritoneal cavity.

#### URETERS

- The upper parts of both the ureters are normal.
- Bilateral vesicoureteric junctions are normal.

## URINARY BLADDER

- The urinary bladder is normal. Bladder wall is normal in thickness and is regular.
- Pre void urine volume ~286 cc.
- Post void volume is Nil (insignificant).

## PROSTATE

• The prostate gland is borderline prominent measuring (~3.0x4.9x2.8 cms & volume ~ 22.8 cc) and normal in echotexture with smooth outline. No median lobe indentation is seen.

# FINAL IMPRESSION:-

• Borderline prominent prostate with insignificant post void residual urine.

Adv : Clinico-pathological & CT Abdomen correlation for further evaluation.

## Note:-

- This report is not for any legal purpose as the patient identity is not confirmed.
- <u>In case of any typing error, patient is requested to immediately inform to the doctor</u> (radiologist), as the report is digitally signed.
- <u>Discrepancy of laterality/side can be seen in 0.08% cases therefore review is advised</u> before any operative procedure.

\*\*\* End Of Report \*\*\*



(\*\*) Test Performed at CHANDAN DIAGNOSTIC CENTRE, Haldwani, Heera Nagar

EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG, Tread Mill Test (TMT)

DR AZIM ILYAS

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location

Page 12 of 12



