

Name : Mr. SANJIT BAGCHI (34 /M)

Date : 28/08/2024

Address : 8/11,VIVEKANANDA
ROAD,P.O-TALPUKUR,BARRACKPORE,PS-TITAGARHKOLKATA, KOLKATA,
KOLKATA, WEST BENGAL, INDIA

Examined by: Dr .SUCHISMITA BHAUMIK

UHID : AGHL.0001659175

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH215730



CHIEF COMPLAINTS

For corporate health checkup
No specific complaints

PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,
Hypertension,
Dyslipidemia, Thyroid
disorder, Heart disease,
Stroke, Asthma



DRUG ALLERGY

NO KNOWN ALLERGY :15/10/2020



SYSTEMIC REVIEW

Cardiovascular system

Chest pain - on and off; Character - pricking; Lasts -
for few seconds; Site of pain - chest and across the
chest

Respiratory system

- Nil Significant

Gastrointestinal system

Appetite - normal; Symptoms - acidity, bloating;
Bowel habits - regular; Piles - no

Genitourinary system

- Nil Significant

Eyes

- Nil Significant

ENT

- Nil Significant

Musculoskeletal system

Spine and joints
- Nil Significant

Skin

- Nil Significant



Present medications

- Nil



Past medical history

Do you have any - No
allergies?

Do you have any drug - No
allergies?

Covid 19 - Yes

Hospitalization for - No
Covid 19



Surgical history

Surgical history - Nil



Personal history

Marital status - Married

Diet - Non Vegetarian

Alcohol - consumes alcohol
occasionally

Smoking - No

Chews tobacco - No

Physical activity - Moderate



Family history

Father - alive

Mother - alive

Diabetes - father

Hypertension - father

Coronary artery - father
disease

Cancer - None

PHYSICAL EXAMINATION



General

Build	- normal
Height	- 161
Weight	- 65
BMI	- 25.08
Pallor	- No
Oedema	- no



Cardiovascular system

Heart rate (Per minute)	- 62
Rhythm	- Regular
	- B.P. Sitting
Systolic(mm of Hg)	- 126
Diastolic(mm of Hg)	- 79
Heart sounds	- S1S2+

Respiratory system

Breath sounds	- Normal vesicular breath sounds
---------------	----------------------------------



Abdomen

Organomegaly	- No
Tenderness	- No



Skin

- No significant finding

Ophthalmology consultation

Ophthalmology findings	- UCVA:RE:6/9 LE:6/9 NVA:RE:N6 LE:N6 OCULAR MOVEMENT: WNL ANT.SEG: WNL
------------------------	---

ACCPT:SPECTACLE -
PWRRE:-0.75x170*
(6/6,N6)LE:-0.25ds(6/6,N
6)ADVICE:*Glass
Rx.*Detail dilated
Funduscopy*Review after
1yr/SOS

Name : Mr. SANJIT BAGCHI (34 /M)

UHID : AGHL.0001659175

Date : 28/08/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH215730

COMPLETE HAEMOGRAM PROFILE

Test Name	Result	Unit	Level	Range
Hemoglobin	15.3	g/dl	●	13.0-17.0
RBC COUNT	4.36 *	Million/ ul	●	4.5-5.5
Hematocrit - Hct:	44.8	%	●	41-53
MCV	102.6 *	fl	●	83-101
MCH	35.2 *	pg	●	27-32
MCHC	34.3	%	●	31.5-34.5
RDW	13.6	%	●	11.8-14.0
WBC Count	6800	/cu mm	●	4000-10000
Platelet Count	1.85	lacs/cu mm	●	1.5-4.0
Neutrophils	61	%	●	40-80
Lymphocytes	30	%	●	20-40
Monocytes	06	%	●	2-10
Eosinophils	03	%	●	01-06
Basophils	00	%	●	0-0
RBC:	Macrocytic Normochromic			
Platelets:	Adequate on the smear			
ERYTHROCYTE SEDIMENTATION RATE (ESR)	12	mm/1st hr	●	0-15

URINE ROUTINE AND MICROSCOPY

Test Name	Result	Unit	Level	Range
Volume:	50	mL		
Colour:	Pale Straw			
Appearance	Clear			
Specific Gravity	1.005			
pH:	6.0			
Albumin:	Not Detected			
Glucose	Not Detected			
Ketone:	Not Detected			
Bile Pigments	Not Detected			
RBC	Nil	/hpf		
Pus Cells	Occasional/hpf			
Epithelial Cells	Occasional/hpf			

Casts: Not Found
Crystals: Not Found

URINE SUGAR - POST PRANDIAL (QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(POST PRANDIAL)	Nil			

URINE SUGAR- FASTING(QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(FASTING)	Nil			

BLOOD GROUPING AND TYPING (ABO AND RH)

Test Name	Result	Unit	Level	Range
ABO Group:	B			
Rh (D) Type:	POSITIVE			

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
ALT(SGPT) - SERUM	21	U/L	●	0-50
ALBUMIN - SERUM	4.4	g/dL	●	3.5-5.1
ALKALINE PHOSPHATASE - SERUM	134 *	U/L	●	43-115
AST (SGOT) - SERUM	26	U/L	●	0-50
BILIRUBIN TOTAL - SERUM	0.8	mg/dL	●	0.3-1.2

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
CHOLESTEROL - SERUM	191	mg/dL	●	0-200
Non-HDL Cholesterol	142			

CREATININE - SERUM

Test Name	Result	Unit	Level	Range
CREATININE - SERUM	1.2	mg/dL	●	0.9-1.3

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. SANJIT BAGCHI (34 /M)

UHID : AGHL.0001659175

Date : 28/08/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH215730

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	9	U/L	●	0-55

GLUCOSE - PLASMA (FASTING)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (FASTING)	94	mg/dL	●	70-99

GLUCOSE - PLASMA (POST PRANDIAL)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (POST PRANDIAL)	85	mg/dL	●	70-140

**HBA1C (GLYCOSYLATED
HAEMOGLOBIN)-WHOLE BLOOD**

Test Name	Result	Unit	Level	Range
HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE LE BLOOD	4.5	%	●	Nondiabetic : 4 - 5.6 % Prediabetics : 5.7 - 6.4% Diabetes : >= 6.5% ADA Therapeutic goal : <7%

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
HDL CHOLESTEROL - SERUM	49	mg/dL	●	30-70
LDL CHOLESTEROL -SERUM	119	mg/dL	●	Optimal: <100
VLDL CHOLESTEROL - SERUM (Calculated)	23	mg/dL	●	0-35

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
PROTEIN TOTAL - SERUM	7.3	g/dL	●	6.4-8.3
Albumin/Globulin Ratio	1.5		●	1.0-2.0
GLOBULIN: (CALCULATED) - SERUM	2.9	g/dL	●	1.8-3.6

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TOTAL T3: TRI IODOTHYRONINE - SERUM	0.98	ng/ml	●	0.87-1.78
TOTAL T4: THYROXINE - SERUM	8.01	µg/dL	●	5.48-14.28

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
TRIGLYCERIDES - SERUM	165 *	mg/dL	●	0-150

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TSH: THYROID STIMULATING HORMONE - SERUM	6.6 *	µIU/mL	●	0.38-5.33

URIC ACID - SERUM

Test Name	Result	Unit	Level	Range
URIC ACID - SERUM	8.3 *	mg/dL	●	2.6-7.2

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.1	mg/dL	●	0.0-0.2

BUN (BLOOD UREA NITROGEN)

Test Name	Result	Unit	Level	Range
BUN (BLOOD UREA NITROGEN)	7.4	mg/dL	●	7.0-18.0

BUN/CREATININE RATIO

Test Name	Result	Unit	Level	Range
BUN/CREATININE RATIO	6.2			

ECG

NORMAL SINUS RHYTHM, WITHIN NORMAL LIMITS.

TREADMILL TEST / STRESS TEST

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mr. SANJIT BAGCHI (34 /M)

UHID : AGHL.0001659175

Date : 28/08/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH215730

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

ULTRASOUND SCREENING WHOLE ABDOMEN

*Grade I fatty liver.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.]

X-RAY CHEST PA

* Chest skiagram does not reveal any significant abnormality.

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & CARDIOLOGY)

Biochemistry

A/G - RATIO

Histopathology

PAP SMEAR /CERVICAL SMEAR



Within Normal Range



Borderline High/Low



Out of Range

Name : Mr. SANJIT BAGCHI (34 /M)

UHID : AGHL.0001659175

Date : 28/08/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH215730

Printed By :

Dr.SUCHISMITA BHAUMIK
AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

AICVD RISK SCORE REPORT

RISK STATUS

Low Risk

YOUR SCORE

3

ACCEPTABLE SCORE

4

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on **lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.**
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding **follow up tests, consults and annual health assessment**

DISCLAIMER

1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
3. To ensure the information in the report is up to date , accurate and correct, doctor shall be consulted for interpretation of the report.
4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515