



Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP Registered On : 24/Aug/2024 11:50:35 Age/Gender Collected : 24/Aug/2024 12:02:43 : 41 Y 3 M 5 D /M UHID/MR NO : ALDP.0000147241 Received : 24/Aug/2024 12:18:40 Visit ID : ALDP0183152425 Reported : 24/Aug/2024 15:00:36

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	В			ERYTHROCYTE
віоба біобр	Ь			MAGNETIZED
				TECHNOLOGY / TUBE
				AGGLUTINA
Rh (Anti-D)	POSITIVE	¥		ERYTHROCYTE
				MAGNETIZED .
				TECHNOLOGY / TUBE
				AGGLUTINA
Complete Blood Count (CBC), Whole Bloo	d			
Haemoglobin	15.00	g/dl	1 Day- 14.5-22.5 g/dl	
Tideogiosiii		6, 41	1 Wk- 13.5-19.5 g/dl	
		The state of the s	1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	6,500.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC		•		
Polymorphs (Neutrophils)	57.00	%	40-80	ELECTRONIC IMPEDANCE
Lymphocytes	33.00	%	20-40	ELECTRONIC IMPEDANCE
Monocytes	4.00	%	2-10	ELECTRONIC IMPEDANCE
Eosinophils	6.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	< 1-2	ELECTRONIC IMPEDANCE
ESR				
Observed	2.00	MM/1H	10-19 Yr 8.0	
			20-29 Yr 10.8	
			30-39 Yr 10.4	
			40-49 Yr 13.6	
			50-59 Yr 14.2 60-69 Yr 16.0	
			70-79 Yr 16.5	
			80-91 Yr 15.8	
			Pregnancy	









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP Registered On : 24/Aug/2024 11:50:35 Age/Gender Collected : 24/Aug/2024 12:02:43 : 41 Y 3 M 5 D /M UHID/MR NO Received : ALDP.0000147241 : 24/Aug/2024 12:18:40 Visit ID : ALDP0183152425 Reported : 24/Aug/2024 15:00:36

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	-	Mm for 1st hr.	<9	
PCV (HCT)	43.00	%	40-54	
Platelet count				
Platelet Count	1.52	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.70	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	A STATE OF THE PARTY OF THE PAR	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count Page 1				
RBC Count	4.51	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	96.80	fl	80-100	CALCULATED PARAMETER
MCH	33.30	pg	27-32	CALCULATED PARAMETER
MCHC	34.40	%	30-38	CALCULATED PARAMETER
RDW-CV	14.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	51.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,705.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	390.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP Age/Gender : 41 Y 3 M 5 D /M Collected

UHID/MR NO : ALDP.0000147241 Visit ID : ALDP0183152425

> : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Registered On

Received

Reported

: 24/Aug/2024 11:50:36 : 24/Aug/2024 12:02:43

: 24/Aug/2024 12:18:40

: 24/Aug/2024 14:58:41

Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING, Plasma

Glucose Fasting 86.60 mg/dl < 100 Normal **GOD POD**

> 100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

Ref Doctor

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impaired Glucose Tolerance.

Glucose PP 114.80 mg/dl <140 Normal **GOD POD**

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c) % NGSP HPLC (NGSP) 5.00 Glycosylated Haemoglobin (HbA1c) 31.20 mmol/mol/IFCC Estimated Average Glucose (eAG) 97 mg/dl

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy











Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP : 24/Aug/2024 11:50:36 Registered On Age/Gender : 41 Y 3 M 5 D /M Collected : 24/Aug/2024 12:02:43 UHID/MR NO : ALDP.0000147241 Received : 24/Aug/2024 12:18:40 Visit ID : ALDP0183152425 Reported : 24/Aug/2024 14:58:41

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Status Ref Doctor : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

BUN (Blood Urea Nitrogen) Sample:Serum

8.31

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Page 4 of 13





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP Registere
Age/Gender : 41 Y 3 M 5 D /M Collected

UHID/MR NO : ALDP.0000147241 Visit ID : ALDP0183152425

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Registered On : 24/Aug/2024 11:50:36 Collected : 24/Aug/2024 12:02:43

: 24/Aug/2024 12:18:40 : 24/Aug/2024 14:58:41

Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

Received

Reported

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Low-protein diet, overhydration, Liver disease.

Oreatinine Sample:Serum

Ref Doctor

0.99

mg/dl

0.7-1.30

MODIFIED JAFFES

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid Sample:Serum

6.24

mg/dl

3.4-7.0

URICASE

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	27.10	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	28.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	39.40	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.41	gm/dl	6.2-8.0	BIURET
Albumin	4.35	gm/dl	3.4-5.4	B.C.G.
Globulin	2.06	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.11		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	105.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.12	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.28	mg/dl	< 0.8	JENDRASSIK & GROF

LIPID PROFILE (MINI), Serum

Cholesterol (Total) 190.00 mg/dl <200 Desirable CHOD-PAP

200-239 Borderline High

> 240 High









Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP Registered On : 24/Aug/2024 11:50:36 Age/Gender : 41 Y 3 M 5 D /M Collected : 24/Aug/2024 12:02:43 UHID/MR NO : ALDP.0000147241 Received : 24/Aug/2024 12:18:40 Visit ID : ALDP0183152425 Reported : 24/Aug/2024 14:58:41

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Un	it Bio. Ref. Inter	rval Method
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	61.10 72	mg/dl mg/dl	30-70 < 100 Optimal	DIRECT ENZYMATIC CALCULATED
EDE CHOIESterol (Bad Choiesterol)	72	iligi ui	100-129 Nr. Optimal/Above Optir 130-159 Borderline Hi 160-189 High > 190 Very High	nal
VLDL	56.80	mg/dl	10-33	CALCULATED
Triglycerides	284.00	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP gh

Dr. Akanksha Singh (MD Pathology)



Home Sample Collection 1800-419-0002





Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP Registered On : 24/Aug/2024 11:50:36 Age/Gender Collected : 24/Aug/2024 17:34:37 : 41 Y 3 M 5 D /M UHID/MR NO Received : ALDP.0000147241 : 24/Aug/2024 17:42:15 Visit ID : ALDP0183152425 Reported : 24/Aug/2024 18:45:00

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urine				
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
Ketone	ABSENT	mg/dl	> 2 (++++) 0.1-3.0	BIOCHEMISTRY
Bile Salts		mg/dl	0.1-3.0	BIOCHEIVIISTRY
	ABSENT ABSENT			
Bile Pigments Bilirubin			100	DIPSTICK
	ABSENT			
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DIDCTICK
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
5	4			EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
	ABCENIT			EXAMINATION
Cast	ABSENT			1.410D.000.00D.0
Crystals	ABSENT			MICROSCOPIC
Others	ABSENT			EXAMINATION
Urine Microscopy is done on centrifuged urine	e sediment.			
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name :

: Mr.YADAV VISHNU PRATAP

Registered On

: 24/Aug/2024 11:50:36

Age/Gender

: 41 Y 3 M 5 D /M

Collected

: 24/Aug/2024 17:34:37 : 24/Aug/2024 17:42:15

UHID/MR NO Visit ID

: ALDP.0000147241 : ALDP0183152425 Received Reported

: 24/Aug/2024 18:45:00

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr.Akanksha Singh (MD Pathology)

Page 8 of 13







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP Registered On : 24/Aug/2024 11:50:36 Age/Gender Collected : 41 Y 3 M 5 D /M : 24/Aug/2024 12:02:43 UHID/MR NO : ALDP.0000147241 Received : 24/Aug/2024 12:18:40 Visit ID : 24/Aug/2024 14:01:41 : ALDP0183152425 Reported : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total Sample:Serum	0.82	ng/mL	<4.1	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL, Serum

T3, Total (tri-iodothyronine)	151.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.80	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.050	ulU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3 - 4.5	μIU/mL	First Trimester			
0.5-4.6	$\mu IU/mL$	Second Trimester			
0.8 - 5.2	$\mu IU/mL$	Third Trimester			
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years		
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week		
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week		
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)		
1-39	$\mu IU/mL$	Child	0-4 Days		
1.7-9.1	$\mu IU/mL$	Child	2-20 Week		

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP

Registered On

: 24/Aug/2024 11:50:36

Age/Gender

: 41 Y 3 M 5 D /M

Collected

: 24/Aug/2024 12:02:43 : 24/Aug/2024 12:18:40

UHID/MR NO Visit ID : ALDP.0000147241 : ALDP0183152425 Received Reported

: 24/Aug/2024 14:01:41

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)



Home Sample Collection 1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP

CARE LTD -

Registered On

: 24/Aug/2024 11:50:37

Age/Gender

: 41 Y 3 M 5 D /M

Collected

: 2024-08-24 12:36:22 : 2024-08-24 12:36:22

UHID/MR NO Visit ID : ALDP.0000147241 : ALDP0183152425

Received Reported

: 24/Aug/2024 15:35:30

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA **

- Soft tissue and bony cage are normal.
- Trachea is midline.
- Both CP angles are normal.
- Both domes of diaphragm are normal.
- No obvious active lung lesion seen.
- Both hilar shadows are normal.
- Bronchovascular markings are normal.
- Cardiothoracic ratio is normal.

IMPRESSION:-

v. No significant abnormality detected.

(Please correlate clinically)



Dr. Rohit Bawal (MD Radiodiagnostic RMC :42253/22595)



Home Sample Collection 1800-419-0002





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110UP2003PLC193493



Patient Name : Mr.YADAV VISHNU PRATAP Registered On : 24/Aug/2024 11:50:37 Age/Gender : 41 Y 3 M 5 D /M Collected : 2024-08-24 15:27:55 UHID/MR NO : ALDP.0000147241 Received : 2024-08-24 15:27:55 Visit ID : ALDP0183152425 Reported : 24/Aug/2024 15:29:36

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Enlarged in size (16.0 cm), with normal shape and shows diffusely raised echotexture. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER: Is not visualized (Post op).

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (8.6 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Is adequately distended. No evidence of wall thickening/calculus is seen.

PROSTATE: Normal in size (2.4 x 2.5 x 3.8 cm vol - 12.3 cc), shape and echo pattern.

HIGH RESOLUTION:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION: Mild hepatomegaly with grade I fatty changes.

Please correlate clinically



Dr. Aishwarya Neha (MD Radiodiagnosis







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493



Patient Name

Since 1991

: Mr.YADAV VISHNU PRATAP

Registered On

: 24/Aug/2024 11:50:37

Age/Gender

: 41 Y 3 M 5 D /M

Collected

: 2024-08-24 15:08:26 : 2024-08-24 15:08:26

UHID/MR NO Visit ID

: ALDP.0000147241 : ALDP0183152425

Received Reported

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

: 25/Aug/2024 10:22:31

Ref Doctor

CARE LTD -

Status

: Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT)

NORMAL

*** End Of Report ***

(**) Test Performed at CHANDAN DIAGNOSTIC CENTRE, Prayagraj, Katra

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG





Dr. R K VERMA

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location





