

Patient Name

: Mr.SUDHANSHU SRIVASTAVA

Registered On

: 01/Sep/2024 09:50:39

Age/Gender UHID/MR NO

: 35 Y 8 M 18 D /M : IDCD.0000175284 Collected

: 2024-09-01 15:24:46 : 2024-09-01 15:24:46

Visit ID

: CALI0109982425

Received Reported

: 01/Sep/2024 15:25:08

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd.

Status

: Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- · Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.

*** End Of Report ***

Result/s to Follow:

Complete Blood Count (CBC), Blood Group (ABO & Rh typing), URINE EXAMINATION, ROUTINE, STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, LIPID PROFILE (MINI), Uric Acid, BUN (Blood Urea Nitrogen), Creatinine, LFT (WITH GAMMA GT), ECG / EKG, Tread Mill Test (TMT)



Dr. Pankal Kumar Gunta (M. R. R. S. D. t


This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *Facilities Available at Select Location 365 Days Open





View Reports 的 1 of Chandan 24x7 A



Patient Name : Mr.SUDHANSHU SRIVASTAVA : 01/Sep/2024 09:50:37 Registered On Age/Gender : 35 Y 8 M 18 D /M : 01/Sep/2024 10:32:58 Collected UHID/MR NO : IDCD.0000175284 : 01/Sep/2024 13:00:55 Received Visit ID : 01/Sep/2024 16:36:53 : CALI0109982425 Reported

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report


DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Itale Die Def Internal

Test Name	Result	Unit	Bio, Ref. Interval	Method
Blood Group (ABO & Rh typing) **,	Blood			
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) ** , Who	ole Blood			
Haemoglobin	13.60	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC)	7,300.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
<u>DLC</u>		2/	40.00	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	60.00	%	40-80	ELECTRONIC IMPEDANCE
Lymphocytes	31.00	%	20-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	2-10	ELECTRONIC IMPEDANCE
Eosinophils	4.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils SR	0.00	%	<1-2	ELECTRONIC INFLEDANCE
Observed	16.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8 Pregnancy	







Home Sample Collection 08069366666

Page 1 of 10

View Reports on Chandan 24x7 A





tlent Name Age/Gender UHID/MR NO Visit ID

Ref Doctor

: Mr.SUDHANSHU SRIVASTAVA

: 35 Y 8 M 18 D /M : IDCD,0000175284

: CALI0109982425

Reported : Dr.Mediwheel - Arcolemi Health Care Ltd. SERVINS

BAGISTATAS ON

5 91/549/2024 ON 30/30/37 5 02/Se9/2024 15/32/58

Collected BRERVIER 3 01/549/2024 13:00:55

> 5 01/540/2024 14/34/53 ; Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Sio. Ref. (interval)	Medical
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	10.00	Mm for 1st hr.	<9	
PCV (HCT) Platelet count	40.00	%	40-54	
Platelet Count	1.74	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	43.00	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.21	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume) RBC Count	12.10	fi	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count Blood Indices (MCV, MCH, MCHC)	4.31	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
MCV	93.90	fl	80-100	CALCULATED PARAMETER
MCH	31.60	pg	27-32	CALCULATED PARAMETER
MCHC	33.70	%	30-38	CALCULATED PARAMETER
RDW-CV	17.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	57.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,380.00	/cu mm	3000-7000	WHEN TO STATE WAS SHOUT SHAPE SHOW
Absolute Eosinophils Count (AEC)	292.00	/cu mm	40-440	


Sleheti

Dr. Surbhi Lahoti (M.D. Pathology)



Page 2 of 19





Atlent Name Age/Gender : Mr.SUDHANSHU SRIVASTAVA

: 35 Y 8 M 18 D /M

UHID/MR NO Visit ID

Ref Doctor

: IDCD.0000175284

: CALI0109982425

: Dr.Mediwheel - Arcofemi Health Care Ltd.

Registered On Collected

: 01/Sep/2024 09:50:38

: 01/Sep/2024 10:32:58

Received Reported : 01/Sep/2024 13:11:01 : 01/Sep/2024 15:36:22

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING ** , Plasma

Glucose Fasting

100.60

mg/dl

< 100 Normal

GOD POD

100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impaired Glucose Tolerance.

Glucose PP **

Sample:Plasma After Meal

109.70

mg/dl

<140 Normal

GOD POD

140-199 Pre-diabetes

>200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.60	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	38.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	114	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy



SIN No:66459856



Page 3 of 10

View Reports on Chandan 24x7 A

ent Name Je/Gender : Mr.SUDHANSHU SRIVASTAVA

Registered On

: 01/Sep/2024 09:50:38 : 01/Sep/2024 10:32:58

UHID/MR NO

: 35 Y 8 M 18 D /M : IDCD.0000175284 : CALI0109982425 Collected Received

: 01/Sep/2024 13:11:01 : 01/Sep/2024 15:36:22

Visit ID Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Reported

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name

Result

Unit

Bio. Ref. Interval

Method

and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) **
Sample:Serum

9.30

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:



Page 4 of 10







^{**}Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

CHANDAN DIAGNOSTIC CENTRE Near Sangam Chauraha, Lda Stadium Road, Aliganj CIN US 101102003PLC193493

nt Name

: Mr.SUDHANSHU SRIVASTAVA

Registered On

: 01/Sep/2024 09:50:38

e/Gender OHID/MR NO : 35 Y 8 M 18 D /M : IDCD.0000175284 Collected Received

: 01/Sep/2024 10:32:58

Visit ID

: CALI0109982425

Reported

: 01/Sep/2024 13:11:01 : 01/Sep/2024 15:36:22

Ref Doctor

: Dr, Mediwheel - Arcofemi Health Care Ltd. Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name

Result

Unit

Bio. Ref. Interval

Method

Low-protein diet, overhydration, Liver disease.

Creatinine ** Sample:Serum

1.06

mg/d1

0.7-1.30

MODIFIED JAFFES

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid **

Sample:Serum

5.97

mg/dl

3.4-7.0

URICASE

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT) **, Serum

SGOT / Aspartate Aminotransferase (AST)	37.60	U/L	<35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	47.30	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	31.60	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.99	gm/dl	6.2-8.0	BIURET
Albumin	4.26	gm/dl	3.4-5.4	B.C.G.
Globulin	2.73	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.56		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	139.43	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	1.45	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.67	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.78	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) ** , Serum				
Cholesterol (Total)	146.00	mg/dl	<200 Desirable 200-239 Borderline > 240 High	CHOD-PAP High



Page 5 of 10

SIN No:66459856



CHANDAN DIAGNOSTIC CENTRE Near Sangam Chauraha, Lda Stadium Road, Aliganj handan

DLIP2103PLC193493

ent Name e/Gender OHID/MR NO Visit ID

Ref Doctor

: Mr.SUDHANSHU SRIVASTAVA

: 35 Y 8 M 18 D /M : IDCD.0000175284 : CALI0109982425

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Registered On Collected

Received

Reported

: 01/Sep/2024 09:50:38 : 01/Sep/2024 10:32:58

: 01/Sep/2024 13:11:01 : 01/Sep/2024 15:36:22

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Interva	al Method
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	39.30 79	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High	
VLDL Triglycerides	27.68 138.40	mg/dl mg/dl	> 190 Very High 10-33 < 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	CALCULATED GPO-PAP h

Dr. Anupam Singh (MBBS MD Pathology)



SIN No:66459856





Home Sample Collection 08069366666

Page 6 of 10

View Reports on Chandan 24x7 A

CHANDAN DIAGNOSTIC CENTRE Near Sangam Chauraha, Lda Stadium Road, Aliganj handan CIN US TOUR 3PLC193493

ent Name ge/Gender UHID/MR NO

Visit ID

Ref Doctor

: Mr.SUDHANSHU SRIVASTAVA

: 35 Y 8 M 18 D /M

: IDCD.0000175284 : CALI0109982425

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Registered On Collected

: 01/Sep/2024 09:50:38

: 01/Sep/2024 13:49:52

Received Reported

: 01/Sep/2024 18:09:07 : 01/Sep/2024 18:45:39

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE **	, Urine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++)	DIPSTICK
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
JGAR, FASTING STAGE ** , Urine				
Sugar, Fasting stage	ABSENT	gms%		

SIN No:66459856





Page 7 of 10

View Reports on Chandan 24x7 A

CHANDAN DIAGNOSTIC CENTRE ingam Chaorsha, Lida Stadium Road, Aliganji PLC193493

MR NO

: Mr.SUDHANSHU SRIVASTAVA

: 35 Y 8 M 18 D /M : IDCD.0000175284

: CALI0109982425 : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Ref Doctor

Registered On : 01/Sep/2024 09:50:38

Collected : 01/Sep/2024 13:49:52

Received Reported

: 01/540/2024 18:09:07 : 01/Sep/2024 18:45:39

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name

Result

Unit

Bio. Ref. Interval

Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0 (+++) 1-2

(++++) > 2

SUGAR, PP STAGE ** , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Neetu Kushwaha MD.PATH

SIN No:66459856



Page 8 of 10

CHANDAN DIAGNOSTIC CENTRE Id: B 33 1 Near Sangam Chauraha, Lda Stadium Road, Aliganj handan CIN 108 100100 33PLC193493

dent Name de/Gender UHID/MR NO Visit ID : Mr.SUDHANSHU SRIVASTAVA

: 35 Y 8 M 18 D /M Co : IDCD.0000175284 Re : CALI0109982425 Re

Collected Received Reported

Registered On

: 01/Sep/2024 09:50:38 : 01/Sep/2024 10:32:58

: 01/Sep/2024 13:04:23 : 01/Sep/2024 14:54:47

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd.

Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	0.50	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	154.56	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.30	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.750	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	μIU/mL	First Trimester				
0.5-4.6	μIU/mL	Second Trimester				
0.8-5.2	μIU/mL	Third Trimester				
0.5-8.9	μIU/mL	Adults	55-87	Years		
0.7-27	μIU/mL	Premature	28-3	36 Week		
2.3-13.2	μIU/mL	Cord Blood	>	37Week		
0.7-64	μIU/mL	Child(21 wk	- 20 Yı	rs.)		
1-39	μIU/mL	Child	-	Days		
1.7-9.1	μIU/mL	Child	2-20	Week		

) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or utoimmune disorders.



Page 9 of 10

SIN No:66459856



CHANDAN DIAGNOSTIC CENTRE Near Sangam Chauraha, Lda Stadium Road, Aliganj handan 13PLC193493

nt Name /Gender HID/MR NO

: Mr.SUDHANSHU SRIVASTAVA

Registered On Collected

Reported

: 01/Sep/2024 09:50:38 : 01/Sep/2024 10:32:58

: 35 Y 8 M 18 D /M : IDCD.0000175284 Received

: 01/Sep/2024 13:04:23 : 01/Sep/2024 14:54:47

fisit ID

: CALI0109982425 : Dr.Mediwheel - Arcofemi Health Care Ltd.

: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name

Ref Doctor

Result

Unit

Bio. Ref. Interval

Method

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result's to Follow:


STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)



Dr. Anupam Singh (MBBS MD Pathology)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

acilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, one Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition elocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 5 Days Open *Facilities Available at Select Location



Page 10 of 10

SIN No:66459856



View Reports on Chandan 24x7 A

: Mr.SUDHANSHU SRIVASTAVA Patient Name Age/Gender

: 35 Y 8 M 18 D /M : IDCD.0000175284 : CALI0109982425

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Registered On

: 01/Sep/2024 09:50:39 : 2024-09-01 11:53:45

Collected : 2024-09-01 11:53:45

: Final Report

: 01/Sep/2024 12:06:00 Reported

Received

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

UHID/MR NO

Ref Doctor

Visit ID

 Liver is borderline enlarged in size ~ 15.7 cm in longitudinal span and shows diffused raised echogenicity of hepatic parenchyma S/O grade I fatty liver. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- · Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

 The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Right kidney is normal in size ~ 9.3 x 4.5 cm position and cortical echotexture. Cortico-medullary demarcation is maintained.
- Left kidney is normal in size ~9.6 x 4.8 cm position and cortical echotexture. Cortico-medullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

SPLEEN

The spleen is normal in size ~ 12.1 cm and has a normal homogenous echo-texture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.

URINARY BLADDER

· The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus is seen.



patient Name age/Gender UHID/MR NO Visit ID

: Mr.SUDHANSHU SRIVASTAVA

: 35 Y 8 M 18 D /M : IDCD.0000175284

: CALI0109982425

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Registered On

: 01/Sep/2024 09:50:39

Collected : 2024-09-01 11:53:45

Received : 2024-09-01 11:53:45 Reported : 01/Sep/2024 12:06:00

: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

PROSTATE

Ref Doctor

The prostate gland is normal in size with smooth outline (volume ~ 18.8 cc)

FINAL IMPRESSION

. BORDERLINE HEPATOMEGALY WITH GRADE I FATTY INFILTRATION.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

Results to 1 of the Complete Blood Count (CBC), Blood Group (ABO & Rh typing), URINE EXAMINATION, ROUTINE, STOOL, ROUTINE EXAMINATION, GLUCOSE COMPLETE BLOOD COUNTY OF SUCAR FASTING STAGE SUCAR PROTECTION OF THE STAGE SUCAR PROTECTION OF THE STAGE SUCAR PROTECTION OF THE SUCAR PROTECTION OF THE STAGE SUCAR PROTECTION OF THE SUCAR PROTECTION FASTING, GLUCOSE PP, SUGAR, FASTING STAGE, SUGAR, PP STAGE, GLYCOSYLATED HAEMOGLOBIN (HBA1C), THYROID PROFILE-TOTAL, LIPID PROFILE (MINI), Uric Acid, BUN (Blood Urea Nitrogen), Creatinine, LFT (WITH GAMMA GT), ECG / EKG, X-RAY DIGITAL CHEST PA, PSA (Prostate Specific Antigen), Total, Tread Mill Test (TMT)



Dr. Pankaj Kumar Gunta (M.R.R.S.D.M.

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Cons Velocity (NCV), Audiometry, Brainstein Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * *Facilities Available at Select Locati 365 Days Open

Page 2 of



