



: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.0000016987

Ref Doctor

: RINDOPV16880

Emp/Auth/TPA ID

: Dr.SELF

: 22E32613

Collected

: 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 11:36AM : 14/Sep/2024 12:14PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

PERIPHERAL SMEAR, WHOLE BLOOD EDTA

RBCs ARE NORMOCYTIC NORMOCHROMIC.

TLC, DLC WITHIN NORMAL LIMIT. NO IMMATURE CELLS ARE SEEN.

PLATELETS ARE ADEQUATE.

NO HEMOPARASITES SEEN.



Page 1 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:BED240227768





: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.0000016987

Ref Doctor

: RINDOPV16880

Emp/Auth/TPA ID

: Dr.SELF : 22E32613 Collected

: 14/Sep/2024 10:31AM

Received Reported : 14/Sep/2024 11:36AM : 14/Sep/2024 12:14PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
HEMOGRAM, WHOLE BLOOD EDTA				
HAEMOGLOBIN	14.1	g/dL	13-17	Spectrophotometer
PCV	43.00	%	40-50	Electronic pulse & Calculation
RBC COUNT	4.86	Million/cu.mm	4.5-5.5	Electrical Impedence
MCV	89	fL	83-101	Calculated
MCH	28.9	pg	27-32	Calculated
MCHC	32.7	g/dL	31.5-34.5	Calculated
R.D.W	14.3	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	4,400	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (I	DLC)			·
NEUTROPHILS	46	%	40-80	Electrical Impedance
LYMPHOCYTES	47	%	20-40	Electrical Impedance
EOSINOPHILS	03	%	1-6	Electrical Impedance
MONOCYTES	04	%	2-10	Electrical Impedance
BASOPHILS	00	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	2024	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	2068	Cells/cu.mm	1000-3000	Calculated
EOSINOPHILS	132	Cells/cu.mm	20-500	Calculated
MONOCYTES	176	Cells/cu.mm	200-1000	Calculated
Neutrophil lymphocyte ratio (NLR)	0.98		0.78- 3.53	Calculated
PLATELET COUNT	311000	cells/cu.mm	150000-410000	Electrical impedence
ERYTHROCYTE SEDIMENTATION RATE (ESR)	07	mm at the end of 1 hour	0-15	Modified Westergren
ERIPHERAL SMEAR				

RBCs ARE NORMOCYTIC NORMOCHROMIC.

TLC, DLC WITHIN NORMAL LIMIT. NO IMMATURE CELLS ARE SEEN.

PLATELETS ARE ADEQUATE.

NO HEMOPARASITES SEEN.

Page 2 of 14



Dr.Kritika Jain

M.B.B.S,M.D(Pathology)

Consultant Pathologist

SIN No:BED240227768





: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.0000016987

Ref Doctor

: RINDOPV16880

Emp/Auth/TPA ID

: Dr.SELF : 22E32613 Collected

Reported

: 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 11:36AM : 14/Sep/2024 04:37PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method		
BLOOD GROUP ABO AND RH FACTOR, WHOLE BLOOD EDTA						
BLOOD GROUP TYPE	0			Forward & Reverse Grouping with Slide/Tube Aggluti		
Rh TYPE	POSITIVE			Forward & Reverse Grouping with Slide/Tube Agglutination		



Page 3 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:BED240227768





: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.0000016987

Ref Doctor

: RINDOPV16880 : Dr.SELF

Emp/Auth/TPA ID

: 22E32613

Collected

: 14/Sep/2024 02:43PM

Received

: 14/Sep/2024 02:57PM

Reported Status : 14/Sep/2024 04:43PM : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE, FASTING, NAF PLASMA	95	mg/dL	70-100	GOD - POD

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

Note:

- 1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions.
- 2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS, SODIUM FLUORIDE PLASMA (2 HR)	126	mg/dl	70-140	GOD, POD

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Page 4 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:PLP1485660







Patient Name : Mr.KESHAV KASHYAP

Age/Gender : 33 Y 3 M 1 D/M
UHID/MR No : RIND.0000016987

Visit ID : RINDOPV16880 Ref Doctor : Dr.SELF

Emp/Auth/TPA ID : 22E32613

MC- 6048

Collected : 14/Sep/2024 10:31AM

Received : 14/Sep/2024 03:59PM Reported : 14/Sep/2024 09:34PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
HBA1C (GLYCATED HEMOGLOBIN),	WHOLE BLOOD EDTA			
HBA1C, GLYCATED HEMOGLOBIN	5.1	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG)	100	mg/dL		Calculated

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 - 7
FAIR TO GOOD CONTROL	7 - 8
UNSATISFACTORY CONTROL	8-10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.

- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- 5. In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control
 - A: HbF >25%
 - B: Homozygous Hemoglobinopathy.
 - (Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 5 of 14



Dr Nidhi Sachdev M.B.B.S,MD(Pathology) Consultant Pathologist

SIN No:EDT240090530





: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.0000016987

Ref Doctor

: RINDOPV16880

Emp/Auth/TPA ID

: Dr.SELF : 22E32613 Collected

: 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 12:16PM : 14/Sep/2024 04:37PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method			
LIPID PROFILE , SERUM							
TOTAL CHOLESTEROL	231	mg/dL	<200	CHE/CHO/POD			
TRIGLYCERIDES	146	mg/dL	<150	Enzymatic			
HDL CHOLESTEROL	62	mg/dL	40-60	CHOD			
NON-HDL CHOLESTEROL	169	mg/dL	<130	Calculated			
LDL CHOLESTEROL	139.57	mg/dL	<100	Calculated			
VLDL CHOLESTEROL	29.14	mg/dL	<30	Calculated			
CHOL / HDL RATIO	3.71		0-4.97	Calculated			
ATHEROGENIC INDEX (AIP)	0.01		<0.11	Calculated			

Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

Measurements in the same patient can show physiological and analytical variations.

NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.

Page 6 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology)

Consultant Pathologist





: Mr.KESHAV KASHYAP

Age/Gender UHID/MR No : 33 Y 3 M 1 D/M

Visit ID

: RIND.0000016987

Ref Doctor

: RINDOPV16880

Emp/Auth/TPA ID

: Dr.SELF : 22E32613 Collected

: 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 12:16PM

Reported Status : 14/Sep/2024 04:37PM : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
LIVER FUNCTION TEST (LFT) , SERUM				
BILIRUBIN, TOTAL	1.79	mg/dL	0.20-1.20	Colorimetric
BILIRUBIN CONJUGATED (DIRECT)	0.45	mg/dl	0-0.2	Diazotized sulfanilic acid
BILIRUBIN (INDIRECT)	1.34	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	50.95	U/L	21-72	UV with P-5-P
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	37.7	U/L	17-59	UV with P-5-P
AST (SGOT) / ALT (SGPT) RATIO (DE RITIS)	0.7		<1.15	Calculated
ALKALINE PHOSPHATASE	81.70	U/L	38-126	p-nitrophenyl phosphate
PROTEIN, TOTAL	7.96	g/dL	6.3-8.2	Biuret
ALBUMIN	5.00	g/dL	3.5 - 5	Bromocresol Green
GLOBULIN	2.96	g/dL	2.0-3.5	Calculated
A/G RATIO	1.69		0.9-2.0	Calculated

Kindly correlate clinically.

Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin) Common patterns seen:

1. Hepatocellular Injury:

*AST – Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.

*ALT – Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI. Disproportionate increase in AST, ALT compared with ALP. AST: ALT (ratio) – In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.

- 2. Cholestatic Pattern:
- *ALP Disproportionate increase in ALP compared with AST, ALT. ALP elevation also seen in pregnancy, impacted by age and sex. *Bilirubin elevated-predominantly direct, To establish the hepatic origin correlation with elevated GGT helps.
- 3. Synthetic function impairment:
- *Albumin-Liver disease reduces albumin levels, Correlation with PT (Prothrombin Time) helps.

Page 7 of 14



M.B.B.S,M.D(Pathology)

Consultant Pathologist







: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.000016987

Ref Doctor

: RINDOPV16880

Emp/Auth/TPA ID

: Dr.SELF : 22E32613 Collected

: 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 12:16PM : 14/Sep/2024 04:37PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

4. Associated tests for assessment of liver fibrosis - Fibrosis-4 and APRI Index.



Page 8 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist





: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.0000016987 : RINDOPV16880

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 22E32613

Collected

: 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 12:16PM

Reported

: 14/Sep/2024 04:37PM

Status : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
RENAL PROFILE/KIDNEY FUNCTION	TEST (RFT/KFT), SEF	RUM		'
CREATININE	1.00	mg/dL	0.67-1.17	Enzymatic colorimetric
UREA	23.75	mg/dL	19-43	Urease
BLOOD UREA NITROGEN	11.1	mg/dL	8.0 - 23.0	Calculated
URIC ACID	8.32	mg/dL	3.5-7.2	Uricase
CALCIUM	10.00	mg/dL	8.4 - 10.2	Arsenazo-III
PHOSPHORUS, INORGANIC	3.40	mg/dL	2.5-4.5	PMA Phenol
SODIUM	139	mmol/L	135-145	Direct ISE
POTASSIUM	4.9	mmol/L	3.5-5.1	Direct ISE
CHLORIDE	102	mmol/L	98 - 107	Direct ISE
PROTEIN, TOTAL	7.96	g/dL	6.3-8.2	Biuret
ALBUMIN	5.00	g/dL	3.5 - 5	Bromocresol Green
GLOBULIN	2.96	g/dL	2.0-3.5	Calculated
A/G RATIO	1.69	A III	0.9-2.0	Calculated

Page 9 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist





: Mr.KESHAV KASHYAP

Age/Gender UHID/MR No : 33 Y 3 M 1 D/M : RIND.0000016987

Visit ID

: RINDOPV16880

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 22E32613

Collected

: 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 12:16PM

Reported Status

: 14/Sep/2024 04:37PM

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
GAMMA GLUTAMYL TRANSPEPTIDASE (GGT) , SERUM	19.79	U/L	15-73	Glyclyclycine Nitoranalide



Page 10 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist







: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.000016987

Ref Doctor

: RINDOPV16880

Emp/Auth/TPA ID

: Dr.SELF : 22E32613 MC- 6048

Collected : 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 03:53PM

Reported

: 14/Sep/2024 06:14PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method		
THYROID PROFILE TOTAL (T3, T4, TSH), SERUM						
TRI-IODOTHYRONINE (T3, TOTAL)	1.12	ng/mL	0.87-1.78	CLIA		
THYROXINE (T4, TOTAL)	11.07	μg/dL	5.48-14.28	CLIA		
THYROID STIMULATING HORMONE (TSH)	1.137	μIU/mL	0.38-5.33	CLIA		

Comment:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 – 3.0

- **1.** TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- **2.** TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- **3.** Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- **4.** Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	T3	T4	FT4	Conditions
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy.
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy
Low	N	N	N	Subclinical Hyperthyroidism
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism
Low	N	High	High	Thyroiditis, Interfering Antibodies
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes

Page 11 of 14



Dr Nidhi Sachdev M.B.B.S,MD(Pathology) Consultant Pathologist

SIN No:SPL24139473







: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID

: RIND.0000016987

Ref Doctor

Emp/Auth/TPA ID

: RINDOPV16880

: Dr.SELF : 22E32613 Collected

: 14/Sep/2024 10:31AM

Received

: 14/Sep/2024 03:53PM

Reported

: 14/Sep/2024 06:14PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

	High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma
--	------	------	------	------	--



Dr Nidhi Sachdev M.B.B.S,MD(Pathology) Consultant Pathologist

SIN No:SPL24139473



Page 12 of 14





: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.0000016987

Ref Doctor

: RINDOPV16880

Emp/Auth/TPA ID

: Dr.SELF : 22E32613 Collected

: 14/Sep/2024 01:45PM

Received

: 14/Sep/2024 02:15PM

Reported Status : 14/Sep/2024 04:44PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name Result		Unit	Bio. Ref. Interval	Method	
COMPLETE URINE EXAMINATION (CUE) , URINE				
PHYSICAL EXAMINATION					
COLOUR	PALE YELLOW		PALE YELLOW	Visual	
TRANSPARENCY	CLEAR		CLEAR	Physical Measurement	
рН	6.0		5-7.5	Double Indicator	
SP. GRAVITY	1.010		1.002-1.030	Bromothymol Blue	
BIOCHEMICAL EXAMINATION					
URINE PROTEIN	NEGATIVE		NEGATIVE	Protein Error Of Indicator	
GLUCOSE	NEGATIVE		NEGATIVE	Glucose Oxidase	
URINE BILIRUBIN	NEGATIVE		NEGATIVE	Azo Coupling Reaction	
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	Sodium Nitro Prusside	
UROBILINOGEN	NEGATIVE		NORMAL	Modifed Ehrlich Reaction	
NITRITE	NEGATIVE		NEGATIVE	Diazotization	
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	Leucocyte Esterase	
CENTRIFUGED SEDIMENT WET M	OUNT AND MICROSCOPY				
PUS CELLS	1-2	/hpf	0-5	Microscopy	
EPITHELIAL CELLS	2-3	/hpf	<10	Microscopy	
RBC	ABSENT	/hpf	0-2	Microscopy	
CASTS	NIL		0-2 Hyaline Cast	Microscopy	
CRYSTALS	ABSENT		ABSENT	Microscopy	

Comment:

All urine samples are checked for adequacy and suitability before examination. All abnormal chemical examination are rechecked and verified by manual methods.

Microscopy findings are reported as an average of 10 high power fields.

Page 13 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:UR2412187





: Mr.KESHAV KASHYAP

Age/Gender

: 33 Y 3 M 1 D/M

UHID/MR No Visit ID : RIND.0000016987

Ref Doctor

: RINDOPV16880 : Dr.SELF

Emp/Auth/TPA ID : 22E32613

Collected

: 14/Sep/2024 01:45PM

Received

: 14/Sep/2024 02:15PM : 14/Sep/2024 04:46PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE GLUCOSE(POST PRANDIAL)	NEGATIVE		NEGATIVE	Dipstick
T(N	D!/	11!4	Die Det Internel	NA - 411
Test Name	Result	Unit	Bio. Ref. Interval	Method

*** End Of Report ***



Page 14 of 14



Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:UF012103

Patient Name : Mr.KESHAV KASHYAP

 Age/Gender
 : 33 Y 3 M 1 D/M

 UHID/MR No
 : RIND.0000016987

 Visit ID
 : RINDOPV16880

Ref Doctor : Dr.SELF

Emp/Auth/TPA ID : 22E32613

Collected : 14/Sep/2024 01:45PM
Received : 14/Sep/2024 02:15PM
Reported : 14/Sep/2024 04:46PM

Status : Final Report

Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

TERMS AND CONDITIONS GOVERNING THIS REPORT

The reported results are for information and interpretation of the referring doctor or such other medical professionals, who understand reporting units, reference ranges and limitations of technologies.

Laboratories not be responsible for any interpretation whatsoever.

It is presumed that the tests performed are, on the specimen / sample being to the patient named or identified and the verifications of the particulars have been cleared out by the patient or his / her representative at the point of generation of said specimen.

The reported results are restricted to the given specimen only. Results may vary from lab to lab and from time to time for the same parameter for the same patient.

Assays are performed in accordance with standard procedures, The reported results are dependent on individual assay methods / equipment used and quality of specimen received.


This report is not valid for medico legal purposes.

Dr.Kritika Jain M.B.B.S,M.D(Pathology) Consultant Pathologist

SIN No:UF012103

This test has been performed at Apollo Health and Lifestyle Ltd/Lab





FO Cradle

From:

noreply@apolloclinics.info

Sent:

09 September 2024 15:06

To:

keshav.kashyap@bankofbaroda.co.in

Cc: Subject: fo.indira@apollocradle.com Your appointment is confirmed



Dear Keshav Kashyap,

Greetings from Apollo Clinics,

Your corporate health check appointment is confirmed at Apollo Cradle & Children's Hospital Indirapuram clinic on 2024-09-14 at 08:00-08:30.

Payment Mode	
Corporate Name	ARCOFEMI HEALTHCARE LIMITED
Agreement Name	[ARCOFEMI MEDIWHEEL MALE AHC CREDIT PAN INDIA OP AGREEMENT]
Package Name	[ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324]

"Kindly carry with you relevant documents such as HR issued authorization letter and or appointment confirmation mail and or valid government ID proof and or company ID card and or voucher as per our agreement with your company or sponsor."

Note: Video recording or taking photos inside the clinic premises or during camps is not allowed and would attract legal consequences.

Note: Also once appointment is booked, based on availability of doctors at clinics tests will happen, any pending test will happen based on doctor availability and clinics will be updating the same to customers.

Instructions to be followed for a health check:

CERTIFICATE OF MEDICAL FITNESS Children's Hospital

This is to certify that I have conducted the clinical examination

of KESHAV KASHYAP on 16/09/12-

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
Medically Fit	C
Fit with restrictions/recommendations	
Though following restrictions have been revealed, in my opinion, these are not impediments to the job.	
1. Consult to the siècule	
2	
3	
However the employee should follow the advice/medication that has been communicated to him/her.	
Review after	
Currently Unfit.	
Review after	nended
Unfit Dr. SHAILENDIA 1.5. M.B.	
Unfit Dr. SHAILENDIA S. M.E. S. M.E. S. Regd. No. DMC-12232 Regd. N	3
Dr	
Medical Officer	

This certificate is not meant for medico-legal purposes

Address: NH-1, Shakti Khand 2, Indirapuram, Ghaziabad, Uttar Pradesh – 201014. Ph No: +91 88106 85179, 1860 500 4424

Apollo Specialty Hospitals Private Limited

(Formerly known as Nova Specialty Hospitals Private Limited) CIN - U85100TG2009PTC099414

Mr. Keshar Kashyap Age - 33 y/Male





	Height :	165cm	Weight	: 66-7-kg	вмі:	24.5191m	Waist	Circun	n :	
	Temp:	(re)	Pulse	77 B/M	Resp :	20 B/M	B.P :	110	60	mmte
	General I History	Examination/Allerg	ies Ci	nical Diagnosis & M	anageme	nt Plan				
		~ ·								
1	J-0	FL.								


OUR NETWORK: AMRITSAR | BENGALURU | CHENNAI | HYDERABAD | DELHI NCR

Follow up date

Visit us: www.apollocradle.com * Write to us: contactus@apollocradle.com



Doctor Signature



High cholesteral



APOLLO CRADLE- INDRAPURAM

NAME: Keshan

AGE:

UHID:

DATE: 16/9/24

Avoid lefined foods/ reaide, julk food

Incurde garlic, wethir

ZE FOR A HEALTHY LIFESTYFI

DIETARY ADVICE FOR A HEALTHY LIFESTYEL

1. Consume at least 500 ml. of milk per day (including coffee, tea, curd and buttermilk) preferably toned or double toned.

- 2. Use whole grains and pulses rather than refined cereals like maida.
- 3. If mixing cereals with pulses for chapathi, use in the following proportion; 4 parts of cereal + 1 part of soya atta.
- 4. Liberal intake of green leafy vegetables in the form of soups, salads, mixed vegetable raita, cooked vegetables as sabzis etc.
- 5. Judicious intake of roots and tubers like potatoes, colocasia, sweet potato, yam, etc.
- **6.** Prefer taking fruits over their juices. Low calorie fruits like apple, papaya, pear, peach, orange, sweet lime melon, pomegranate, guava should be preferred.
- 7. Select roasted snakes such as channa, puffed rice and heart healthy nuts like almonds, walnuts and choose low fat milk beverages over other unhealthy option.
- 8. Consume at least 2 liter of water every day.
- **9.** A gap of 2 hours is required between dinner and bed time.
- 10. Cultivate the habit of having food at smaller intervals and in small quantities like 3 major meals and 3 - 4

and buttermilk)

11. Include white meat only i. e. chicken, fish and egg white in the grilled, boiled or curry form.

FOOD TO BE AVOIDED

1. Extra sugar in the form of excess coffee, tea, sweets, glucose, soft drinks, honey, jams, jellies, candies, ice cream and other sweetened beverages.

Brief

- 2. Deep fried items such as samosa, Kachori, Namkeen, parathas, wafer etc. Eating bakery products on a daily basis.
- 3. Red meat like lamb (mutton), prawns, crab and organ meat.
- 4. Dried fruits like coconut and cashew nuts etc.
- 5. Fruits like avocados, mango, chikoo, grapes, custard apple, jackfruit and big bananas on a daily basis.
- 6. Extra salt on the table (top salt) daily consumption of pckeles, papads, ready-to-eat food, processed foods, salted nuts, salted fish and chutney powders which contain salt as a major preserving agent.

Address: NH-1, Shakti Khand 2, Indirapuram, Ghaziabad, Uttar Pradesh 201014





Apollo Cradle

CONSENT FORM

Patient Name: Keshar Kashgar	Age:33 //
UHID Number: 16997	Company Name:
	•
I Mr/Mrs/Ms	Employee of
(Company) Want to inform you that I am not interes	ested in getting OPHal DGVTAL
Tests done which is a part of my routine health che	ck package.
And I claim the above statement in my full consciou	usness.
Patient Signature:	Date: 14(9/24)



Patient Name : Mr. Keshav Kashyap Age/Gender : 33 Y/M

 UHID/MR No.
 : RIND.0000016987
 OP Visit No
 : RINDOPV16880

 Sample Collected on
 : 14-09-2024 15:32

Ref Doctor : SELF **Emp/Auth/TPA ID** : 22E32613

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

Both the lung fields and hilar shadows appears normal.

There is no obvious active pleuro-parenchymal lesion seen.

Both the costophrenic and cardiophrenic angles are clear.

Cardiac size appears within normal limits.

Both dome of hemidiaphragms are normal in position and contour.

Thoracic wall and soft tissues under view appear normal.

CONCLUSION:

No obvious abnormality seen

Dr. SANGEETA AGGARWAL MBBS, MD

Radiology



: 14-09-2024 12:35

 Patient Name
 : Mr. Keshav Kashyap
 Age/Gender
 : 33 Y/M

 UHID/MR No.
 : RIND.0000016987
 OP Visit No
 : RINDOPV16880

Sample Collected on

LRN#

: RAD2415968

Ref Doctor : SELF **Emp/Auth/TPA ID** : 22E32613

DEPARTMENT OF RADIOLOGY

Reported on

Specimen

ULTRASOUND - WHOLE ABDOMEN

LIVER: Liver is mildly enlarged in size (15.5cm) and the parenchymal echotexture shows grade-1 to 2 diffuse fatty infiltration. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in course and calibre.

GALL BLADDER: Gall bladder appears echo free with normal wall thickness. No pericholecystic fluid noted. Common duct is not dilated.

PANCREAS: Pancreas is normal in size and echopattern.

SPLEEN: Spleen is normal in size, shape and echopattern. No focal lesion seen. Hilum is normal.

KIDNEYS: Both the kidneys are normal in position, shape, size, outline and echotexture. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact.

Visualized parts of the retroperitoneum do not reveal any lymphadenopathy.

URINARY BLADDER: Urinary bladder is normal in wall thickness with clear contents. No obvious mass lesion seen.

PROSTATE: Prostate is normal in size and echo-pattern. Capsule is intact.

No free fluid is seen in the peritoneal cavity.

IMPRESSION: Mild hepatomegaly with grade 1 to 2 Fatty infiltration of the liver.

SUGGEST CLINICAL CORRELATION

(The sonography findings should always be considered in correlation with the clinical and other investigation finding where applicable.) It is only a professional opinion, Not valid for medico legal purpose.



Patient Name : Mr. Keshav Kashyap Age/Gender : 33 Y/M

Dr. SANGEETA AGGARWAL

MBBS, MD

Radiology

KINDLY NOTE: DENTAL, OPTHAL TEST DENIED BY PATIENT

Patient Name : Mr. Keshav Kashyap Age : 33 Y/M

UHID : RIND.0000016987 OP Visit No : RINDOPV16880 Conducted By: : Dr. SANJIV KUMAR GUPTA Conducted Date : 14-09-2024 13:53

Referred By : SELF

2D-ECHO WITH COLOUR DOPPLER

Dimensions:

Ao (ed) 2.72 CM LA (es) 3.17 CM LVID (ed) 3.67 CM LVID (es) 2.40 CM IVS (Ed) 1.04 CM 1.22 CM LVPW (Ed) EF 64.00% %FD 32.00%

MITRAL VALVE: NORMAL

AML NORMAL NORMAL

AORTIC VALVE NORMAL

TRICUSPID VALVE NORMAL

RIGHT VENTRICLE NORMAL

INTER ATRIAL SEPTUM NORMAL

INTER VENTRICULAR SEPTUM INTACT

AORTA NORMAL

RIGHT ATRIUM NORMAL

LEFT ATRIUM NORMAL

Pulmonary Valve NORMAL

PERICARDIUM NORMAL

Patient Name : Mr. Keshav Kashyap Age : 33 Y/M

UHID : RIND.0000016987 OP Visit No : RINDOPV16880 Conducted By: : Dr. SANJIV KUMAR GUPTA Conducted Date : 14-09-2024 13:53

Referred By : SELF

NO REGIONAL WALL MOTION ABNORMALITY

NORMAL LEFT VENTRICULAR SYSTOLIC FUNCTION

COLOUR AND DOPPLER STUDIES NORMAL

PWD: A>E AT MITRAL INFLOW NORMAL

VELOCITY ACROSS THE AV NORMAL

IMPRESSION:

GOOD LV/RV FUNCTION

NO MR/NO AR /NO TR/NOPAH.NO CLOT

NO PERICARDIAL EFFUSION.

Dr. SANJIV KUMAR GUPTA Patient Name : Mr. Keshav Kashyap Age : 33 Y/M

UHID : RIND.0000016987 OP Visit No : RINDOPV16880 Conducted By: : Dr. SANJIV KUMAR GUPTA Conducted Date : 14-09-2024 13:53

Referred By : SELF