

Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. : -Collected :23-Mar-2024 / 10:45

Reported Reg. Location : Thane Kasarvadavali (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

:23-Mar-2024 / 15:00

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

	CBC (Complet	e Blood Count), Blood	
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	13.3	13.0-17.0 g/dL	Spectrophotometric
RBC	4.82	4.5-5.5 mil/cmm	Elect. Impedance
PCV	41.4	40-50 %	Measured
MCV	85.8	80-100 fl	Calculated
MCH	27.6	27-32 pg	Calculated
MCHC	32.2	31.5-34.5 g/dL	Calculated
RDW	14.4	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4910	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	37.1	20-40 %	
Absolute Lymphocytes	1821.6	1000-3000 /cmm	Calculated
Monocytes	4.7	2-10 %	
Absolute Monocytes	230.8	200-1000 /cmm	Calculated
Neutrophils	55.3	40-80 %	
Absolute Neutrophils	2715.2	2000-7000 /cmm	Calculated
Eosinophils	2.8	1-6 %	
Absolute Eosinophils	137.5	20-500 /cmm	Calculated
Basophils	0.1	0.1-2 %	
Absolute Basophils	4.9	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Abso	orbance & Impedance metho	d/Microscopy.	
PLATELET PARAMETERS			
Platelet Count	221000	150000-400000 /cmm	Flect Impedance

Platelet Count	221000	150000-400000 /cmm	Elect. Impedance
MPV	8.5	6-11 fl	Calculated
PDW	10.0	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Microcytosis

Page 1 of 13



CID : 2408322155

Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. : - Collected : 23-Mar-2024 / 10:45

Reg. Location : Thane Kasarvadavali (Main Centre) Reported : 23-Mar-2024 / 14:46

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 30 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path)

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Pathologist

Page 2 of 13



Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr.

: Thane Kasarvadavali (Main Centre) Reg. Location



Use a QR Code Scanner Application To Scan the Code

: 23-Mar-2024 / 14:04

:23-Mar-2024 / 15:46

Hexokinase

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING, 96.3 Non-Diabetic: < 100 mg/dl Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Collected

Reported

Diabetic: >/= 126 mg/dl

Non-Diabetic: < 140 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 100.9 Plasma PP/R

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

> Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

> > Page 3 of 13



Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. Collected Reported :23-Mar-2024 / 21:04 : Thane Kasarvadavali (Main Centre) Reg. Location



Use a QR Code Scanner Application To Scan the Code

:23-Mar-2024 / 10:45

MEDIWHEEL FULL BODY	HEALTH CHECKUP MALE ABOVE 40/2D ECHO
<u> </u>	KIDNEY FUNCTION TESTS

<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
34.8	19.29-49.28 mg/dl	Calculated
16.3	9.0-23.0 mg/dl	Urease with GLDH
0.78	0.73-1.18 mg/dl	Enzymatic
	34.8 16.3	34.8 19.29-49.28 mg/dl 16.3 9.0-23.0 mg/dl

Note: Kindly note in change in reference range w.e.f. 07-09-2023

eGFR, Serum Calculated 112 (ml/min/1.73sqm)

Normal or High: Above 90 Mild decrease: 60-89

Mild to moderate decrease: 45-

Moderate to severe decrease:30

Severe decrease: 15-29 Kidney failure: <15

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	7.6	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.7	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
URIC ACID, Serum	5.7	3.7-9.2 mg/dl	Uricase/ Peroxidase
PHOSPHORUS, Serum	2.8	2.4-5.1 mg/dl	Phosphomolybdate
CALCIUM, Serum	9.8	8.7-10.4 mg/dl	Arsenazo
SODIUM, Serum	139	136-145 mmol/l	IMT
POTASSIUM, Serum	5.0	3.5-5.1 mmol/l	IMT
CHLORIDE, Serum	106	98-107 mmol/l	IMT

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.JYOT THAKKER

M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 4 of 13



Name : MR.SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. : -Collected : 23-Mar-2024 / 10:45 Reported :23-Mar-2024 / 21:04 Reg. Location : Thane Kasarvadavali (Main Centre)



Use a OR Code Scanner Application To Scan the Code

HPLC

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

6.2 Non-Diabetic Level: < 5.7 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

131.2

mg/dl Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c. Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 5 of 13



TOTAL PSA, Serum

CID : 2408322155

Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. : - Collected

0.430

Reg. Location : Thane Kasarvadavali (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Reported

<4.0 ng/ml

:23-Mar-2024 / 10:45

R

E

:23-Mar-2024 / 18:42

CLIA

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Kindly note change in platform w.e.f. 24-01-2024



CID : 2408322155

Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. : - Collected : 23-Mar-2024 / 10:45

Reg. Location : Thane Kasarvadavali (Main Centre) Reported :23-Mar-2024 / 18:42



- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH
 than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the
 differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing
 immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Note: The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

Reference:

- Wallach's Interpretation of diagnostic tests
- · Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 7 of 13



Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Collected Consulting Dr. :23-Mar-2024 / 10:45 Reported :23-Mar-2024 / 17:45 : Thane Kasarvadavali (Main Centre) Reg. Location

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY	HEALTH CHECKUP MALE ABOVE 40/2D ECHO
UR	RINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.030	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u>N</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ = 5 mg/dl, 2+ = 15 mg/dl, 3+ = 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **

> Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

> > Page 8 of 13



Name : MR.SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. : -Collected : 23-Mar-2024 / 10:45 Reported :23-Mar-2024 / 15:53 Reg. Location : Thane Kasarvadavali (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note: This Sample has also been tested for Bombay group/Bombay phenotype /Oh using anti H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **

> Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

> > Page 9 of 13



Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. Collected :23-Mar-2024 / 10:45 Reported :23-Mar-2024 / 21:04 Reg. Location : Thane Kasarvadavali (Main Centre)



Use a QR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	164.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	156.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	46.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	117.2	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	86.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	31.2	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.8	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.JYOT THAKKER

M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 10 of 13



Name : MR. SRIDHAR LINGAYYA SADULA

: 45 Years / Male Age / Gender

Consulting Dr. : -Collected

Reported :23-Mar-2024 / 18:28 Reg. Location : Thane Kasarvadavali (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

:23-Mar-2024 / 10:45

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.8	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	14.6	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.76	0.35-5.5 microIU/ml	ECLIA



CID : 2408322155

Name : MR.SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Consulting Dr. : - Collected : 23-Mar-2024 / 10:45

Reg. Location : Thane Kasarvadavali (Main Centre) Reported :23-Mar-2024 / 18:28

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 12 of 13



Name : MR. SRIDHAR LINGAYYA SADULA

Age / Gender : 45 Years / Male

Collected Consulting Dr. :23-Mar-2024 / 10:45 Reported :23-Mar-2024 / 21:04 Reg. Location : Thane Kasarvadavali (Main Centre)



Use a QR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **LIVER FUNCTION TESTS**

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.85	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.28	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.57	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.6	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.7	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	17.4	<34 U/L	Modified IFCC
SGPT (ALT), Serum	19.3	10-49 U/L	Modified IFCC
GAMMA GT, Serum	26.6	<73 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	99.1	46-116 U/L	Modified IFCC

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 13 of 13



Government of India





श्रीधर लिंगय्या सादुला Sridhar Lingayya Sadula जन्म तिथि/DOB: 06/08/1978 पुरुष/ MALE Mobile No: 8446667967

2935 6582 1244 VID: 9156 0011 0996 2078

मेरा आधार, मेरी पहचान

calucan



PHYSICAL EXAMINATION REPORT

atient Name	Mr. sridha	1 Sadula	Sex/Age	male	14545
Date	23.03		Location	KASARV	ADAVALI
	Complaints				
V	•				
EXAMINATI	ON FINDINGS	S:			
Height	120	Temp (0c):	Neodni	12	
Weight	21	Skin:	Motor	n	
Blood Pressure	130/80	Nails:	near		
Pulse	686	Lymph Node:	people	M	
Systems :		Houe.			
Cardiovascular	: Keopuda				
Respiratory:	Norwa				
Genitourinary:	Holman				
GI System:	people				
CNS:	Hopener				
Impression:	1 80 B KE 1 3				
Control of the Contro	1	11.11.016	12mit		



ADVICE:

WHEN BERTSTONE REST SPERTER LIPES PROTURE THE FOLOWING

		Acons	-000
CHIE	EF COMPLAINTS:	DR. ANAND N. MOTW	INE
1)	Hypertension:	NO Reg. No. 39329 (M.M.C	2)
2)	IHD 460 du anop 45884 14 202	HO.	
3)	Arrhythmia	H O gnostics	
4)	Diabetes Mellitus	210 OF 100 P	
5)	Tuberculosis	NO CONTRACTOR	
6)	Asthma	NO 978	
7)	Pulmonary Disease	110	
8)	Thyroid/ Endocrine disorders	Mo	
9)	Nervous disorders	No	
10)	GI system	10	
11)	Genital urinary disorder	Ne	
12)	Rheumatic joint diseases or symptom	110	
13)	Blood disease or disorder	No	
14)	Cancer/lump growth/cyst	No	
15)	Congenital disease	No	
16)	Surgeries 410 csiolecysalecar	ny 14 2016	
PER	SONAL HISTORY:		
1)	Alcohol	*S	
2)	Smoking	hes	
3)	Diet	Mix	
4)	Medication	Red (SID	

SUBURBAN DIAGNOSTICS - THANE KASARAVADAVALI Date and Time: 23rd Mar 24 12:37 PM




Patient ID:

Patient Name: SRIDHAR LINGAYYA SADULA

NA

2408322155



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Dr.Anand N Motwari M.D (General Medicine) Reg No 39329 M.M.C

Aussan

132ms



Authenticity Check <<QRCode>>

Е

0

Т

R

CID

: 2408322155

Name

: Mr Sridhar Lingayya Sadula

Age / Sex

Reg. Location

: 45 Years/Male

Ref. Dr

: Thane Kasarvadavali Main Centre

Reg. Date Reported

: 23-Mar-2024

: 23-Mar-2024 / 15:49

Use a QR Code Scanner

Application To Scan the Code

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

----End of Report---

Dr.JITENDRA GIRI DMRD, FELLOWSHIP IN USG & COLOUR DOPPLER (MUHS) Reg No -2011/06/2160

CONSULTANT RADIOLOGIST

Click here to view images << ImageLink>>

Page no 1 of 1