



CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWATI SINGHAL Registered On : 23/Mar/2024 09:01:29 Age/Gender Collected : 23/Mar/2024 09:48:19 : 31 Y 5 M 6 D /F UHID/MR NO : ALDP.0000137212 Received : 23/Mar/2024 11:13:32 Visit ID : ALDP0407792324 Reported : 23/Mar/2024 13:09:43

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *	, Blood			
Blood Group	Ο			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , w	/hole Blood			
Haemoglobin	10.80	g/dl	1 Day- 14.5-22.5 g/dl	
			1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	6,200.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	68.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	27.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	3.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	26.00	Mm for 1st hr.		
Corrected		Mm for 1st hr.	< 20	
PCV (HCT) Platelet count	33.00	%	40-54	
Platelet Count	1.68	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	16.20 -	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE











CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWATI SINGHAL Registered On : 23/Mar/2024 09:01:29 Age/Gender : 31 Y 5 M 6 D /F Collected : 23/Mar/2024 09:48:19 UHID/MR NO Received : ALDP.0000137212 : 23/Mar/2024 11:13:32 Visit ID : ALDP0407792324 Reported : 23/Mar/2024 13:09:43

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.23	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.60	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.79	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	87.30	fl	80-100	CALCULATED PARAMETER
MCH	28.50	pg	28-35	CALCULATED PARAMETER
MCHC	32.60	%	30-38	CALCULATED PARAMETER
RDW-CV	13.50	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,216.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	124.00	/cu mm	40-440	

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWATI SINGHAL Registered On Age/Gender : 31 Y 5 M 6 D /F Collected

UHID/MR NO : ALDP.0000137212 Received : 23/Mar/2024 11:13:32 Visit ID : ALDP0407792324 Reported : 23/Mar/2024 12:47:33

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLUCOSE FASTING *, Plasma

GOD POD Glucose Fasting 82.90 mg/dl < 100 Normal

100-125 Pre-diabetes ≥ 126 Diabetes

: 23/Mar/2024 09:01:31

: 23/Mar/2024 09:48:18

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

mg/dl Glucose PP * **GOD POD** 97.30 <140 Normal

Sample:Plasma After Meal 140-199 Pre-diabetes

>200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.30	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	34.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	104	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- · eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWATI SINGHAL Registered On : 23/Mar/2024 09:01:31 Collected Age/Gender : 31 Y 5 M 6 D /F : 23/Mar/2024 09:48:18 UHID/MR NO : ALDP.0000137212 Received : 23/Mar/2024 11:13:32 Visit ID : ALDP0407792324 Reported : 23/Mar/2024 12:47:33

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	7.38	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.70	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid * Sample:Serum	3.90	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

CHANDAN DIAGNOSTIC CENTRE



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWATI SINGHAL Registered On : 23/Mar/2024 09:01:31 Age/Gender Collected : 23/Mar/2024 09:48:18 : 31 Y 5 M 6 D /F UHID/MR NO : ALDP.0000137212 Received : 23/Mar/2024 11:13:32 Visit ID : ALDP0407792324 Reported : 23/Mar/2024 12:47:33

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	20.30	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	14.40	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	20.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.90	gm/dl	6.2-8.0	BIURET
Albumin	4.20	gm/dl	3.4-5.4	B.C.G.
Globulin	3.70	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.14	giii/ai	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	101.60	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.50	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	141.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	35.30	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	76	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High	
· VLDL	29.64	mg/dl	> 190 Very High 10-33	CALCULATED
Triglycerides	148.20	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

Dr. Akanksha Singh (MD Pathology)









Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Method

Patient Name : Mrs.SWATI SINGHAL Registered On : 23/Mar/2024 09:01:30 Age/Gender Collected : 23/Mar/2024 16:13:37 : 31 Y 5 M 6 D /F UHID/MR NO : ALDP.0000137212 Received : 23/Mar/2024 18:14:52 Visit ID : ALDP0407792324 Reported : 23/Mar/2024 19:30:44

Result

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Unit

Rio Ref Interval

Test Name	Result	Unit	Bio. Ref. Interval	Method
LIDING EVANGINATION DOLLTING *				
URINE EXAMINATION, ROUTINE * , υ				
Color	LIGHT YELLOW			
Specific Gravity	1.020			DIDCTION
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR	, 0/	10 Alasant	DIDCTION
Protein	ABSENT	mg %	< 10 Absent 10-40 (+)	DIPSTICK
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
		3	0.5-1.0 (++)	
			1-2 (+++)	
		J WY	> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pi <mark>gments </mark>	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
-	, de			EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifuged u	urine sediment.	, ,		
SUGAR, FASTING STAGE * , Urine				
	ADCENT	ara a0/		
Sugar, Fasting stage	ABSENT	gms%		







CHANDAN DIAGNOSTIC CENTRE



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWATI SINGHAL

: 31 Y 5 M 6 D /F

Collected

Registered On

: 23/Mar/2024 09:01:30 : 23/Mar/2024 16:13:37

Age/Gender UHID/MR NO

: ALDP.0000137212

Received

: 23/Mar/2024 18:14:52

Visit ID

: ALDP0407792324

Reported

: 23/Mar/2024 19:30:44

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+)< 0.5 gms%

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)









CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWATI SINGHAL : 23/Mar/2024 09:01:31 Registered On Age/Gender Collected : 31 Y 5 M 6 D /F : 23/Mar/2024 09:48:18 UHID/MR NO : ALDP.0000137212 Received : 23/Mar/2024 11:13:32 Visit ID : ALDP0407792324 Reported : 23/Mar/2024 14:51:56

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	l Method
THYROID PROFILE - TOTAL *, Serum				
T3, Total (tri-iodothyronine)	167.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.00	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.900	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/r	nL First Trimes	ster
		0.5-4.6 μIU/r		nester
		0.8-5.2 μIU/r	nL Third Trime	ster
		0.5-8.9 µIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/r		> 37Week
		0.7-64 μIU/r	nL Child(21 wk	(- 20 Yrs.)
			/mL Child	0-4 Days
		1.7-9.1 μIU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Page 8 of 11









Age/Gender

UHID/MR NO

Ref Doctor

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SWATI SINGHAL

: 31 Y 5 M 6 D /F

: ALDP.0000137212

Visit ID : ALDP0407792324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Registered On

: 23/Mar/2024 09:01:32

Collected : N/A Received : N/A

Received Reported

: 23/Mar/2024 13:36:04

Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS,DMRE)

Page 9 of 11









CIN: U85110DL2003PLC308206



: 23/Mar/2024 09:01:32

Patient Name : Mrs.SWATI SINGHAL Registered On

 Age/Gender
 : 31 Y 5 M 6 D /F
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000137212
 Received
 : N/A

Visit ID : ALDP0407792324 Reported : 23/Mar/2024 10:53:24

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - **Enlarged in size** (16.7 cm), with normal shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - **Enlarged in size** (12.2 cm), with normal shape and echogenicity.

RIGHT KIDNEY: - Normal in size (10.6 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.8 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Normal in shape, outline and distension. No e/o wall thickening / calculus.

UTERUS :- Anteverted, and is normal in size (7.0 x 4.0 x 4.3 cm). **IUCD in low placed**. No focal myometrial lesion seen. Endometrium is normal in thickness.

OVARIES: Bilateral ovaries are normal in size, shape and echogenicity.

ADNEXA: No obvious adnexal pathology

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Mild hepatosplenomegaly.
- Low placed IUCD.

Please correlate clinically.

*** End Of Report ***

Result/s to Follow:









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mrs.SWATI SINGHAL

Registered On

: 23/Mar/2024 09:01:32

Age/Gender UHID/MR NO : 31 Y 5 M 6 D /F

CARE LTD -

Collected

: N/A

Visit ID

: ALDP.0000137212 : ALDP0407792324 Received Reported

: 23/Mar/2024 10:53:24

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

. 23/1VId1/2024 TO.

: Final Report

: N/A

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION





ICNAH

DR K N SINGH (MBBS,DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location

Page 11 of 11



