DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report: XRAY

Patient Name	:	MR. RAJEEV RANJAN	IPD No.	:	
Age	:	47 Yrs 5 Mth	UHID	:	APH000021760
Gender	:	MALE	Bill No.	:	APHHC240000537
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	22-03-2024 09:39:56
Ward	:		Room No.	:	
			Print Date	:	23-03-2024 15:15:33

CHEST PA VIEW:

Cardiac shadow appears normal.

Both lung fields appear clear.

Both domes of diaphragm and both CP angles are clear.

Both hila appear normal.

Soft tissues and bony cage appear normal.

Please correlate clinically.

.....End of Report......

Prepare By. MD.SERAJ

DR. MUHAMMAD SERAJ, MD Radiodiagnosis, FRCR (London) BCMR/46075 CONSULTANT

Note: The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report: ULTRASOUND

Patient Name	:	MR. RAJEEV RANJAN	IPD No.	:	
Age	:	47 Yrs 5 Mth	UHID	T:	APH000021760
Gender	:	MALE	Bill No.	:	APHHC240000537
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	22-03-2024 09:39:56
Ward	:		Room No.	:	
			Print Date	:	22-03-2024 11:55:39

WHOLE ABDOMEN:

Both the hepatic lobes are normal in size and show grade II fatty infiltration (Liver measures 12.2 cm)

No focal lesion seen. Intrahepatic biliary radicals are not dilated.

Portal vein is normal in calibre.

Gall bladder is post operative status.

CBD is normal in calibre.

Pancreas is normal in size and echotexture.

Spleen is normal in size (8.4 cm) and echotexture.

Both kidneys are normal in size and echotexture (Right kidney (9.5 cm), Left kidney (11.1 cm). Cortico-medullary distinction is maintained. No calculus or hydronephrosis seen in left kidney.

Mild hydronephrosis seen in right kidney with obscured right ureter. No renal calculus seen.

(Suggested CT urography)

Urinary bladder appears normal.

Prostate appears normal in size (Vol. 19.1 cc), outline and echotexture.

No free fluid or collection seen. No basal pleural effusion seen.

No significant lymphadenopathy seen.

No dilated bowel loop seen.

Please correlate clinically	
End	of Report
Prepare By. MD.SERAJ	DR. MUHAMMAD SERAJ, MD Radiodiagnosis.FRCR (London)

Note: The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

BCMR/46075 CONSULTANT

Bill No.	:	APHHC240000537		Bill Date	1	22-03-2024 09:39		
Patient Name	:	MR. RAJEEV RANJAN	I	UHID	1	APH000021760		
Age / Gender	:	47 Yrs 5 Mth / MALE		Patient Type	1	OPD	If PHC	1:
Ref. Consultant	:	MEDIWHEEL	1	Ward / Bed	1	1		
Sample ID	:	APH24010679	(Current Ward / Bed	:	1		
	:		I	Receiving Date & Time	:	22-03-2024 10:28		
	Г			Reporting Date & Time	:	22-03-2024 15 58		

HAEMATOLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: EDTA Whole Blood				

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

CBC -1 (COMPLETE BLOOD COUNT)

TOTAL LEUCOCYTE COUNT (Flow Cytometry)		9.3	thousand/cumm	4 - 11
RED BLOOD CELL COUNT (Hydro Dynamic Focussing)		5.0	million/cumm	4.5 - 5.5
HAEMOGLOBIN (SLS Hb Detection)		13.4	g/dL	13 - 17
PACK CELL VOLUME (Cumulative Pulse Height Detection)		42.4	%	40 - 50
MEAN CORPUSCULAR VOLUME		84.5	fL	83 - 101
MEAN CORPUSCULAR HAEMOGLOBIN	L	26.6	pg	27 - 32
MEAN CORPUSCULAR HAEMOGLOBIN CONCENTRATION		31.5	g/dL	31.5 - 34.5
PLATELET COUNT (Hydro Dynamic Focussing)		180	thousand/cumm	150 - 400
RED CELL DISTRIBUTION WIDTH (S.D - RDW) (Particle Size Distribution)		41.6	fL	39 - 46
RED CELL DISTRIBUTION WIDTH (C.V.)		13.7	%	11.6 - 14

DIFFERENTIAL LEUCOCYTE COUNT

NEUTROPHILS		59	%	40 - 80
LYMPHOCYTES		31	%	20 - 40
MONOCYTES		6	%	2 - 10
EOSINOPHILS		4	%	1 - 5
BASOPHILS		0	%	0 - 1
ESR (Westergren)	Н	30	mm 1st hr	0 - 10

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	F	APHHC240000537	Bill Date	:	22-03-2024 09:39		
Patient Name	F	MR. RAJEEV RANJAN	UHID	1	APH000021760		
Age / Gender	F	47 Yrs 5 Mth / MALE	Patient Type	1	OPD	If PHC :	
Ref. Consultant	1	MEDIWHEEL	Ward / Bed	1	1		
Sample ID	1	APH24010825	Current Ward / Bed	:	1		
	:		Receiving Date & Time	1	22-03-2024 15:16		
	Г		Reporting Date & Time	:	22-03-2024 17:25		

BIOCHEMISTRY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: EDTA Whole Blood, Plasma, Serum	•		•	

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

_ , _						
BLOOD UREA Urease-GLDH,Kinetic		16	mg/dL	15 - 45		
BUN (CALCULATED)		7.5	mg/dL	7 - 21		
CREATININE-SERUM (Modified Jaffe's Kinetic)	L	0.7	mg/dL	0.9 - 1.3		
GLUCOSE-PLASMA (FASTING) (UV Hexokinase)	Н	118.0	mg/dL	70 - 100		
A - A - A - A - A - A - A - A - A - A -			/ 11	•		

Note: A diagnosis of diabetes mellitus is made if fasting blood glucose exceeds 126 mg/dL. (As per American Diabetes Association recommendation)

GLUCOSE-PLASMA (POST PRANDIAL) (UV Hexokinase)	104.0	mg/dL	70 - 140

Note: A diagnosis of diabetes mellitus is made if 2 hour post load glucose exceeds 200 mg/dL. (As per American Diabetes Association recommendation)

LIPID PROFILE

CHOLESTROL-TOTAL (CHO-POD)	153	mg/dL	0 - 160
HDL CHOLESTROL Enzymatic Immunoinhibition	47	mg/dL	>40
CHOLESTROL-LDL DIRECT Enzymatic Selective Protection	93	mg/dL	0 - 100
S.TRIGLYCERIDES (GPO - POD)	137	mg/dL	0 - 160
NON-HDL CHOLESTROL	106.0	mg/dL	0 - 125
TOTAL CHOLESTROL / HDL CHOLESTROL	3.3		1/2Average Risk < 3.3 Average Risk 3.3-4.4 2 Times Average Risk 4.5-7.1 3 Times Average Risk 7.2-11.0
LDL CHOLESTROL / HDL CHOLESTROL	2.0		½Average Risk <1.0 Average Risk 1.0-3.6 2 Times Average Risk 3.7-6.3 3 Times Average Risk 6.4-8.0
CHOLESTROL-VLDL	27	mg/dL	10 - 35

Comments:

- Disorders of Lipid metabolism play a major role in atherosclerosis and coronary heart disease.
- There is an established relationship between increased total cholesterol & LDL cholesterol and myocardial infarction.
- HDL cholesterol level is inversely related to the incidence of coronary artery disease.
- Major risk factors which adversely affect the lipid levels are:
 - 1. Cigarette smoking.
 - 2. Hypertension.
 - 3. Family history of premature coronary heart disease.
 - 4. Pre-existing coronary heart disease.

LIVER FUNCTION TESTS (LFT)

BILIRUBIN-TOTAL (DPD)	Н	2.01	mg/dL	0.2 - 1.0
BILIRUBIN-DIRECT (DPD)	Н	0.32	mg/dL	0 - 0.2
BILIRUBIN-INDIRECT	Н	1.69	mg/dL	0.2 - 0.8
S.PROTEIN-TOTAL (Biuret)		7.3	g/dL	6 - 8.1

Bill No.		:	APHHC240000537		Bill Date			:	22-03-2024 09:39		
Patient Nan	ne	:	MR. RAJEEV RANJAN			UHID		:	APH000021760		
Age / Gend	er	:	47 Yrs 5 Mth / MALE		Patient Type			:	OPD	If PHC :	
Ref. Consu	ltant	:	MEDIWHEEL			Ward / Bed		:	1	' '	
Sample ID		:	APH24010825			Current Ward / Bed		:	1		
		:				Receiving Date & Time		:	22-03-2024 15:16		
		П				Reporting Date & Tim	1e	:	22-03-2024 17:25		
ALBUM	IIN-SERI	JМ	(Dye Binding-Bromocresol Green)		4.4		g/dL				
S.GLOE	BULIN			2.9)	g/dL		2.8-3.8		
A/G RA	TIO				1.5	52			1.5 - 2	1.5 - 2.5	
ALKALI	NE PHO	SF	HATASE IFCC AMP BUFFER		85	.0	IU/L	U/L 53 -		53 - 128	
ASPAR [*]	TATE AN	ΊIΝ	O TRANSFERASE (SGOT) (IFCC)		37	.1	IU/L		10 - 42	10 - 42	
ALANIN	NE AMIN	Ю	TRANSFERASE(SGPT) (IFCC)	Н	59).7	IU/L		10 - 40		
GAMMA	A-GLUT <i>A</i>	١M	YLTRANSPEPTIDASE (IFCC)		29	.1	IU/L		11 - 50		
LACTA	TE DEH	ΥD	ROGENASE (IFCC; L-P)		19	6.4	IU/L		0 - 248		
S.PROT	ΓΕΙΝ-ΤΟ	TΑ	L (Biuret)		7.3	i	g/dL		6 - 8.1		
URIC A	CID Urica:	se -	Trinder		6.8		mg/dl	L	2.6 - 7.2	2	

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000537	Bill Date		:	22-03-2024 09:39			
Patient Name	:	MR. RAJEEV RANJAN	UHID		:	APH000021760			
Age / Gender		47 Yrs 5 Mth / MALE	Patient Type		:	OPD	If PHC	1:	
Ref. Consultant		MEDIWHEEL	Ward / Bed		:	1			
Sample ID	:	APH24010825	Current Ward / Bed		:	1			
	:		Receiving Date & Time	е	:	22-03-2024 15:16			
	П		Reporting Date & Time	е	:	22-03-2024 17:25			

Sample Type: EDTA Whole Blood, Plasma, Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

HBA1C (Turbidimetric Immuno-inhibition)	Н	6.9	%	4.0 - 6.2

INTERPRETATION:

HbA1c %	Degree of Glucose Control
>8%	Action suggested due to high risk of developing long term complications like Retinopathy, Nephropathy, Cardiopathy and Neuropathy
7.1 - 8.0	Fair Control
<7.0	Good Control

Note:

- 1.A three monthly monitoring is recommended in diabetics.
- 2. Since HbA1c concentration represents the integrated values for blood glucose over the preceding 6 10 weeks and is not affected by daily glucose fluctuation, exercise and recent food intake, it is a more useful tool for monitoring diabetics.

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	F	APHHC240000537	Bill Date		22-03-2024 09:39			
Patient Name	Γ	MR. RAJEEV RANJAN	UHID		APH000021760			
Age / Gender	Г	47 Yrs 5 Mth / MALE	Patient Type		OPD	If PHC :		
Ref. Consultant	Г	MEDIWHEEL	Ward / Bed		1			
Sample ID		APH24010680	Current Ward / Bed		1			
	F		Receiving Date & Time	1:	22-03-2024 10:28			
	Т		Reporting Date & Time	1	23-03-2024 03 01			

BLOOD BANK REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: EDTA Whole Blood				

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

BLOOD GROUP (ABO)	"O"
RH TYPE	POSITIVE

** End of Report **

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	1:	APHHC240000537	Bill Date	1	22-03-2024 09:39			
Patient Name	1	MR. RAJEEV RANJAN	UHID	1	APH000021760			
Age / Gender	1	47 Yrs 5 Mth / MALE	Patient Type	F	OPD	If PHC		
Ref. Consultant	1:	MEDIWHEEL	Ward / Bed	Г	1			
Sample ID	:	APH24010683	Current Ward / Bed	1	1			
	1:		Receiving Date & Time	:	22-03-2024 10:28			
	Т		Reporting Date & Time	Г	22-03-2024 23:43			

SEROLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: Serum				

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550											
PROSTATIC SPECIFIC ANTIGEN(TOTAL) (ELFA)	0.62	ng/mL	0 - 4								

Note:

TPSA as a Tumor marker is used as an additional test for prognosis and monitoring of therapy for patients with diagnosed malignant tumors. It may offer a diagnostic value for screening patients with suspected malignancies, as high values may be experienced in situations like benign prostatic hyperplasia, prostatitis, bladder catheterisation, urinary retention, endoscopic examination. Value in between 4-10ng/ml may be an indication of Benign Prostate Hyperplasia or prostate Carcinoma, values greater than 10ng/ml may indicate high risk of Carcinoma.

The test has been carried out in Fully Automated Immunoassay System VIDAS using ELFA (Enzyme Linked Fluorescence Assay) technology.

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	T	APHHC240000537	Bill Date	T	22-03-2024 09:39			
Patient Name	Г	MR. RAJEEV RANJAN	UHID	T	APH000021760			
Age / Gender	Г	47 Yrs 5 Mth / MALE	Patient Type	T	OPD	If PHC	:	
Ref. Consultant	Г	MEDIWHEEL	Ward / Bed	T	1			
Sample ID	1	APH24010683	Current Ward / Bed	1	1			
	F		Receiving Date & Time	1	22-03-2024 10:28			
	Т		Reporting Date & Time	T	22-03-2024 23:43			

Sample Type: Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

THYROID PROFILE (FT3+FT4+TSH)

FREE-TRI IODO THYRONINE (FT3) (ECLIA)		2.75	pg/mL	2.0-4.4
FREE -THYROXINE (FT4) (ECLIA)	Н	1.79	ng/dL	0.9-1.7
THYROID STIMULATING HORMONE (TSH) (ECLIA)		1.58	mIU/L	0.27-4.20

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000537	Bill Date		:	: 22-03-2024 09:39		
Patient Name	:	MR. RAJEEV RANJAN	UHID		:	APH000021760		
Age / Gender		47 Yrs 5 Mth / MALE	Patient Type		:	OPD	If PHC	
Ref. Consultant		MEDIWHEEL	Ward / Bed		:	1		
Sample ID	:	APH24010757	Current Ward / Bed		Ī	1		
	:		Receiving Date & T	ime	:	22-03-2024 12:21		
	П		Reporting Date & T	ime	:	22-03-2024 23:48		

CLINICAL PATH REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: Urine				

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

URINE, ROUTINE EXAMINATION

PHYSICAL EXAMINATION

QUANTITY		15 mL		
COLOUR		Pale yellow		Pale Yellow
TURBIDITY	Clear			

CHEMICAL EXAMINATION

PH (Double pH indicator method)		7.0	5.0 - 8.5
PROTEINS (Protein-error-of-indicators)		Negative	Negative
SUGAR (GOD POD Method)		Negative	Negative
SPECIFIC GRAVITY, URINE (Apparent pKa change)	L	1.005	1.005 - 1.030

MICROSCOPIC EXAMINATION

LEUCOCYTES		1-2	/HPF	0 - 5		
RBC's	Nil					
EPITHELIAL CELLS	0-1					
CASTS	Nil					
CRYSTALS	Nil					
URINE-SUGAR	NEGATIVE					

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH