Neuberg 🛞 Labcore







Name : Mrs MANISH	IA	Sex/Age : Female / 35 Years	Case ID : 40308001450
Ref. By : Mediwheel F	ull Body Health Check	up Dis. At :	Pt. ID :
Bill. Loc. : Health packa	iges		Pt. Loc :
Reg Date and Time	: 29-Mar-2024 09:42	Sample Type : Whole Blood EDTA	Mobile No. :
Sample Date and Time	: 29-Mar-2024 09:42	Sample Coll. By : non	Ref Id1 :
Report Date and Time	: 29-Mar-2024 10:24	Acc. Remarks :	Ref Id2 :

TEST		RESULTS		UNI	т	BIOLOGICAL	RE	F. INTER	/AL	REMARKS
			H	AEM	OGRAM RE	EPORT				
HB AND INDICES										
Haemoglobin	L	11.4		G%	, D	12.0 - 15.0				
RBC (Electrical Impedance)		4.80		mill	ions/cumm	3.80 - 4.80				
PCV(Calc)		36.34		%		36.00 - 46.00				
MCV (RBC histogram)	L	75.7		fL		83.00 - 101.00)			
MCH (Calc)	L	23.8		pg		27.00 - 32.00				
MCHC (Calc)	L	31.4		gm	/dL	31.50 - 34.50				
RDW (RBC histogram)		13.90		%		11.00 - 16.00				
TOTAL AND DIFFERENTIAL W	BC C	OUNT								
Total WBC Count		9110		/µL		4000.00 - 100	00.	00		
Neutrophil		[%] 60		%	EXPECTED 40.00 - 70	VALUES).00		[Abs] 5466	/μ	EXPECTED VALUES L 2000.00 - 7000.00
Lymphocyte		33		%	20.00 - 40	0.00	Н	3006	/μ	L 1000.00 - 3000.00
Eosinophil		01		%	1.00 - 6.00	0		91	/μ	L 20.00 - 500.00
Monocytes		06		%	2.00 - 10.0	00		547	/μ	L 200.00 - 1000.00
Basophil		00		%	0.00 - 2.00	0		0	/μ	L 0.00 - 100.00
PLATELET COUNT										
Platelet Count		241000		/µL		150000.00 - 4	100	00.00		
MPV		11.20		fL		6.5 - 12				
PDW	Н	15.9				8 - 13				

Method:

TLC-SF cube technology(Flow Cytometry+ fluorescence),

DC by microscopy,

Platelet count by electrical impedance+/-SF cube technology

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Suf

Dr. Shweta Patel Consultant Pathologist Page 1 of 10 Printed On: 29-Apr-2024 16:46





SARDAR PATEL HOSPITAL & HEART INSTITUTE

L		
Name : Mrs MANISHA	Sex/Age : Female / 35 Years	Case ID : 40308001450
Ref. By : Mediwheel Full Body Health Checkup	Dis. At :	Pt. ID :
Bill. Loc. : Health packages		Pt. Loc :
Reg Date and Time : 29-Mar-2024 09:42 S	ample Type : Whole Blood EDTA	Mobile No. :
Sample Date and Time : 29-Mar-2024 09:42 S	ample Coll. By : non	Ref Id1 :
Report Date and Time : 29-Mar-2024 13:10 A	cc. Remarks :	Ref Id2 :

TEST	RESULTS	UNIT BIOLOGICAL REF RANGE	REMARKS			
	HAEMA	TOLOGY INVESTIGATIONS				
ESR Westergren Method	H 52	mm after 1hr 3 - 20				
BLOOD GROUP AND RH TYPING (Erythrocyte Magnetized Technology) (Both Forward and Reverse Group)						
АВО Туре	AB					

Rh Type POSITIVE

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Suf

Dr. Shweta Patel **Consultant Pathologist** Page 2 of 10

Printed On: 29-Apr-2024 16:46







LABORATORY REPORT

Name : Mrs MANIS	HA	Sex/Age	: Female / 35 Years	Case ID : 40308001450
Ref. By : Mediwheel F	Full Body Health Checkup	Dis. At	:	Pt. ID :
Bill. Loc. : Health packa		Pt. Loc :		
Reg Date and Time	: 29-Mar-2024 09:42 Sa	ample Type	: Whole Blood EDTA	Mobile No. :
Sample Date and Time	: 29-Mar-2024 09:42 Sa	ample Coll. By	: non	Ref Id1 :
Report Date and Time	: 29-Mar-2024 12:34 Ac	c. Remarks	:	Ref Id2 :

TEST RESULTS UNIT **BIOLOGICAL REF RANGE** REMARKS **Glycated Haemoglobin Estimation** 5.0 HbA1C % of total Hb <5.7: Normal Immunoturbidimetric 5.7-6.4: Prediabetes >=6.5: Diabetes Estimated Avg Glucose (3 Mths) 96.80 Not available mg/dL Calculated

Please Note change in reference range as per ADA 2021 guidelines.

Interpretation :

HbA1C level reflects the mean glucose concentration over previous 8-12 weeks and provides better indication of long term glycemic control.

Levels of HbA1C may be low as result of shortened RBC life span in case of hemolytic anemia.

Increased HbA1C values may be found in patients with polycythemia or post splenectomy patients.

Patients with Homozygous forms of rare variant Hb(CC,SS,EE,SC) HbA1c can not be quantitated as there is no HbA.

In such circumstances glycemic control can be monitored using plasma glucose levels or serum Fructosamine.

The A1c target should be individualized based on numerous factors, such as age, life expectancy, comorbid conditions, duration of diabetes,

risk of hypoglycemia or adverse consequences from hypoglycemia, patient motivation and adherence.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Sol

Dr. Shweta Patel Consultant Pathologist Page 3 of 10 Printed On: 29-Apr-2024 16:46

Labcore Speciality Laboratory

🎙 Chikuwadi, Opp Railway Yard, Ankleshwar 393001 🔮 7227038845 🏾 www.neubergsupratech.com







	LABORATORY REPORT								
Name : Mrs MANISH	HA	Sex/Age	: Female / 35 Years	Case ID : 40308001450					
Ref. By : Mediwheel F	ull Body Health Checku	up Dis. At	:	Pt. ID :					
Bill. Loc. : Health packa	ages			Pt. Loc :					
Reg Date and Time	: 29-Mar-2024 09:42	Sample Type	: Plasma Fluoride F,F Fluoride PP	Plasma Mobile No. :					
Sample Date and Time	: 29-Mar-2024 09:42	Sample Coll. By	: non	Ref Id1 :					
Report Date and Time	: 29-Mar-2024 14:38	Acc. Remarks	:	Ref Id2 :					
TEST	RESU	LTS	UNIT BIOLOGIO	CAL REF RANGE REMARKS					

Plasma Glucose - F Photometric.Hexokinase	н	102.66	mg/dL	70 - 100	FUS: NIL
Plasma Glucose - PP Photometric.Hexokinase		104.96	mg/dL	70 - 140	PPUS: NIL

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Suf

Dr. Shweta Patel **Consultant Pathologist** Page 4 of 10

Printed On: 29-Apr-2024 16:46

Neuberg S Labcore

CLINICAL LABORATORIES



SARDAR PATEL HOSPITAL & HEART INSTITUTE

Name : Mrs MANIS	HA	Sex/Age : Female / 35 Years	Case ID : 40308001450
Ref. By : Mediwheel F	Full Body Health Checku	up Dis. At :	Pt. ID :
Bill. Loc. : Health packa	ages		Pt. Loc :
Reg Date and Time	: 29-Mar-2024 09:42	Sample Type : Serum	Mobile No. :
Sample Date and Time	: 29-Mar-2024 09:42	Sample Coll. By : non	Ref Id1 :
Report Date and Time	: 29-Mar-2024 12:26	Acc. Remarks :	Ref Id2 :

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
BUN (Blood Urea Nitrogen)	7.5	mg/dL	7.00 - 18.70	
Uric Acid Uricase-Peroxidase method	3.92	mg/dL	2.6 - 6.2	
Creatinine Jaffe compensated	0.59	mg/dL	0.55 - 1.02	

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Suf

Dr. Shweta Patel **Consultant Pathologist** Page 5 of 10

Printed On: 29-Apr-2024 16:46







LABORATORY REPORT

Name : Mrs MANISHA Sex/Age : Female / 35 Years Case ID : 40308001450 Ref. By : Mediwheel Full Body Health Checkup Pt. ID Dis. At • • Bill. Loc. : Health packages Pt. Loc : Reg Date and Time : 29-Mar-2024 09:42 Sample Type : Serum Mobile No. : Sample Date and Time : 29-Mar-2024 09:42 Sample Coll. By : non Ref Id1 2 Report Date and Time : 29-Mar-2024 12:27 Acc. Remarks Ref Id2 2 :

TEST	F	RESULTS	UNIT BIOI	LOGICAL REF RANGE	REMARKS			
BIOCHEMICAL INVESTIGATIONS								
Lipid Profile								
Cholesterol Colorimetric, CHOD-POD	Н	223.94	mg/dL	110 - 200				
HDL Cholesterol	н	60.5	mg/dL	40 - 60				
Triglyceride GPO-POD		82.73	mg/dL	40 - 200				
VLDL Calculated		16.55	mg/dL	10 - 40				
Chol/HDL Calculated		3.70		0 - 4.1				
LDL Cholesterol	Н	146.89	mg/dL	0.00 - 100.00				

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP

LDL CHOLESTEROL	CHOLESTEROL	HDL CHOLESTEROL	TRIGLYCERIDES
Optimal<100	Desirable<200	Low<40	Normal<150
Near Optimal 100-129	Border Line 200-239	High >60	Border High 150-199
Borderline 130-159	High >240	-	High 200-499
High 160-189	-	-	-

· LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

- For LDL Cholesterol level Please consider direct LDL value
- Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed. • Detail test interpretion available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- · LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Sof

Dr. Shweta Patel Consultant Pathologist Page 6 of 10 Printed On: 29-Apr-2024 16:46

Labcore Speciality Laboratory

9 Chikuwadi, Opp Railway Yard, Ankleshwar 393001 唆 7227038845 🏾 www.neubergsupratech.com





SARDAR PATEL HOSPITAL & HEART INSTITUTE

	REPORT			
Name : Mrs MANISH	łA	Sex/Age :	Female / 35 Years	Case ID : 40308001450
Ref. By : Mediwheel F	ull Body Health Checku	up Dis. At :		Pt. ID :
Bill. Loc. : Health packa	ages			Pt. Loc :
Reg Date and Time	: 29-Mar-2024 09:42	Sample Type	: Serum	Mobile No.
Sample Date and Time	: 29-Mar-2024 09:42	Sample Coll. By	: non	Ref Id1 :
Report Date and Time	: 29-Mar-2024 12:27	Acc. Remarks	:	Ref Id2 :

TEST	RES	SULTS	REMARKS					
BIOCHEMICAL INVESTIGATIONS								
Liver Function Test								
S.G.P.T. 12.32 U/L 0 - 59								
S.G.O.T. IFCC	L 13	3.39	U/L	15 - 37				
Alkaline Phosphatase Modified IFCC method	67	7.25	U/L	40 - 150				
Proteins (Total) Biuret	7.	.75	g/dL	6.4 - 8.2				
Albumin Bromo Cresol Green	4.	.41	g/dL	3.4 - 5.0				
Globulin Calculated	3.	.34	gm/dL	2 - 4.1				
A/G Ratio Calculated	1.	.3		1.0 - 2.1				
Bilirubin Total Diazotized Sulfanilic Acid Method	0.:	.24	mg/dL	0.2 - 1.0				
Bilirubin Conjugated Diazotized Sulfanilic Acid Method	0.	.10	mg/dL					
Bilirubin Unconjugated	0.	.14	mg/dL	0 - 0.8				



Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Suf

Dr. Shweta Patel Consultant Pathologist Page 7 of 10 Printed On: 29-Apr-2024 16:46

Labcore Speciality Laboratory

የ Chikuwadi, Opp Railway Yard, Ankleshwar 393001 唆 7227038845 🏾 www.neubergsupratech.com







LABORATORY REPORT : Mrs MANISHA Sex/Age : Female / 35 Years Case ID : 40308001450 Name Pt. ID Ref. By : Mediwheel Full Body Health Checkup Dis. At • • Bill. Loc. : Health packages Pt. Loc : Reg Date and Time : 29-Mar-2024 09:42 Sample Type : Serum Mobile No. : Sample Date and Time : 29-Mar-2024 09:42 Sample Coll. By : non Ref Id1 Report Date and Time : 29-Mar-2024 11:27 Acc. Remarks Ref Id2 :

TEST	RESULTS	UNIT BIOL	OGICAL REF RANGE	REMARKS				
BIOCHEMICAL INVESTIGATIONS								
Thyroid Function Test								
Triiodothyronine (T3) ECLIA	1.46	ng/mL	0.70 - 2.04					
Thyroxine (T4) ECLIA	6.90	µg/dL	5.5 - 11.0					
TSH ECLIA	2.450	µIU/mL	0.40 - 4.20					

INTERPRETATIONS

Useful for Monitoring patients on thyroid replacement therapy, Confirmation of thyroid-stimulating hormone (TSH) suppression in thyroid cancer patients on thyroxine therapy, for Prediction of thyrotropin-releasing hormone-stimulated TSH response, as An aid in the diagnosis of primary hyperthyroidism, for Differential diagnosis of hypothyroidism.

The ability to quantitate circulating levels of thyroid-stimulating hormone (TSH) is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low or normal. Concentrations of 5.1 mIU/mI to 7.0 mIU/mI are considered borderline hypothyroid

CAUTIONS

Sick, hospitalized patients may have falsely low or transiently elevated thyroid stimulating hormone.

0.43-2.2

0.8-2.5

Some patients who have been exposed to animal antigens, either in the environment or as part of treatment or imaging procedure, may have circulating antianimal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

TSH ref range in Pregnacy First trimester Reference range (microlU/ml) 0.24 - 2.00

Second trimester Third trimester

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Sol

Dr. Shweta Patel Consultant Pathologist Page 8 of 10 Printed On: 29-Apr-2024 16:46







L/			
Name : Mrs MANISHA	Sex/Age : Female / 35 Years	Case ID : 40308001450	
Ref. By : Mediwheel Full Body Health Checkup	Dis. At :	Pt. ID :	
Bill. Loc. : Health packages		Pt. Loc :	
Reg Date and Time : 29-Mar-2024 09:42 S	ample Type : Spot Urine	Mobile No. :	
Sample Date and Time : 29-Mar-2024 09:42 S	ample Coll. By : non	Ref Id1 :	
Report Date and Time : 29-Mar-2024 12:26 A	cc. Remarks :	Ref Id2 :	

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE REMARKS			
URINE EXAMINATION (STRIP METHOD AND FLOWCYTOMETRY)						
Physical examination						
Colour	Pale yellow					
Transparency	Clear					
Chemical Examination By Sysmex	<u>UC-3500</u>					
Sp.Gravity	1.010		1.003 - 1.035			
рН	6.0		4.6 - 8			
Leucocytes (ESTERASE)	Negative		Negative			
Protein	Negative		Negative			
Glucose	Negative		Negative			
Ketone Bodies Urine	Negative		Negative			
Urobilinogen	Negative		Negative			
Bilirubin	Negative		Negative			
Blood	Negative		Negative			
Nitrite	Negative		Negative			
Flowcytometric Examination By Sy	<u>rsmex UF-5000</u>					
Leucocyte	Occasional	/HPF	Nil			
Red Blood Cell	Nil	/HPF	Nil			
Epithelial Cell	1-2	/HPF	Present(+)			
Bacteria	Nil	/µL	Nil			
Yeast	Nil	/µL	Nil			
Cast	Nil	/HPF	Nil			
Crystals	Nil	/HPF	Nil			

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Suf

Dr. Shweta Patel **Consultant Pathologist** Page 9 of 10

Printed On: 29-Apr-2024 16:46

Neuberg 🛞 Labcore

CLINICAL LABORATORIES



SARDAR PATEL HOSPITAL EART INSTITUTE

Name : Mrs MANISH	łA	Sex/Age	: Female / 35 Years	Case ID : 40308001450			
Ref. By : Mediwheel F	ull Body Health Checkup	Dis. At	:	Pt. ID :			
Bill. Loc. : Health packa	ages			Pt. Loc :			
Reg Date and Time	: 29-Mar-2024 09:42 Sam	ple Type	: Spot Urine	Mobile No. :			
Sample Date and Time	Sample Date and Time : 29-Mar-2024 09:42 Sample Coll. By : non Ref Id1 :						
Report Date and Time	: 29-Mar-2024 12:26 Acc.	Remarks	:	Ref Id2 :			

Parameter	Unit	Expected value	Result/Notations				
			Trace	+	++	+++	++++
pH	-	4.6-8.0	1.01.01.01	-		s a dada	8
SG	-	1.003-1.035					
Protein	mg/dL	Negative (<10)	10	25	75	150	500
Glucose	mg/dL	Negative (<30)	30	50	100	300	1000
Bilirubin	mg/dL	Negative (0.2)	0.2	1	3	6	-
Ketone	mg/dL	Negative (<5)	5	15	50	150	-
Urobilinogen	mg/dL	Negative (<1)	1	4	8	12	5
Parameter	Unit	Expected value	Result/Notifications			85 (111) I	
			Trace	+	++	+++	++++
Leukocytes (Strip)	/micro L	Negative (<10)	10	25	100	500	-
Nitrite(Strip)	-	Negative	-	-	-	-	-
Erythrocytes(Strip)	/micro L	Negative (<5)	10	25	50	150	250
Pus cells (Microscopic)	/hpf	<5	74	-	87.8	-	-

<2

<2

Pending Services

----- End Of Report ------

_

-

_

-

-

Stool Examination

(Microscopic) Red blood

cells(Microscopic) Cast (Microscopic) /hpf

/lpf

For test performed on specimens received or collected from non-NSRL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. NSRL will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Suf

Dr. Shweta Patel **Consultant Pathologist** Page 10 of 10

Printed On: 29-Apr-2024 16:46