



Add: Mukut Complex, Rekabganj,Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHILPI Registered On : 13/Apr/2024 09:30:57 Age/Gender Collected : 13/Apr/2024 09:43:44 : 34 Y 9 M 12 D /F UHID/MR NO : CHFD.0000175328 Received : 13/Apr/2024 09:48:11 Visit ID : CHFD0024742425 Reported : 13/Apr/2024 14:05:13

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Blood	d			
Blood Group	A			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole B	lood			
Haemoglobin	11.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	7,200.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils) Lymphocytes Monocytes Eosinophils Basophils ESR	59.00 38.00 1.00 2.00 0.00	% % % %	55-70 25-40 3-5 1-6 <1	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Observed Corrected PCV (HCT)	28.00 10.00 33.80	Mm for 1st hr. Mm for 1st hr. %	< 20 40-54	
Platelet count				
Platelet Count	1.87	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	16.20 52.00	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE









Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHILPI Registered On : 13/Apr/2024 09:30:57 Age/Gender : 34 Y 9 M 12 D /F Collected : 13/Apr/2024 09:43:44 UHID/MR NO : CHFD.0000175328 Received : 13/Apr/2024 09:48:11 Visit ID : CHFD0024742425 Reported : 13/Apr/2024 14:05:13

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Result	Unit	Bio. Ref. Interval	Method
0.26	%	0.108-0.282	ELECTRONIC IMPEDANCE
13.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
3.98	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
85.20	fΙ	80-100	CALCULATED PARAMETER
31.20	pg	28-35	CALCULATED PARAMETER
28.10	%	30-38	CALCULATED PARAMETER
14.90	%	11-16	ELECTRONIC IMPEDANCE
48.30	fL	35-60	ELECTRONIC IMPEDANCE
4,248.00	/cu mm	3000-7000	
144.00	/cu mm	40-440	
	0.26 13.80 3.98 85.20 31.20 28.10 14.90 48.30 4,248.00	0.26 % 13.80 fL 3.98 Mill./cu mm 85.20 fl 31.20 pg 28.10 % 14.90 % 48.30 fL 4,248.00 /cu mm	0.26 % 0.108-0.282 13.80 fL 6.5-12.0 3.98 Mill./cu mm 3.7-5.0 85.20 fl 80-100 31.20 pg 28-35 28.10 % 30-38 14.90 % 11-16 48.30 fL 35-60 4,248.00 /cu mm 3000-7000







 $Add: Mukut\ Complex,\ Rekabganj, Faizabad$

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHILPI

: 34 Y 9 M 12 D /F

Collected

: 13/Apr/2024 09:30:59 : 13/Apr/2024 09:43:44

Age/Gender UHID/MR NO

: CHFD.0000175328 : CHFD0024742425 Received Reported

Registered On

: 13/Apr/2024 10:29:27 : 13/Apr/2024 11:52:01

Visit ID Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING, Plasma

Glucose Fasting

110.88

mg/dl

< 100 Normal

GOD POD

100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP

156.66

mg/dl

<140 Normal

GOD POD

140-199 Pre-diabetes

>200 Diabetes

Interpretation:

Sample:Plasma After Meal

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.60	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	37.20	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	113	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002





Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHILPI Registered On : 13/Apr/2024 09:30:59 Age/Gender : 34 Y 9 M 12 D /F Collected : 13/Apr/2024 09:43:44 UHID/MR NO : CHFD.0000175328 Received : 13/Apr/2024 10:29:27 Visit ID : CHFD0024742425 Reported : 13/Apr/2024 11:52:01

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	7.15	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.80	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid Sample:Serum	4.67	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHILPI Registered On : 13/Apr/2024 09:30:59 Age/Gender : 34 Y 9 M 12 D /F Collected : 13/Apr/2024 09:43:44 UHID/MR NO : CHFD.0000175328 Received : 13/Apr/2024 10:29:27 Visit ID : CHFD0024742425 Reported : 13/Apr/2024 11:52:01

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	Jnit Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	17.02	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	11.89	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	16.97	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.85	gm/dl	6.2-8.0	BIURET
Albumin	3.74	gm/dl	3.4-5.4	B.C.G.
Globulin	3.11	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.20	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	93.81	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.35	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.19	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.16	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	158.53	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	43.48	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	86	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
, VLDL	29.39	mg/dl	10-33	CALCULATED
Triglycerides	146.94	mg/dl	< 150 Normal	GPO-PAP
9., 55465	110.71	ilig/ di	150-199 Borderline High 200-499 High >500 Very High	











Took Names

Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206




Patient Name : Mrs.SHILPI Registered On : 13/Apr/2024 09:30:58 Age/Gender Collected : 13/Apr/2024 10:26:07 : 34 Y 9 M 12 D /F UHID/MR NO : CHFD.0000175328 Received : 13/Apr/2024 11:56:12 Visit ID : CHFD0024742425 Reported : 13/Apr/2024 13:21:08

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE * ,	Urine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			Birottok
Protein	ABSENT	, mg %	< 10 Absent	DIPSTICK
	7.1302.11.	mg /c	10-40 (+)	2.1.0.1.0.1
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
Ketone	ABSENT	ma/dl	> 2 (++++) 0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	mg/dl	0.1-3.0	DIOCHEIVIISTRY
	ABSENT			
Bile Pigments Bilirubin	ABSENT		100	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DIFSTICK
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:	ADSLIVI			DIFSTICK
•	4.0.11			MADOCOODIO
Epithelial cells	1-2/h.p.f			MICROSCOPIC
Due colle	ADCENIT			EXAMINATION
Pus cells	ABSENT			MICDOCCODIC
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			LAAMINATION
Crystals	ABSENT			MICROSCOPIC
Ci ystais	ADSLIVI			EXAMINATION
Others	ABSENT			L// (IVIIIV/ (TIOIV
	, DOLINI			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		







Page 6 of 11





Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mrs.SHILPI

Registered On

: 13/Apr/2024 09:30:58

Age/Gender

: 34 Y 9 M 12 D /F

Collected

: 13/Apr/2024 10:26:07 : 13/Apr/2024 11:56:12

UHID/MR NO Visit ID

: CHFD.0000175328 : CHFD0024742425 Received Reported

: 13/Apr/2024 13:21:08

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2













Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : 13/Apr/2024 09:30:59 : Mrs.SHILPI Registered On Age/Gender Collected : 34 Y 9 M 12 D /F : 13/Apr/2024 09:43:44 UHID/MR NO : CHFD.0000175328 Received : 13/Apr/2024 09:58:47 Visit ID : 13/Apr/2024 11:07:47 : CHFD0024742425 Reported

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	135.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.70	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.800	μlŪ/mL	0.27 - 5.5	CLIA
Interpretation:				
· -		0.3-4.5 μIU/m	L First Trimes	ster
		0.5-4.6 μIU/m	L Second Trin	nester
		0.8-5.2 μIU/m	L Third Trime	ster
		0.5-8.9 µIU/m	L Adults	55-87 Years
		0.7-27 μIU/m	L Premature	28-36 Week
		2.3-13.2 μIU/m		> 37Week
		0.7-64 μIU/m		(- 20 Yrs.)
		1-39 μIU/		0-4 Days
		1.7-9.1 μIU/m		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.









Add: Mukut Complex, Rekabganj,Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : I

: Mrs.SHILPI

Registered On

: 13/Apr/2024 09:31:00

Age/Gender UHID/MR NO : 34 Y 9 M 12 D /F : CHFD.0000175328 Collected Received : N/A

Visit ID

: CHFD0024742425

Reported

: 13/Apr/2024 12:06:54

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status

: Final Report

: N/A

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.

MD Radiodiagnosis

Page 9 of 11







Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mrs.SHILPI Registered On : 13/Apr/2024 09:31:00

Age/Gender Collected : 34 Y 9 M 12 D /F : N/A UHID/MR NO : CHFD.0000175328 Received : N/A

Visit ID : CHFD0024742425 Reported : 13/Apr/2024 10:27:37

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is normal in size 13.27 cm in longitudinal span and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thickness is normal.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

GREAT VESSELS

• Great vessels are normal.

KIDNEYS

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

RETROPERITONEUM

• Retroperitoneum is free.

ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.

1800-419-0002





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mrs.SHILPI

Registered On

: 13/Apr/2024 09:31:00

Age/Gender UHID/MR NO : 34 Y 9 M 12 D /F

Collected Received

: N/A

Visit ID

: CHFD.0000175328 : CHFD0024742425

Reported

: 13/Apr/2024 10:27:37

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Status

: Final Report

: N/A

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• No free fluid is noted in peritoneal cavity.

URETERS

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular.

UTERUS

- The uterus is anteverted and normal in size 76 x 53 x 43 mm.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline.
- Few tiny nabothian cysts cervix.

ADNEXA & OVARIES

• Bilateral Adnexa and ovaries are normal.

FINAL IMPRESSION:-

• Few tiny nabothian cysts cervix.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG



Onvoud Dr. R. B. Varshney

Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

Facilities Available at Select Location





