



CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 16:06

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	12.2	12.0-15.0 g/dL	Spectrophotometric
RBC	4.44	3.8-4.8 mil/cmm	Elect. Impedance
PCV	36.9	36-46 %	Measured
MCV	83	80-100 fl	Calculated
MCH	27.5	27-32 pg	Calculated
MCHC	33.1	31.5-34.5 g/dL	Calculated
RDW	14.5	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	8730	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	21.2	20-40 %	
Absolute Lymphocytes	1840.0	1000-3000 /cmm	Calculated
Monocytes	7.3	2-10 %	
Absolute Monocytes	630.0	200-1000 /cmm	Calculated
Neutrophils	63.0	40-80 %	
Absolute Neutrophils	5480.0	2000-7000 /cmm	Calculated
Eosinophils	8.4	1-6 %	
Absolute Eosinophils	730.0	20-500 /cmm	Calculated
Basophils	0.1	0.1-2 %	
Absolute Basophils	10.0	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	167000	150000-400000 /cmm	Elect. Impedance
MPV	12.8	6-11 fl	Calculated
PDW	33.1	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			
Hypochromia	-		
Microcytosis	-		



Use a QR Code Scanner
Application To Scan the Code

CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 14:44

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 17 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 14:28

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	86.1	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP	118.0	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.64	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.22	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.42	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.3	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.4	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	27.0	<34 U/L	Modified IFCC
SGPT (ALT), Serum	33.1	10-49 U/L	Modified IFCC
GAMMA GT, Serum	33.8	<38 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	58.5	46-116 U/L	Modified IFCC
BLOOD UREA, Serum	20.4	19.29-49.28 mg/dl	Calculated
BUN, Serum	9.5	9.0-23.0 mg/dl	Urease with GLDH
CREATININE, Serum	0.62	0.55-1.02 mg/dl	Enzymatic



Use a QR Code Scanner
Application To Scan the Code

CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 14:24

eGFR, Serum	121	(ml/min/1.73sqm)	Calculated
		Normal or High: Above 90	
		Mild decrease: 60-89	
		Mild to moderate decrease: 45-59	
		Moderate to severe decrease: 30-44	
		Severe decrease: 15-29	
		Kidney failure: <15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

URIC ACID, Serum	4.7	3.1-7.8 mg/dl	Uricase/ Peroxidase
------------------	-----	---------------	---------------------

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 15:08

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.7	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	116.9	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 18:06

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
EXAMINATION OF FAECES

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>PHYSICAL EXAMINATION</u>			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
<u>CHEMICAL EXAMINATION</u>			
Reaction (pH)	Acidic (6.5)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiaac
<u>MICROSCOPIC EXAMINATION</u>			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Present +	Absent	-
Undigested Particles	Present ++	-	-
Concentration Method (for ova)	No ova detected	Absent	-
Reducing Substances	-	Absent	Benedicts

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***



J. Thakker

Dr. JYOT THAKKER
M.D. (PATH), DPB
Pathologist and AVP (Medical Services)



CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 17:09

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	Light scattering
Transparency	Clear	Clear	Light scattering
<u>CHEMICAL EXAMINATION</u>			
Specific Gravity	1.004	1.002-1.035	Refractive index
Reaction (pH)	6.5	5-8	pH Indicator
Proteins	Absent	Absent	Protein error principle
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Negative	Negative	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
(WBC)Pus cells / hpf	0.4	0-5/hpf	
Red Blood Cells / hpf	0.0	0-2/hpf	
Epithelial Cells / hpf	4.2	0-5/hpf	
Hyaline Casts	0.0	0-1/ hpf	
Pathological cast	0.0	0-0.3/hpf	
Crystals	0.0	0-1.4/hpf	
Calcium oxalate monohydrate crystals	0.0	0-1.4/hpf	
Calcium oxalate dihydrate crystals	0.0	0-1.4/hpf	
Triple phosphate crystals	0.0	0-1.4/hpf	
Uric acid crystals	0.0	0-1.4/hpf	
Amorphous debris	0.0	0-29.5/hpf	
Bacteria / hpf	12.6	0-29.5/hpf	
Yeast	0.0	0-0.7/hpf	



Use a QR Code Scanner
Application To Scan the Code

CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 17:09

Others -

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***

Dr. JYOT THAKKER
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)



CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 16:53

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	AB
Rh TYPING	Negative

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:
ABO system is most important of all blood group in transfusion medicine


Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Anupa

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director



CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 14:24

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	172.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	94	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	55.6	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	116.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	97.9	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	18.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.8	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Anupa

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director



Use a QR Code Scanner
 Application To Scan the Code

CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 14:24

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.4	3.5-6.5 pmol/L	CLIA
Free T4, Serum	12.7	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	3.447	0.55-4.78 microU/ml	CLIA



CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 09:18
Reported : 24-Aug-2024 / 14:24

Use a QR Code Scanner
Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuae of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Anupa

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director



Use a QR Code Scanner
Application To Scan the Code

CID : 2423723836
Name : MRS.BHAGYASHRI SRIVASTAVA
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 24-Aug-2024 / 13:03
Reported : 24-Aug-2024 / 20:33

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***



J. Thakker

Dr. JYOT THAKKER
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)

Date: - 24/8/24

CID: 243723836

Name: - Bhagyashri Srivastava

Sex/Age: 32/F

EYE CHECK UP

Chief complaints: NO

Systemic Diseases: NO

Past history: NO

Unaided Vision:

Aided Vision:


Refraction:

	(Right Eye)				(Left Eye)			
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	-	-	-	6/6	-	-	-	6/6
Near	-	-	-	N/6	-	-	-	N/6

Colour Vision: Normal / Abnormal

Remark:

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.
Row House No. 3, Aangan,
Thakur Village, Kandivall (east),
Mumbai - 400101.
Tel : 6170000



Copyright 2014-2024 Tricog Health. All Rights Reserved



Age **32** NA NA
years months days

Gender **Female**

Heart Rate **68bpm**

Patient Vitals

BP: 100/70 mmHg

Weight: 55 kg

Height: 155 cm

Pulse: NA

SpO2: NA

Resp: NA

Others:

Measurements

QRSD: 102ms

QT: 378ms

QTcB: 401ms

PR: 122ms

P-R-T: 72° 72° 33°

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

DR. AKHIL PARULEKAR
MBBS AND MEDICINE, DNB Cardiology
Cardiologist
201 2082483

• PATIENT NAME : MRS. BHAGYASHRI SRIVASTAVA	• SEX : FEMALE
• REFERRED BY : ARCOFEMI HEALTHCARE LIMITED	• AGE : 32 YEARS
• CID NO : 2423723836	• DATE : 24/08/2024

2D & M-MODE ECHOCARDIOGRAM REPORT
COLOR FLOW DOPPLER REPORT

ECHO & DOPPLER FINDINGS :

- No diastolic dysfunction seen at present.
- No regional wall motion abnormality seen at rest at present
- No left ventricular hypertrophy seen.
- All cardiac chambers appear normal in size.
- All cardiac valves show normal structure and physiological function
- No significant stenosis nor regurgitation seen
- No defect seen in the inter ventricular and inter atrial septums.
- No evidence of aneurysm / clots / vegetations/ effusion seen.
- TAPSE and MAPSE measured to 17 mm and 15 mm respectively.
- Mild TR jet. PASP by TR jet measured to 20 mm Hg
- Visual estimation of LVEF of 65 %.

MEASUREMENTS:

IVS d (mm)	09	Ao (mm)	28
IVS s (mm)	13	LA (mm)	28
LVIDd (mm)	32	EPSS (mm)	01
LVIDs (mm)	21	EF SLOPE (ml/s)	92
Pwd (mm)	06	MV (mm)	14
Pws (mm)	12		

Conti....2

• PATIENT NAME : MRS. BHAGYASHRI SRIVASTAVA	• SEX : FEMALE
• REFERRED BY : Arcofemi Healthcare Limited	• AGE : 32 YEARS
• CID NO : 2423723836	• DATE : 24/08/2024

DOPPLER: Mitral E / A

Mitral (m/s)	0.7	Aortic (m/s)	1.14
Tricuspid (m/s)	0.8	Pulmonary (m/s)	0.7

TDI

Septal e' = 0.1 m/s

Lateral e' = 0.1 m/s

Septal a' = 0.04m/s

Lateral a' = 0.05m/s

Septal s' = 0.05 m/s

Lateral s' = 0.05 m/s

Septal E/e' = 07



Dr. P. Bhatjiwale, M.D

PG cert in Clinical Cardiology,

Fellowship in 2 D Echo & Doppler Studies

Reg. No 68857

NOTE :2D ECHO has a poor sensitivity in cases of angina pectoris and does not rule out CAD

Adv: Please correlate clinically. CAG/ Further cardiac evaluation as clinically indicated.

-----End of Report-----

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2423723836
 Name : Mrs Bhagyashri Srivastava
 Age / Sex : 32 Years/Female
 Ref. Dr :
 Reg. Location : Kandivali East Main Centre
 Reg. Date : 24-Aug-2024
 Reported : 24-Aug-2024 / 10:18

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (10.8 cm), shape and smooth margins. **It shows bright parenchymal echo pattern.**The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen.The main portal vein (10 mm) and CBD (4 mm) appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal.No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualized and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Right kidney measures 8.3 x 3.5 cm. Left kidney measures 8.6 x 3.8 cm.
 Both the kidneys are normal in size shape and echotexture.
 No evidence of any calculus,hydronephrosis or mass lesion seen.

SPLEEN:

The spleen is normal in size (8 cm) and echotexture.No evidence of focal lesion is noted.
 There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

UTERUS:

The uterus is anteverted and appears normal.It measures 7.1 x4.6 x 3.7 cm in size.
 The endometrial thickness is 6.8 mm.

OVARIES:

Both the ovaries are well visualized and appears normal.
 There is no evidence of any ovarian or adnexal mass seen.
 Right ovary = 2.5 x 1.5 cm Left ovary = 2.6 x 1.0 cm

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024082408434440>

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1905PLC045288

Page no 1 of 2

MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086.

about:blank HEALTHLINE: 022-61700000 | E-MAIL: customerservice@suburbandiagnosics.com | WEBSITE: www.suburbandiagnosics.com

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2423723836
Name : Mrs Bhagyashri Srivastava
Age / Sex : 32 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 24-Aug-2024
Reported : 24-Aug-2024 / 10:18

IMPRESSION:-

GRADE I FATTY LIVER.

-----End of Report-----

DR. Akash Chhari
MBBS. MD. Radio-Diagnosis Mumbai
MMC REG NO - 2011/08/2862

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024082408434440>



CID : 2423723836
Name : Mrs Bhagyashri Srivastava
Age / Sex : 32 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 24-Aug-2024
Reported : 24-Aug-2024 / 13:14

Use a QR Code Scanner
Application To Scan the Code

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR. Akash Chhari
MBBS. MD. Radio-Diagnosis Mumbai
MMC REG NO - 2011/08/2862

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024082408434463>