Patient Name Age/Gender

Ref Doctor

: Mrs.RUBI SRIVASTAVA

: 34 Y 5 M 27 D /F

UHID/MR NO : IDCD.0000175283 Visit ID

: CALI0109972425

: Dr.Mediwheel - Arcofemi Health Care Ltd.

Registered On

Collected

: 01/Sep/2024 09:48:37

: 2024-09-01 15:25:24

: 2024-09-01 15:25:24 Received

Reported : 01/Sep/2024 15:25:48

Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.

*** End Of Report ***

Result/s to Follow:

Complete Blood Count (CBC), Blood Group (ABO & Rh typing), STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, LIPID PROFILE (MINI), Uric Acid, BUN (Blood Urea Nitrogen), Creatinine, LFT (WITH GAMMA GT), ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Conditional Velocity (NCV), Audiometry, Brainstern Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *Facilities Available at Select I 365 Days Open





View ReportsPer 1 of Chandan 24x7 A



 Patient Name
 : Mrs.RUBI SRIVASTAVA
 Registered On
 : 01/Sep/2024 09:48:35

 Age/Gender
 : 34 Y 5 M 27 D /F
 Collected
 : 01/Sep/2024 10:34:09

 UHID/MR NO
 : IDCD.0000175283
 Received
 : 01/Sep/2024 13:00:57

 Visit ID
 : CALI0109972425
 Reported
 : 01/Sep/2024 16:36:27

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) ** , 8	lood			
Blood Group	A			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) ** , Who	le Blood			
Haemoglobin	10.90	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC)	4,000.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC	53.00	%	40-80	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	38.00	%	20-40	ELECTRONIC IMPEDANCE
Lymphocytes	5.00	%	2-10	ELECTRONIC IMPEDANCE
Monocytes	4.00	%	1-6	ELECTRONIC IMPEDANCE
Eosinophils	0.00	%	<1-2	ELECTRONIC IMPEDANCE
Basophils	0.00			
ESR	20.00	MM/1H	10-19 Yr 8.0	
Observed	28.00	IVIIVI/III	20-29 Yr 10.8	
			30-39 Yr 10.4	
			40-49 Yr 13.6	
			50-59 Yr 14.2	
			60-69 Yr 16.0	
			70-79 Yr 16.5	
			80-91 Yr 15.8	
			Pregnancy	











Patient Name : Mrs.RUBI SRIVASTAVA Age/Gender : 34 Y 5 M 27 D /F UHID/MR NO : IDCD.0000175283 Visit ID

Ref Doctor

: CALI0109972425

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Registered On

Collected

: 01/Sep/2024 09:48:35

: 01/Sep/2024 10:34:09

Received : 01/Sep/2024 13:00:57 Reported : 01/Sep/2024 16:36:27

: Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
	The state of the s	Oilit	bio. Ref. Interval	Method
			Early gestation - 48 (6) if anaemic) Leter gestation - 70 (9) if anaemic)	
Corrected	12.00	Mm for 1st hr.	<20	
PCV (HCT) Platelet count	33.00	%	40-54	
Platelet Count	2.10	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	13.90	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	39.00	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.25	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume) RBC Count	11.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count Blood Indices (MCV, MCH, MCHC)	3.73	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
MCV	89.20	fl	80-100	CALCULATED PARAMETER
MCH	29.20	pg	27-32	CALCULATED PARAMETER
MCHC	32.70	%	30-38	CALCULATED PARAMETER
RDW-CV	16.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	53.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,120.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	160.00	/cu mm	40-440	

Dr. Surbhi Lahoti (M.D. Pathology)



SIN No:66459857











: Mrs.RUBI SRIVASTAVA Patlent Name Age/Gender

: 34 Y 5 M 27 D /F : IDCD.0000175283

: CALI0109972425

Reported : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Registered On

Collected

Received

: 01/Sep/2024 09:48:36 : 01/Sep/2024 10:34:09

: 01/Sep/2024 13:11:18

: 01/Sep/2024 15:36:43 : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	l	Jnit Bio. Ref. Inte	erval Method	
GLUCOSE FASTING ** , Plasma Glucose Fasting	102.20	mg/dl	< 100 Normal 100-125 Pre-diabetes	GOD POD	

Interpretation:

UHID/MR NO

Ref Doctor

Visit ID

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impaired Glucose Tolerance.

Glucose PP **

Sample:Plasma After Meal

160.20

mg/dl

<140 Normal

GOD POD

140-199 Pre-diabetes

>200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

al Lad Harmaglahin (HhA1c)	6.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	46.00	mmol/mol/IFCC	
Glycosylated Haemoglobin (HbA1c)	137	mg/dí	
Estimated Average Glucose (eAG)	137	11,6/01	

Interpretation:

NOTE:-

· eAG is directly related to A1c.

An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

· eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy



Home Sample Collection

08069366666



Page 3 of 9



: 01/Sep/2024 09:48:36 Registered On : Mrs.RUBI SRIVASTAVA Patient Name : 01/Sep/2024 10:34:09 Collected : 34 Y 5 M 27 D /F Age/Gender : 01/Sep/2024 13:11:18 : IDCD.0000175283 Received UHID/MR NO : 01/Sep/2024 15:36:43 Reported : CALI0109972425 Visit ID : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

Ref Doctor

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

MILDION				
Test Name	Result	Unit	Bio. Ref. Interval	Method
1621 Marine				

and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP > 8 7-8 < 7 6-7 < 6%	mmol/mol / IFCC Unit >63.9 53.0 -63.9 <63.9 42.1 -63.9 <42.1	>183 154-183 <154	Degree of Glucose Control Uni Action Suggested* Fair Control Goal** Near-normal glycemia Non-diabetic level
---	---	-------------------------	--

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) ** Sample:Serum

7.02

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:



Page 4 of 9

^{**}Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



: 01/Sep/2024 09:48:36 : Mrs.RUBI SRIVASTAVA Registered On Patient Name : 01/Sep/2024 10:34:09 Age/Gender : 34 Y 5 M 27 D /F Collected : 01/Sep/2024 13:11:18 UHID/MR NO : IDCD.0000175283 Received : 01/Sep/2024 15:36:43 Reported : CALI0109972425 Visit ID

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report Ref Doctor

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Method Bio. Ref. Interval Unit Result Test Name

Low-protein diet, overhydration, Liver disease.

MODIFIED JAFFES 0.5-1.20 mg/dl 0.65 Creatinine ** Sample:Serum

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipernic.

URICASE mg/dl 2.5-6.0 3.15 Uric Acid ** Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:


Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT) ** , Serum

37.60	U/L	<35	IFCC WITHOUT P5P
	U/L	<40	IFCC WITHOUT PSP
	IU/L	11-50	OPTIMIZED SZAZING
		6.2-8.0	BIURET
		3.4-5.4	B.C.G.
		1.8-3.6	CALCULATED
		1.1-2.0	CALCULATED
	U/L	42.0-165.0	PNP/AMP KINETIC
		0.3-1.2	JENDRASSIK & GROF
		< 0.30	JENDRASSIK & GROF
0.32	mg/dl	< 0.8	JENDRASSIK & GROF
185.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
		24.00 U/L 28.60 IU/L 6.35 gm/dl 3.93 gm/dl 2.42 gm/dl 1.62 109.08 U/L 0.42 mg/dl 0.10 mg/dl 0.32 mg/dl	24.00 U/L <40 28.60 IU/L 11-50 6.35 gm/dl 6.2-8.0 3.93 gm/dl 3.4-5.4 2.42 gm/dl 1.8-3.6 1.62 1.1-2.0 109.08 U/L 42.0-165.0 0.42 mg/dl 0.3-1.2 0.10 mg/dl <0.30 0.32 mg/dl <0.8

SIN No:66459857

Page 5 of 9





Ref Doctor

Patient Name : Mrs.RUBI SRIVASTAVA Registered On : 01/Sep/2024 09:48:36 Age/Gender : 34 Y 5 M 27 D /F Collected : 01/Sep/2024 10:34:09 UHID/MR NO : IDCD.0000175283 Received : 01/Sep/2024 13:11:18 Visit ID : CALI0109972425 Reported : 01/Sep/2024 15:36:43 : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. In	terval Method
HDL Cholesterol (Good Cholesterol)	53.10	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	109	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Op 130-159 Borderline 160-189 High > 190 Very High	
VLDL	22.70	mg/dl	10-33	CALCULATED
Triglycerides	113.50	mg/dl	< 150 Normal 150-199 Borderline 200-499 High >500 Very High	GPO-PAP High

: Final Report

Dr. Anupam Singh (MBBS MD Pathology)



SIN No:66459857



Page 6 of 9



CHANDAN DIAGNOSTIC CENTRE Near Sangam Chauraha, Lda Stadium Road, Aliganj Chandan CIN: U8

Patient Name

: Mrs.RUBI SRIVASTAVA

Registered On

Unit

: 01/Sep/2024 09:48:36

Age/Gender

: 34 Y 5 M 27 D /F

Collected

: 01/Sep/2024 13:50:22

UHID/MR NO Visit ID

: IDCD.0000175283 : CALI0109972425

Received Reported : 01/Sep/2024 18:09:05 : 01/Sep/2024 18:44:14

Method

Ref Doctor

Test Name

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

: Final Report

Bio. Ref. Interval

DEPARTMENT OF CLINICAL PATHOLOGY


MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Result

rest Name	Result	Unit	bio, ker. interval	Method
URINE EXAMINATION, ROUTINE ** , Ur	ine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++)	DIPSTICK
			200-500 (+++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE ** , Urine				
Sugar, Fasting stage	ABSENT	gms%		



SIN No:66459857



Page 7 of 9





: Mrs.RUBI SRIVASTAVA Patient Name

: 34 Y 5 M 27 D /F

Registered On Collected

: 01/Sep/2024 09:48:36

Age/Gender UHID/MR NO : IDCD.0000175283 Visit ID : CALI0109972425

: 01/Sep/2024 13:50:22 Received Reported

: 01/Sep/2024 18:09:05 : 01/Sep/2024 18:44:14

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

< 0.5 (+) (++) 0.5 - 1.0

(+++) 1-2

(+++++) > 2

SUGAR, PP STAGE **, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(+++++) > 2 gms%

Dr. Anupam Singh (MBBS MD Pathology)

SIN No:66459857



Page 8 of 9





Patient Name

: Mrs.RUBI SRIVASTAVA

: 34 Y 5 M 27 D /F

Age/Gender UHID/MR NO

: IDCD.0000175283

Visit ID

: CALI0109972425

Registered On

: 01/Sep/2024 09:48:36

: 01/Sep/2024 10:34:09

Collected Received

: 01/Sep/2024 13:04:24

Reported

: 01/Sep/2024 14:54:53

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL ** , Serum				
T3, Total (tri-iodothyronine)	124.25	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.400	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		0.3-4.5 μIU/m 0.5-4.6 μIU/m 0.8-5.2 μIU/m 0.5-8.9 μIU/m 0.7-27 μIU/m 2.3-13.2 μIU/m 0.7-64 μIU/m 1-39 μIU/n 1.7-9.1 μIU/n	AL Second Trimes AL Third Trimeste Adults : AL Premature AL Cord Blood AL Child(21 wk - AL Child	ster or 55-87 Years 28-36 Week > 37Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



*** End Of Report ***

(**) Test Performed at Chandan Speciality L

EXAMINATION, ECG / EKG, Trend Mill Test (TMT), PAP SMEAR FOR CY Dr. Anupam Singh (MBBS MD Pathology)


This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonoman Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Manunography, Electromyography (EMG), Nerve Cond Velocity (NCV), Audiometry, Brainstern Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * *Facilities Available at Select Los



Page 9 of 9









Patient Name : Mrs.RUBI SRIVASTAVA Age/Gender : 34 Y 5 M 27 D /F UHID/MR NO Visit ID

: IDCD.0000175283 : CALI0109972425

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Registered On

: 01/Sep/2024 09:48:37

Collected : 2024-09-01 11:45:33 Received : 2024-09-01 11:45:33

Reported : 01/Sep/2024 11:58:54

: Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER

Ref Doctor

 Liver is borderline enlarged in size ~ 15.2 cm in longitudinal span and shows diffused raised echogenicity of hepatic parenchyma S/O grade I fatty liver.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- · The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

 The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Right kidney is normal in size ~ 9.4 x 4.3 cm position and cortical echotexture. Cortico-medullary demarcation is maintained.
- Left kidney is normal in size ~ 9.6 x 4.6 cm position and cortical echotexture. Corticomedullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

SPLEEN

The spleen is normal in size ~ 9.6 cm and has a normal homogenous echo-texture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.

URINARY BLADDER

 The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus seen.



it Name /Gender HID/MR NO Visit 1D

Ref Doctor

: Mrs.RUBI SRIVASTAVA

: 34 Y 5 M 27 D /F

: IDCD.0000175283 : CALI0109972425

: Dr.Mediwheel - Arcofemi Health Care Ltd.

Registered On

: 01/Sep/2024 09:48:37

Collected Received

: 2024-09-01 11:45:33 : 2024-09-01 11:45:33

Reported

: 01/Sep/2024 11:58:54

Status

: Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

UTERUS

- The uterus is retroverted and normal in size ~ 5.6 x 4.5 x 3.2 cm.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline. ET measures ~ 6.3 mm.
- Cervix is normal.

ADNEXA & OVARIES

- · Both ovaries are normal in size volume and echotexture.
- Right ovary measures ~ 2.4 x 2.3 x 1.2 cm.
- Left ovary measures ~ 2.7 x 2.5 x 1.6 cm.
- Adnexa are normal.

FINAL IMPRESSION:-

BORDERLINE HEPATOMEGALY WITH GRADE I FATTY INFILTRATION.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

Result/s to Follow:

Complete Blood Count (CBC), Blood Group (ABO & Rh typing), URINE EXAMINATION, ROUTINE, STOOL, ROUTINE EXAMINATION, GLUCOSE FASTING, GLUCOSE PP, SUGAR, FASTING STAGE, SUGAR, PP STAGE, GLYCOSYLATED HAEMOGLOBIN (HBA1C), THYROID PROFILE -TOTAL, LIPID PROFILE (MINI), Uric Acid, BUN (Blood Urea Nitrogen), Creatinine, LFT (WITH GAMMA GT), ECG / EKG, X-RAY DIGITAL CHEST PA, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sci Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Conditional Velocity (NCV), Audiometry, Brainstern Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * *Facilities Available at Select Location 365 Days Open

Page 2 of 2





