

			LABORATORY REPORT			
Name	;	Mr. Dhanraj Hiral Hinwar		Reg. No	:	403100571
Sex/Age	:	Male/35 Years		Reg. Date	:	08-Mar-2024 09:22 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	08-Mar-2024 02:08 PM

Medical Summary

GENERAL EXAMINATION

Height (cms):161

Weight (kgs):56.0

Blood Pressure: 110/80mmHg

Pulse: 74/Min

No Clubbing/Cynosis/Pallor/PedelOedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy - N/A

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

DR.MUKESH LADDHA

Page 3 of 5





ं भारतीय विशिष्ट पहचान प्राधिकरण Unique Identification Authority of India

Enrollment No.:

2821/18014/00687


To Dhanraj Hilal Hinwar

Flat No. -13,4th Floor Amit Annex, ghodke nagar.
VTC: Pimpalgaon Baswant. PO: Pimpalgaon Baswant. Sub District: Niphad, District: Nashik.
State: Maharashtra. PIN Code: 422209.
Mohile: 7020322278

Mobile: 7020322278



Dr. Jay Soni M.D. (General Medicine) Reg. No.: G-23899



आपका

क्रमांक / Your 👙 😘 No. :

4535 0628 4156



भारत सरकार Government of India



Dhanraj Hilal Hinwar DOB: 09/04/1988

4535 0628 4156

ार, मेरी पहचान







Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

Reg. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years

/ Male

Tele No. Pass. No. :

: 9421179203

Ref. By

Dispatch At

01101

Sample Type : EDTA			!	Location	: C	HPL
Parameter	Results		Unit	Biological	Ref. Inte	erval
	CON	PLET	E BLOOD COUNT (CB	C)		
Hemoglobin (Colorimetric method)	14.7		g/dL	13.5 - 18		
Hematrocrit (Calculated)	42.60		%	40 - 50		
RBC Count (Electrical Impedance)	5.12		million/cmm	4.73 - 5.5		
MCV (Calculated)	83.1		fL	83 - 101		
MCH (Calculated)	28.8		Pg	27 - 32		
MCHC (Calculated)	H 34.6		%	31.5 - 34.5		
RDW (Calculated)	13.3		%	11.5 - 14.5		
WBC Count Flowcytometry with manual Microscopy	6950	6950 /cmm		4000 - 1000	00	
MPV (Calculated)	9.7		fL	6.5 - 11.5		
DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES
Neutrophils (%)	50	%	40 - 80	3475	/cmm	2000 - 7000
Lymphocytes (%)	40	%	20 - 40	2780	/cmm	1000 - 3000
Eosinophils (%)	02	%	0 - 6	556	/cmm	200 - 1000
Monocytes (%)	08	%	2 - 10	139	/cmm	20 - 500
Basophils (%)	0	%	0 - 2	0	/cmm	0 - 100
PERIPHERAL SMEAR STUDY						
RBC Morphology	Normocy	tic and	Normochromic.			
WBC Morphology	Normal					
PLATELET COUNTS						
Platelet Count (Electrical Impedance	371000		/cmm	150000 - 4	50000	
Platelets	Platelets	are ade	equate with normal morpho	ology.		
Parasites			is not detected.	<u>.</u>		
Comment	_					
Common	-					

This is an electronically authenticated report.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 09:40 AM Page 1 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

^{*} This test has been out sourced.







: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

Reg. No

: Mr. Dhanraj Hiral Hinwar

Req. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years

Pass. No.

Tele No.

: 9421179203

Ref. By

/ Male

Dispatch At Location

Sample Type : EDTA

: CHPL

Parameter

Result

TEST REPORT

Unit

Biological Ref. Interval

HEMATOLOGY

BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO

"O"

Rh (D)

Positive

Note

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour Westergreen method 04

mm/hr

ESR AT1 hour: 1-7

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 02:10 PM Page 2 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

\(+91 79 4039 2653 \)

\$\preceq+91 75730 30001 \rightarrow info@curovis.co.in \textitle www.curovis.co.in







Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

Reg. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years

/ Male

Pass. No.

Tele No.

: 9421179203

Ref. By

Dispatch At

: CHPL

Sample Type : Serum Flouride PP

Location

Sample Type . Serum, Flounde Fr			
Parameter	Result	Unit	Biological Ref. Interval
	BIO - CHEMISTRY		
Fasting Blood Sugar (FBS) GOD-POD Method	74.00	mg/dL	70 - 110
Post Prandial Blood Sugar (PPBS) GOD-POD Method	115.5	mg/dL	70 - 140

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 12:58 PM Page 3 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







/ Male

Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

Reg. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years

Pass. No.

Tele No.

Location

: 9421179203

Ref. By

Dispatch At

: CHPL

Sample Type: Serum

Parameter	Result	Unit	Biological Ref. Interval
	Lipid Profile		
Cholesterol	288.00	mg/dL	Desirable: <200.0 Borderline High: 200- 239 High: >240.0
Enzymatic, colorimetric method			
Triglyceride	517.3	mg/dL	Normal: <150.0 Borderline: 150-199 High: 200-499 Very High : > 500.0
Enzymatic, colorimetric method			
HDL Cholesterol	28.50	mg/dL	Low: <40 High: >60
Accelerator selective detergent method			
LDL	156.04	mg/dL	Optimal: < 100.0 Near Optimal: 100-129 Borderline High: 130- 159 High: 160-189 Very High: >190.0
Calculated			
VLDL	103.46	mg/dL	15 - 35
Calculated			
LDL / HDL RATIO Calculated	5.48		0 - 3.5
Cholesterol /HDL Ratio	10.11		0 - 5.0
5			

This is an electronically authenticated report.

Remarks: Lipemic Sample

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 01:05 PM Page 4 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

^{*} This test has been out sourced.







Ref Id : 403100571

: Mr. Dhanraj Hiral Hinwar

Age/Sex Ref. By

Reg. No

Name

: 35 Years / Male Pass. No.

Collected On

: 08-Mar-2024 09:22 AM

Reg. Date

: 08-Mar-2024 09:22 AM

Tele No.

: 9421179203

Dispatch At

Sample Type : Serum		Location	: CHPL
Parameter	Result	Unit	Biological Ref. Interval
	LFT WITH GGT		
Total Protein	7.56	gm/dL	1Day: 3.4-5.0 1Day to 1Month: 4.6-6.8 2 to 12Months: 4.8-7.6 >=1Year: 6.0-8.0 Adults: 6.6-8.7
Biuret Reaction			
Albumin	4.10	g/dL	
By Bromocresol Green			
Globulin (Calculated)	3.46	g/dL	2.3 - 3.5
A/G Ratio (Calulated)	1.18		0.8 - 2.0
SGOT	35.30	U/L	0 - 40
UV without P5P			
SGPT	38.60	U/L	0 - 40
UV without P5P			
Alakaline Phosphatase	69.8	IU/I	53 - 128
P-nitrophenyl phosphatase-AMP Buffer, Multiple-point rate			
Total Bilirubin	0.41	mg/dL	0.3 - 1.2
Vanadate Oxidation			
Direct Bilirubin	0.05	mg/dL	0.0 - 0.4
Vanadate Oxidation			
Indirect Bilirubin	0.36	mg/dL	0.0 - 1.1
Calculated			
GĞT	27.40	U/L	< 55
SZASZ Method			

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 10:55 AM Page 5 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

Reg. Date

: 08-Mar-2024 09:22 AM

Age/Sex

/ Male

Tele No.

: 35 Years

Pass. No.

Dispatch At

: 9421179203

Ref. By

Sample Type : Serum		Location	: CHPL		
Parameter	Result	Unit	Biological Ref. Interval		
	BIO - CHEMISTRY				
Uric Acid Enzymatic, colorimetric method	7.99	mg/dL	3.5 - 7.2		
Creatinine Enzymatic Method	0.84	mg/dL	0.9 - 1.3		
BUN UV Method	9.50	mg/dL	6.0 - 20.0		

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 10:49 AM Page 6 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

Reg. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years

/ Male Pass. No. Tele No.

: 9421179203

Ref. By

Sample Type : EDTA

Dispatch At Location

: CHPL

Parameter

Result

Unit

Biological Ref. Interval

HEMOGLOBIN A1 C ESTIMATION Specimen: Blood EDTA

*Hb A1C

5.0

% of Total Hb

Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose

96.80

mg/dL

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy,etc.
- Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

- *Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.
- *The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.
- *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days. HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 02:07 PM Page 7 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

Req. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years / Male

Tele No.

Location

: 9421179203

Pass. No.

Dispatch At

Ref. By

: CHPL

Test

Result

Unit

Biological Ref. Interval

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Sample Type: Urine Spot

Quantity

20 cc

Colour

Pale Yellow

Clarity

Clear

Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

pН

5.0

4.6 - 8.0

Sp. Gravity

1.020

Protein

Nil

1.001 - 1.035

Glucose

Nil

Nil Nil

Ketone Bodies

Nit

Nil

Urobilinogen

Nil

Nil

Bilirubin Nitrite

Nil Nil

Nil

Blood

Nil

Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)

Occasional/hpf

Nil

Erythrocytes (Red Cells)

Nil

Nil

Epithelial Cells

Occasional

Nil

Crystals

Absent

Absent

Casts

Absent

Absent

Amorphous Material

Absent Absent Absent Absent

Bacteria Remarks

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 11:29 AM Page 8 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

Reg. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years

/ Male

Pass. No.

Tele No.

: 9421179203

Ref. By

Dispatch At

Sample Type : Serum

Location

: CHPL

Parameter

Result

Unit

Biological Ref. Interval

IMMUNOLOGY

THYROID FUNCTION TEST

T3 (Triiodothyronine)

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

0.97

ng/mL

0.86 - 1.92

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

7.30

ua/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.
- 3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 12:13 PM Page 9 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

/ Male

Reg. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years

Pass. No. :

Tele No.

: 9421179203

Ref. By

Dispatch At Location

: CHPL

Sample Type : Serum

4.140

µIU/ml

0.35 - 5.50

TSH CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy: First Trimester: 0.1 to 2.5 µIU/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 12:13 PM Page 10 of 1

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Reg. No

: 403100571

Ref Id

Collected On

: 08-Mar-2024 09:22 AM

Name

: Mr. Dhanraj Hiral Hinwar

Reg. Date

: 08-Mar-2024 09:22 AM

Age/Sex

: 35 Years

/ Male Pass. No. Tele No.

: 9421179203

Ref. By

Dispatch At

Sample Type : Serum

Location

Unit

: CHPL

Parameter

Result

Biological Ref. Interval

IMMUNOLOGY

TOTAL PROSTATE SPECIFIC ANTIGEN (PSA)

0.54

ng/mL

0 - 4

CMIA

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

----- End Of Report -----

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

08-Mar-2024 11:46 AM Page 11 of 1



			LABORATORY REPORT			
Name	:	Mr. Dhanraj Hiral Hinwar		Reg. No	:	403100571
Sex/Age	:	Male/35 Years		Reg. Date	:	08-Mar-2024 09:22 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	08-Mar-2024 11:15 AM

Electrocardiogram

Findings

Sinus Arrythmia.

Rest Within Normal Limit.

This is an electronically authenticated report


Dr.Jay Soni

M.D, GENERAL MEDICINE

DR.MUKESH LADDHA

Page 1 of 5

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075
'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat





LABORATORY REPORT Mr. Dhanraj Hiral Hinwar Name Reg. No 403100571 Sex/Age Male/35 Years Reg. Date 08-Mar-2024 09:22 AM Ref. By **Collected On Client Name** Mediwheel **Report Date** 08-Mar-2024 11:15 AM

2D Echo Colour Doppler

- 1. Normal sized LA, LV, RA, RV.
- 2. Normal LV systolic function, LVEF: 60%.
- 3. No RWMA.
- 4. Normal LV compliance.
- 5. All cardiac valves are structurally normal.
- 6. No MR, Trivial TR, Trivial PR, No AR.
- 7. No PAH, RVSP: 21 mm Hg.
- 8. IAS/IVS: Intact.
- 9. No clot/vegetation/pericardial effusion.

10. No coarctation of aorta.

This is an electronically authenticated report


Dr.Jay Soni

M.D, GENERAL MEDICINE

DR.MUKESH LADDHA

Page 2 of 5

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075
'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat



DHANRAJ AGE 35 080324-101116AM 08/03/2024 **CUROVIS HEALTH CARE**



LABORATORY REPORT

Name

Mr. Dhanraj Hiral Hinwar

Sex/Age

Male/35 Years

Ref. By

Client Name Mediwheel Reg. No

403100571

Reg. Date

08-Mar-2024 09:22 AM

Collected On

Report Date

08-Mar-2024 04:28 PM

X RAY CHEST PA

Both lung fields appear clear.

No evidence of any active infiltrations or consolidation.

Cardiac size appears within normal limits.

Both costo-phrenic angles appear free of fluid.


Both domes of diaphragm appear normal.

COMMENT: No significant abnormality is detected.

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE Reg No:0494

Page 2 of 2



DHANRAJ HINWAR 35Y/M 08/03/2024
CUROVIS HEALTHCARE



			LABORATORY REPORT			
Name	:	Mr. Dhanraj Hiral Hinwar		Reg. No	:	403100571
Sex/Age	:	Male/35 Years		Reg. Date	:	08-Mar-2024 09:22 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	08-Mar-2024 04:17 PM

USG ABDOMEN

Liver appears normal in size & in echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern. No evidence of focal lesions.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder is partially distended. No evidence of calculus or mass.

Prostate appears normal in size and echopattern. No evidence of focal lesions.

No evidence of free fluid in peritoneal cavity. No evidence of para-aortic lymph adenopathy. No evidence of dilated small bowel loops.

COMMENTS:


NO SIGNIFICANT ABNORMALITY DETECTED.

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE Reg No:0494



Page 1 of 2



DHANRAJ 080324-110424AM 08/03/2024

CUROVIS HEALTH CARE



			LABORATORY REPORT			
Name	:	Mr. Dhanraj Hiral Hinwar		Reg. No	;	403100571
Sex/Age	:	Male/35 Years		Reg. Date	:	08-Mar-2024 09:22 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	08-Mar-2024 01:49 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: -1.00

CY: -0.75

AX: 48

LEFT EYE

SP: -1.75

CY:-0.75

AX:157

	Without Glasses	With Glasses
Right Eye	6/9	6/5
Left Eye	6/9	6/5

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Normal

-- End Of Report -

This is an electronically authenticated report


Dr Kejal Patel MB,DO(Ophth)

Page 5 of 5



			LABORATORY REPORT			
Name	:	Mr. Dhanraj Hiral Hinwar		Reg. No	:	403100571
Sex/Age	:	Male/35 Years		Reg. Date	:	08-Mar-2024 09:22 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	08-Mar-2024 01:49 PM

AUDIOGRAM



MODE	Air Cor	nduction	Bone Co	Colour		
EAR	Masked	Unitasked	Masked	UnMasked	Code	
LEFT		X	J	>	Blue	
RIGHT	Δ	0	С	(Red	

Threshold In dB	RIGHT	LEFT
AIR CONDUCTION	10.5	10.5
BONE CONDUCTION		
SPEECH		

Comments: -Bilateral Hearing Sensitivity Within Normal Limits

----- End Of Report -----



This is an electronically authenticated report

Dr Kejal Patel MB,DO(Ophth)

Page 4 of 5