

# **BMI CHART**

Hiranandani Fortis Hospital Mini Seashore Road, Sector 10 - A, Vashi, Navi Mumbai - 400 703.

Tel.: +91-22-3919 9222 Fax: +91-22-3919 9220/21

Email: vashi@vashihospital.com

Signature

								)ě												D	ate:_		/	/
4																		* "						
Name:			,								Version	Age	ə:		yrs			Sex:	M /	F				, k
9																								
BP: 130 0	10		Heig	ght (d	ans)	:_1	5	<u> </u>	Cr	W	eigh	t(kgs	s):	76	> 4	ke	1—	ВМІ	:					-
																_	)							
													45											
WEIGHT Ibs	100			100,000	120	125		135		145	150			165		II F. MILET		185	190	195	200		210	215
kgs	45.5	-		0 52.3	54.5		4		63.6	65.9	68.2				77.3			84.1	86.4	88.6		93.2		97.7
HEIGHT in/cm	_		lerwe				Hea	Ithy				Ove	rweigl	ht			ŵре	50			Ext	remel	y Obe	se
5'0" - 152.4		-	_	22	_			26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
5'1" - 154.9	-			21	1 -		_		26	27	28	29	30	31	32	33	34	35	36	S-10 1-30	37	38		40
5'2" - 157.4	18	-	_	21	_					26	27	28	29	30	31	32	33	33	34	35	36	37	38	39
5'3" - 160.0	17	18	-	20				23	_	25	26	27	28	29	30	31	32	32	33	34	35	36	37	38
5'4" - 162.5 5'5" - 165.1	16	17	18			20		-			V=240	25	26	27	29	29	30	30	32	33	34	35	36 35	37 35
5'6" - 167.6	16	17	17	-		20		l	22		24		25	26	27	28	29	29	30	31	32	33	34	34
5'7" - 170.1	15	16	17	18		19	_					24		25	26	27	28	29	29	30	31	32	33	33
5'8" - 172.7	15	16	16	17	18	1	19		21	1		_	24		25		27	28	28	29	30	31	32	32
5'9" - 176.2	14	15	16	17	17	18	19	20	_	3	22	22	23	24	25	25	26	27	28	28	29	30	31	31
5'10" - 177.8	14	15	15	16	17	18	18	19	20	20	21	22	23	23	24	25	25	26	27	28	28	29	30	30
5'11" - 180.3	14	14	15	16	16	17	18	18	19	20	21	21	22	23	23	24	25	25	26	27	28	28	29	30
6'0" - 182.8	13	14	14	15	16	17	17	18	19	19	20	21	21	22	23	23	24	25	25	26	27	27	28	29
6'1" - 185.4	13	13	14	15	15	16	17	17	18	19	19	20	21	21	22	23	23	24	25	25	26	27	27	28
6'2" - 187.9	12	13	14	14	15	16	16	17	18	18	19	19	20	21	21	22	23	23	24	25	25	26	27	27
6'3" - 190.5	12	13	13	14	15	15	16	16	17	18	18	-	-		-	-				24	-	25	26	26
6'4" - 193.0	12	12	13	14	14	15	15	16	17	17	18	18	19	20	20	21	22	22	23	23	24	25	25	26
D N																								
Doctors Not	es:																							
-																					_		,	
																	_					-		-
-																								
	_																		_					
						-	-		-	-	-		-						-					
		.77											35		34									
Ø.																								

oad, Sector 10 -A, Vashi, Navi Mumbai - 400703 39199222 | Fax: 022 - 39199220 - 39199100 | Ambulance: 1255 : 022 - 39199222 | Health Checkup: 022 - 39199300 icare.com иН2005PTC154823



(A 17 Fortis Network Hospital)

ИН2005	SPTC154823 94D1ZG   PAN NO: AABCH5894D	2004
		Date 17/02/2024 Age 33
HID	12980516	Sev IVI
ame	Mr Aditya Prakash	Health Check-Up
)PD	Dental	

Drug allergy: Sys illness:

IH & NPh J18: Distodegent of crown class I can'es Mesical cours Calculus+ + Stains tf Adv - Scalling & Polishi

Sound Kambie 29284

Mini Sca Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703

Board Line: 022 - 39199222 | Fax: 022 - 39199220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300

www.fortishealthcare.com |

CIN: U85100MH2005PTC154823

GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D





(A 12 Fortis Network Hospital)

UHID	12980516	Date	17/02/	2024	
Name	Mr Aditya Prakash	Sex	M		33
OPD	Opthal		Sex M Age 33  Health Check-Up		

Cly, NO

Ha No

Drug allergy: > With Kind.
Sys illness: -) Wo

Hold - NO

) 1 /> RO > 6/6

La 6/6

Al Spa Phun 6/6

MARGING SE NG

FO.P > Ro > 15.8 Les 15.7

A De la constant de l







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO : 0022XB003567

PATIENT ID : FH.12980516
CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED :17/02/2024 09:59:33 REPORTED :17/02/2024 15:34:16

CLINICAL INFORMATION:

**Test Report Status** 

UID:12980516 REQNO-1663791 CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

Results Biological Reference Interval Units

H	AEMATOLOGY - CBC		
CBC-5, EDTA WHOLE BLOOD			
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	15.3	13.0 - 17.0	g/dL
METHOD: SLS METHOD RED BLOOD CELL (RBC) COUNT	5.58 High	4.5 - 5.5	mil/μL
METHOD: HYDRODYNAMIC FOCUSING WHITE BLOOD CELL (WBC) COUNT	6.60	4.0 - 10.0	thou/µL
METHOD: FLUORESCENCE FLOW CYTOMETRY PLATELET COUNT	293	150 - 410	thou/µL
METHOD: HYDRODYNAMIC FOCUSING BY DC DETECTION			
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV)	46.7	40.0 - 50.0	%
METHOD: CUMULATIVE PULSE HEIGHT DETECTION METHOD MEAN CORPUSCULAR VOLUME (MCV) METHOD: CALCULATED PARAMETER	83.7	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	27.4	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC) METHOD: CALCULATED PARAMETER	32.8	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW)	12.2	11.6 - 14.0	%
MENTZER INDEX METHOD: CALCULATED PARAMETER	15.0		
MEAN PLATELET VOLUME (MPV) METHOD: CALCULATED PARAMETER	10.0	6.8 - 10.9	fL

### WBC DIFFERENTIAL COUNT



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist







Page 1 Of 17

View Details

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO: **0022XB003567**PATIENT ID: FH.12980516

CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED :17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

#### CLINICAL INFORMATION:

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
NEUTROPHILS	49	40.0 - 80.0	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING LYMPHOCYTES	35	20.0 - 40.0	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING MONOCYTES	6	2.0 - 10.0	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING EOSINOPHILS  METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	10 High	1 - 6	%
BASOPHILS  METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	0	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT	3.23	2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYTE COUNT	2.31	1.0 - 3.0	thou/µL
ABSOLUTE MONOCYTE COUNT  METHOD : CALCULATED PARAMETER	0.40	0.2 - 1.0	thou/µL
ABSOLUTE EOSINOPHIL COUNT METHOD : CALCULATED PARAMETER	0.66 High	0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL COUNT  METHOD : CALCULATED PARAMETER	0 Low	0.02 - 0.10	thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD: CALCULATED	1.4		

#### MORPHOLOGY

RBC

METHOD: MICROSCOPIC EXAMINATION

**WBC** 

METHOD: MICROSCOPIC EXAMINATION

**PLATELETS** 

METHOD: MICROSCOPIC EXAMINATION

PREDOMINANTLY NORMOCYTIC NORMOCHROMIC

EOSINOPHILIA PRESENT

**ADEQUATE** 

Mohatra

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist Page 2 Of 17





View Details

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022XB003567

PATIENT ID : FH.12980516 CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED: 17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

#### **CLINICAL INFORMATION:**

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

**Test Report Status** 

**Final** 

Results

Biological Reference Interval Units

Interpretation(s)
RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Monday

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist** 



Page 3 Of 17

View Report



PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956





DRAWN



PATIENT NAME: MR.ADITYA PRAKASH

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO: 0022XB003567 PATIENT ID : FH.12980516

CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

RECEIVED: 17/02/2024 09:59:33

:17/02/2024 09:59:00

REPORTED :17/02/2024 15:34:16

#### **CLINICAL INFORMATION:**

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

**Test Report Status** 

**Final** 

Results

**Biological Reference Interval** 

Units

#### HAEMATOLOGY

#### ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R

14

0 - 14

mm at 1 hr

METHOD: WESTERGREN METHOD

#### GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C

6.6 High

Non-diabetic: < 5.7

%

Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested: > 8.0

(ADA Guideline 2021)

METHOD: HB VARIANT (HPLC)

METHOD: CALCULATED PARAMETER

ESTIMATED AVERAGE GLUCOSE(EAG)

142.7 High

< 116.0

mg/dL

Interpretation(s)
ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION:
Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum, Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia
False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377)

**Consultant Pathologist** 

Page 4 Of 17





View Details

View Report

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,

Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022XB003567 PATIENT ID : FH.12980516

CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED: 17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

### CLINICAL INFORMATION:

UID:12980516 REQNO-1663791 CORP-OPD BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

**Test Report Status** 

**Final** 

Results

Biological Reference Interval

Units

- Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
2. Diagnosing diabetes.
3. Identifying patients at increased risk for diabetes (prediabetes).
The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.
1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
2. eAG gives an evaluation of blood glucose levels for the last couple of months.
3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

HbA1c Estimation can get affected due to:

1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Aphoto

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 5 Of 17





View Details

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO : 0022XB003567

PATIENT ID : FH.12980516 CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years

Male :17/02/2024 09:59:00

RECEIVED: 17/02/2024 09:59:33 REPORTED :17/02/2024 15:34:16

CLINICAL INFORMATION:

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

**Test Report Status** 

**Final** 

Results

Biological Reference Interval Units

DRAWN

### **IMMUNOHAEMATOLOGY**

#### ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

**ABO GROUP** 

TYPE O

METHOD: TUBE AGGLUTINATION RH TYPE

POSITIVE

METHOD: TUBE AGGLUTINATION

Interpretation(s)
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist** 

Page 6 Of 17







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO : 0022XB003567

PATIENT ID : FH.12980516 CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED: 17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

#### CLINICAL INFORMATION:

UID:12980516 REQNO-1663791 CORP-OPD BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

Test Report Status

**Final** 

Results

Biological Reference Interval Units

	BIOCHEMISTRY		
LIVER FUNCTION PROFILE, SERUM	*************************		
BILIRUBIN, TOTAL	0.64	0.2 - 1.0	mg/dL
METHOD : JENDRASSIK AND GROFF			
BILIRUBIN, DIRECT	0.17	0.0 - 0.2	mg/dL
METHOD : JENDRASSIK AND GROFF			
BILIRUBIN, INDIRECT	0.47	0.1 - 1.0	mg/dL
METHOD: CALCULATED PARAMETER			
TOTAL PROTEIN	7.8	6.4 - 8.2	g/dL
METHOD : BIURET			
ALBUMIN	4.0	3.4 - 5.0	g/dL
METHOD: BCP DYE BINDING		was ve	9400
GLOBULIN	3.8	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER			The second of
ALBUMIN/GLOBULIN RATIO	1.1	1.0 - 2.1	RATIO
METHOD: CALCULATED PARAMETER ASPARTATE AMINOTRANSFERASE(AST/SGOT)	22	45 07	6.00
METHOD: UV WITH PSP	23	15 - 37	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	42	4F.0	1170
METHOD: UV WITH PSP	42	< 45.0	U/L
ALKALINE PHOSPHATASE	68	30 - 120	U/L
METHOD: PNPP-ANP	00	30 - 120	O/L
GAMMA GLUTAMYL TRANSFERASE (GGT)	34	15 - 85	U/L
METHOD : GAMMA GLUTAMYLCARBOXY 4NITROANILIDE		15 05	9/5
LACTATE DEHYDROGENASE	176	85 - 227	U/L
METHOD : LACTATE -PYRUVATE			
GLUCOSE FASTING, FLUORIDE PLASMA			
FBS (FASTING BLOOD SUGAR)	132 High	Normal: < 100	mg/dL

Pre-diabetes: 100-125

Diabetes: >/=126

Page 7 Of 17







METHOD: HEXOKINASE

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist** 

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322,

CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO : **0022XB003567**PATIENT ID : FH.12980516

PATIENT ID : FH.12980516 CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED :17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

#### CLINICAL INFORMATION:

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

77	m	Chalana
lest	Keport	Status

**Final** 

Results

Biological Reference Interval Un

Units

#### **KIDNEY PANEL - 1**

#### BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN

METHOD: UREASE - UV

9

0.92

112.64

33

6 - 20

mg/dL

#### **CREATININE EGFR- EPI**

CREATININE

METHOD: ALKALINE PICRATE KINETIC JAFFES

AGE

GLOMERULAR FILTRATION RATE (MALE)

METHOD: CALCULATED PARAMETER

0.90 - 1.30

mg/dL

years

Refer Interpretation Below

mL/min/1.73m2

### **BUN/CREAT RATIO**

**BUN/CREAT RATIO** 

METHOD : CALCULATED PARAMETER

9.78

6.3

5.00 - 15.00

# URIC ACID, SERUM

URIC ACID

METHOD: URICASE UV

3.5 - 7.2

mg/dL

#### TOTAL PROTEIN, SERUM

TOTAL PROTEIN

METHOD : BIURET

7.8

6.4 - 8.2

g/dL

Arolating


Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist Page 8 Of 17





View Details

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO: 0022XB003567

PATIENT ID : FH.12980516 CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :17/02/2024 09:59:00 DRAWN

:33 Years Male

Units

RECEIVED: 17/02/2024 09:59:33

REPORTED: 17/02/2024 15:34:16

#### CLINICAL INFORMATION:

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

Test Report Status	Final	Results	Biological Reference Interval
Permitty and strategic and particular programme and the strategic	edimedialisticida	7 1. months # 747	

ALBUMIN, SERUM				
ALBUMIN METHOD: BCP DYE BINDING	4.0	3.4 - 5.0	g/dL	
GLOBULIN				
GLOBULIN METHOD: CALCULATED PARAMETER	3.8	2.0 - 4.1	g/dL	
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM METHOD: ISE INDIRECT	139	136 - 145	mmol/L	
POTASSIUM, SERUM METHOD: ISE INDIRECT	4.32	3.50 - 5.10	mmol/L	
CHLORIDE, SERUM METHOD: ISE INDIRECT	103	98 - 107	mmol/L	,

#### Interpretation(s)

Interpretation(s)
LIVER FUNCTION PROFILE, SERUMBillirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Billirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased billirubin production (eg, hemolysis and ineffective erythropoiesis), decreased billirubin excretion (eg, obstruction and hepatitis), and abnormal billirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) billirubin is elevated more than unconjugated (indirect) billirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) billirubin is also elevated more than unconjugated (indirect) billirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) billirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin. attaches sugar molecules to bilirubin.



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377)

**Consultant Pathologist** 



Page 9 Of 17

View Details



PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956





DRAWN



PATIENT NAME: MR.ADITYA PRAKASH

**Final** 

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

REF. DOCTOR:

: FH.12980516

CLIENT PATIENT ID: UID:12980516

ACCESSION NO: 0022XB003567

ABHA NO

PATIENT ID

AGE/SEX :33 Years Male

:17/02/2024 09:59:00

RECEIVED: 17/02/2024 09:59:33 REPORTED :17/02/2024 15:34:16

#### CLINICAL INFORMATION:

**Test Report Status** 

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

> **Biological Reference Interval** Units

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver,liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

Results

hepatitis, obstruction of bile ducts, cirnosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, billiary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulanephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available

urine.

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancrealitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Decreased in:Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy(adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g. galactosemia), Drugs-insulin, ethanol, propranolol; sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin/(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycamics & Insulin treatment, Renal Glycouria, Glycaemic Index & response to food consumed, Alimentary Hypoglycemia, Increased Insulin response & sensitivity etc.

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Fallure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATIMINE EGFR: EPI-- Kidney disease outcomes quality initiative (KDOQI) guidelines state that estimation of GFR is the best overall indices of the Kidney function.

- It gives a rough measure of number of functioning nephrons .Reduction in GFR implies progression of underlying disease.

- The GFR is a calculation based on serum creatinine test.

- Creatinine is mainly derived from the metabolism of creatine in muscle, and its generation is proportional to the total muscle mass. As a result, mean creatinine generation is higher in men than in women, in younger than in older individuals, and in blacks than in whites.

- Creatinine is filtered from the blood by the kidneys and excreted into unine at a relatively steady rate.

- When kidney function is compromised, excretion of creatinine decreases with a consequent increase in blood creatinine levels. With the creatinine test, a reasonable estimate of the actual GFR can be determined.

- This equation takes into account several factors that leavest greatistics and actual contents of the actual GFR can be determined.

- This equation takes into account several factors that impact creatinine production, including age, gender, and race.
- CKD EPI (Chronic kidney disease epidemiology collaboration) equation performed better than MDRD equation especially when GFR is high(>60 ml/min per 1.73m2).. This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD.

National Kidney Foundation (NKF) and the American Society of Nephrology (ASN).
Estimated GFR Calculated Using the CKD-EPI equation-https://testguide.labmed.uw.edu/guideline/egfr
Ghuman JK, et al. Impact of Removing Race Variable on CKD Classification Using the Creatinine-Based 2021 CKD-EPI Equation. Kidney Med 2022, 4:100471. 35756325
Harrison's Principle of Internal Medicine, 21st ed. pg 62 and 334
URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis
TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.
Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Page 10 Of 17

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist** 





View Details

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









**Final** 

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO: 0022XB003567

PATIENT ID : FH.12980516 CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00

RECEIVED: 17/02/2024 09:59:33 REPORTED :17/02/2024 15:34:16

#### CLINICAL INFORMATION:

**Test Report Status** 

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

Results

**Biological Reference Interval** Units

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist** 

PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703

Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956

Email: -





Page 11 Of 17

View Details

View Report









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001 REF. DOCTOR :

PATIENT ID : FH.12980516

CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED :17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

#### **CLINICAL INFORMATION:**

UID:12980516 REQNO-1663791 CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

**Test Report Status** 

**Final** 

Results

**Biological Reference Interval** 

Units

### **BIOCHEMISTRY - LIPID**

#### LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL

205 High

< 200 Desirable

mg/dL

200 - 239 Borderline High

>/= 240 High

METHOD: ENZYMATIC/COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE

TRIGLYCERIDES

100

< 150 Normal

mg/dL

150 - 199 Borderline High 200 - 499 High

>/=500 Very High

METHOD: ENZYMATIC ASSAY HDL CHOLESTEROL

HUL CHOLESTEROL

44

< 40 Low >/=60 High mg/dL

METHOD: DIRECT MEASURE - PEG LDL CHOLESTEROL, DIRECT

147 High

< 100 Optimal

mg/dL

100 - 129 Near or above optimal

130 - 159 Borderline High

160 - 189 High >/= 190 Very High

METHOD: DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT

NON HDL CHOLESTEROL

161 High

Desirable: Less than 130

Above Desirable: 130 - 159 Borderline High: 160 - 189

High: 190 - 219

Very high: > or = 220

METHOD: CALCULATED PARAMETER

VERY LOW DENSITY LIPOPROTEIN

20.0

</= 30.0

mg/dL

mg/dL

METHOD: CALCULATED PARAMETER CHOL/HDL RATIO

METHOD: CALCULATED PARAMETER

4.7 High

7 3313

3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk

7.1 - 11.0 Moderate Risk

> 11.0 High Risk

Just For

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist Page 12 Of 17





View Details

View Repor



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703

Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









**Final** 

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO : 0022XB003567

PATIENT ID : FH.12980516 CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00
RECEIVED :17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

#### CLINICAL INFORMATION:

UID:12980516 REQNO-1663791 CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

Results

Biological Reference Interval Units

LDL/HDL RATIO

**Test Report Status** 

3.3 High

0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate

Risk

>6.0 High Risk

METHOD: CALCULATED PARAMETER

Interpretation(s)

Krohotra

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist



Page 13 Of 17

View Details

View Report



PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703
Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO: 0022XB003567

: FH.12980516

CLIENT PATIENT ID: UID:12980516

ABHA NO

PATIENT ID

AGE/SEX :33 Years

DRAWN :17/02/2024 09:59:00 RECEIVED: 17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

CLINICAL INFORMATION:

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

**Test Report Status** 

**Final** 

Results

Biological Reference Interval

Units

Male

**CLINICAL PATH - URINALYSIS** 

**KIDNEY PANEL - 1** 

PHYSICAL EXAMINATION, URINE

COLOR

PALE YELLOW

METHOD : PHYSICAL **APPEARANCE** 

METHOD: VISUAL

CLEAR

CHEMICAL EXAMINATION, URINE

6.0

4.7 - 7.5

METHOD: REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD SPECIFIC GRAVITY

1.003 - 1.035

METHOD: REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION)

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE

**GLUCOSE** 

NOT DETECTED

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD

**KETONES** 

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, ROTHERA'S PRINCIPLE

BLOOD

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN

BILIRUBIN

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION-COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT

UROBILINOGEN

NORMAL

NORMAL

METHOD: REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRLICH REACTION)

NITRITE

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRATE

LEUKOCYTE ESTERASE

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist** 

Dr. Rekha Nair, MD (Reg No. MMC 2001/06/2354) Microbiologist

Page 14 Of 17







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

**REF. DOCTOR:** 

ACCESSION NO: 0022XB003567 PATIENT ID : FH.12980516

CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED: 17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

#### CLINICAL INFORMATION:

UID:12980516 REQNO-1663791

CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

**Test Report Status** Results **Final** Biological Reference Interval Units

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS NOT DETECTED

NOT DETECTED /HPF

METHOD: MICROSCOPIC EXAMINATION PUS CELL (WBC'S)

0-5 /HPF 1-2 METHOD: MICROSCOPIC EXAMINATION

EPITHELIAL CELLS

0 - 10-5 /HPF METHOD : MICROSCOPIC EXAMINATION NOT DETECTED

**NOT DETECTED** 

CASTS

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED **CRYSTALS** METHOD: MICROSCOPIC EXAMINATION

**BACTERIA** NOT DETECTED NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

YFAST

METHOD: MICROSCOPIC EXAMINATION REMARKS

URINARY MICROSCOPIC EXAMINATION DONE ON URINARY

NOT DETECTED

CENTRIFUGED SEDIMENT.

Interpretation(s)


Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist** 

Dr. Rekha Nair, MD (Reg No. MMC 2001/06/2354) Microbiologist

Page 15 Of 17







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322,

CIN - U74899PB1995PLC045956







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001 ACCESSION NO: 0022XB003567

**REF. DOCTOR:** 

PATIENT ID : FH.12980516 CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED :17/02/2024 09:59:33

REPORTED :17/02/2024 15:34:16

#### CLINICAL INFORMATION:

UID:12980516 REQNO-1663791 CORP-OPD

BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

**Test Report Status** 

**Final** 

Results

Biological Reference Interval Un

Units

#### SPECIALISED CHEMISTRY - HORMONE

# THYROID PANEL, SERUM

T3 112.6 80.0 - 200.0 ng/dL

METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE

T4 7.42 5.10 - 14.10 μg/dL

METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE

TSH (ULTRASENSITIVE) 1.330 0.270 - 4.200 μIU/mL

METHOD: ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY

Interpretation(s)

ponting

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956

Email: -

Page 16 Of 17





View Details

View Report







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022XB003567 PATIENT ID : FH.12980516

CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 09:59:00 RECEIVED : 17/02/2024 09:59:33 REPORTED :17/02/2024 15:34:16

CLINICAL INFORMATION:

UID:12980516 REQNO-1663791 CORP-OPD BILLNO-1501240PCR009368

BILLNO-1501240PCR009368

**Test Report Status** 

**Final** 

Results

Biological Reference Interval

Units

# SPECIALISED CHEMISTRY - TUMOR MARKER

# PROSTATE SPECIFIC ANTIGEN, SERUM

PROSTATE SPECIFIC ANTIGEN

0.512

0.0 - 1.4

ng/mL

METHOD: ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY

Interpretation(s)

PROSTATE SPECIFIC ANTIGEN, SERUM-- PSA is detected in the male patients with normal, benign hyperplastic and malignant prostate tissue and in patients with prostatitis.
- PSA is not detected (or detected at very low levels) in the patients without prostate tissue (because of radical prostatectomy or cystoprostatectomy) and also in the female

patients.

It a suitable marker for monitoring of patients with Prostate Cancer and it is better to be used in conjunction with other diagnostic procedures.

Serial PSA levels can help determine the success of prostatectomy and the need for further treatment, such as radiation, endocrine or chemotherapy and useful in detecting residual disease and early recurrence of tumor.

Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostatic Hyperplasia.

Specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA (false positive) levels persisting up to 3 weeks.

As per American urological guidelines, PSA screening is recommended for early detection of Prostate cancer above the age of 40 years. Following Age specific reference range can be used as a guidelines.

range can be used as a guide lines.

- Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values

- reastrement of total rest atome may not clearly distinguish between 4-10 ng/mL.
 - Total PSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. Recommended follow up on same platform as patient result can vary due to differences in assay method and reagent specificity.

1. Burtis CA, Ashwood ER, Bruns DE. Teitz textbook of clinical chemistry and Molecular Diagnostics. 4th edition.

2. Williamson MA, Snyder LM. Wallach's interpretation of diagnostic tests. 9th edition.

\*\*End Of Report\*\* Please visit www.agilusdiagnostics.com for related Test Information for this accession



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 17 Of 17







PERFORMED AT :

Email: -

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956







CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR:

ACCESSION NO: 0022XB003665 PATIENT ID : FH.12980516

CLIENT PATIENT ID: UID:12980516

ABHA NO

AGE/SEX :33 Years Male

DRAWN :17/02/2024 13:35:00 RECEIVED : 17/02/2024 13:34:48

REPORTED :17/02/2024 15:24:17

# CLINICAL INFORMATION:

UID:12980516 REQNO-1663791 CORP-OPD BILLNO-1501240PCR009368 BILLNO-1501240PCR009368

Test Report Status

**Einal** 

Results

Biological Reference Interval

Units

#### **BIOCHEMISTRY**

# GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) METHOD : HEXOKINASE

128

70 - 140

mg/dL

NOTE: POST PRANDIAL PLASMA GLUCOSE VALUES TO BE CORRELATE WITH CLINICAL, DIETETIC AND THERAPEUTIC HISTORY.

Interpretation(s)
GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c

\*\*End Of Report\*\* Please visit www.agilusdiagnostics.com for related Test Information for this accession



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist


Page 1 Of 1







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, CIN - U74899PB1995PLC045956 Email: -



Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





# DEPARTMENT OF NIC

UHID | Episode No : 12980516 | 9664/24/1501

Date: 19/Feb/2024

Order No | Order Date: 1501/PN/OP/2402/19954 | 17-Feb-2024

Admitted On | Reporting Date : 19-Feb-2024 16:09:26

Order Doctor Name: Dr.SELF.

Name: Mr. Aditya Prakash Age | Sex: 33 YEAR(S) | Male Order Station: FO-OPD

Bed Name:

# ECHOCARDIOGRAPHY TRANSTHORACIC

# **FINDINGS:**

- No left ventricle regional wall motion abnormality at rest.
- Normal left ventricle systolic function. LVEF = 60%.
- No left ventricle diastolic dysfunction.
- No left ventricle hypertrophy. No left ventricle dilatation.
- Structurally normal valves.
- · No mitral regurgitation.
- No aortic regurgitation. No aortic stenosis.
- No tricuspid regurgitation. No pulmonary hypertension.
- · Intact IAS and IVS.
- No left ventricle clot/vegetation/pericardial effusion.
- Normal right atrium and right ventricle dimensions.
- Normal left atrium and left ventricle dimension.
- Normal right ventricle systolic function. No hepatic congestion.
- · IVC measures 12 mm with normal inspiratory collapse.

# M-MODE MEASUREMENTS:

LA	30	mm
AO Root	19	mm
AO CUSP SEP	15	mm
LVID (s)	22	mm
LVID (d)	37	mm
IVS (d)	10	mm
LVPW (d)	10	mm
RVID (d)	29	mm
RA	30	mm
LVEF	60	%

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





## DEPARTMENT OF NIC

Date: 19/Feb/2024

Name: Mr. Aditya Prakash Age | Sex: 33 YEAR(S) | Male Order Station : FO-OPD

Bed Name :

UHID | Episode No : 12980516 | 9664/24/1501 Order No | Order Date: 1501/PN/OP/2402/19954 | 17-Feb-2024 Admitted On | Reporting Date : 19-Feb-2024 16:09:26

Order Doctor Name : Dr.SELF .

# **DOPPLER STUDY:**

E WAVE VELOCITY: 0.8 m/sec. A WAVE VELOCITY: 0.6 m/sec

E/A RATIO:1.3

		MEAN (mmHg)		GRADE OF REGURGITATION
MITRAL VALVE	N			Nil
AORTIC VALVE	05			Nil
TRICUSPID VALVE	N			Nil
PULMONARY VALVE	2.0		36	Nil

Final Impression:

Normal 2 Dimensional and colour doppler echocardiography study.

DR. PRASHANT PAWAR DNB(MED), DNB (CARD)

DR.AMIT SINGH, MD(MED),DM(CARD)

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D

(For Billing/Reports & Discharge Summary only)





### DEPARTMENT OF RADIOLOGY

Date: 17/Feb/2024

UHID | Episode No : 12980516 | 9664/24/1501 Name: Mr. Aditya Prakash

Order No | Order Date: 1501/PN/OP/2402/19954 | 17-Feb-2024 Age | Sex: 33 YEAR(S) | Male Order Station: FO-OPD

Admitted On | Reporting Date: 17-Feb-2024 14:48:57

Order Doctor Name: Dr.SELF.

### X-RAY-CHEST- PA

# **Findings:**

Bed Name:

Both lung fields are clear.

The cardiac shadow appears within normal limits.

Trachea and major bronchi appears normal.

Both costophrenic angles are well maintained.

Bony thorax is unremarkable.

DR. YOGINI SHAH

Helah

DMRD., DNB. (Radiologist)

i ili qualitaria neatthcare PVt. Ltd.


Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG







Patient Name	:	Aditya Prakash				
Sex / Age			Patient ID	:	12980516	
		M / 33Y 5M 13D	Accession No.		PHC.7500309	
Modality		US	Scan DateTime	1		
IPID No	: 9664/24/1501				17-02-2024 13:22:24	
		, - ,, 2001	ReportDatetime	:	17-02-2024 13:30:20	

# USG - WHOLE ABDOMEN

LIVER is normal in size and shows mildly increased echogenicity. Intrahepatic portal and biliary systems are ormal. No focal lesion is seen in liver. Portal vein appears normal.

GALL BLADDER is physiologically distended. Gall bladder reveals normal wall thickness. No evidence of calculi in gall bladder. No evidence of pericholecystic collection. CBD appears normal in caliber.

SPLEEN is normal in size and echogenicity.

BOTH KIDNEYS are normal in size and echogenicity. The central sinus complex is normal. No evidence

Right kidney measures 10.3 x 4.7 cm.

Left kidney measures 10.3 x 4.2 cm.

PANCREAS: Head & body of pancreas is unremarkable. Rest of the pancreas is obscured.

URINARY BLADDER is normal in capacity and contour. Bladder wall is normal in thickness. No evidence

PROSTATE is normal in size & echogenicity. It measures ~ 12 cc in volume.

No evidence of ascites.

# **IMPRESSION:**

Grade I fatty infiltration of liver.

DR. KUNAL NIGAM M.D. (Radiologist)