

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr. VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:52
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 08:37:42
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 09:10:41
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 13:13:08
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF HAEMATOLOGY

MEDI	WHEEL BANK OF E	SARODA MAI F	ABOVE 40 YRS	
Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , BI	lood			
Blood Group	В			
Rh ( Anti-D)	POSITIVE			
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin	14.50	g/dl	1 Day- 14.5-22.5 g/dl	
		9, 01	1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	5,300.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC	5,500.00	/ cu mm	4000-10000	
	50.00	0/		
Polymorphs (Neutrophils )	52.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	40.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	16.00	Mm for 1st hr.		
Corrected	10.00	Mm for 1st hr.	< 9	
PCV (HCT)	44.00	%	40-54	
Platelet count				
Platelet Count	1.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	54.70	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.21	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.53	Mill./cu mm	4 2-5 5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)	1.00		12 010	







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name	: Mr. VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:52
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 08:37:42
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 09:10:41
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 13:13:08
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# **DEPARTMENT OF HAEMATOLOGY**

# MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
MCV	95.00	fl	80-100	CALCULATED PARAMETER
MCH	32.10	pg	28-35	CALCULATED PARAMETER
MCHC	33.80	%	30-38	CALCULATED PARAMETER
RDW-CV	11.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	42.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,756.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	159.00	/cu mm	40-440	

Dr. Shoaib Irfan (MBBS, MD, PDCC)

Page 2 of 14





1800-419-0002



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:53
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 13:35:22
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 14:52:20
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 15:50:05
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
<b>GLUCOSE FASTING</b> , <i>Plasma</i> Glucose Fasting	126.80	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ <b>126 Diabetes</b>	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP Sample:Plasma After Meal	117.10	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Dr. Shoaib Irfan (MBBS, MD, PDCC)

Page 3 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr. VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:54
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 08:37:42
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 12:06:12
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 13:41:43
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C) ** ,	FDTA BLOOD			
Glycosylated Haemoglobin (HbA1c) Glycosylated Haemoglobin (HbA1c) Estimated Average Glucose (eAG)	6.10 43.00 128	% NGSP mmol/mol/IFCC mg/dl	2	HPLC (NGSP)

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

ISO 9001:2015

Page 4 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:54
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 08:37:42
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 12:06:12
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 13:41:43
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:54
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 08:37:42
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 10:12:24
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 11:31:45
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	7.44	mg/dL	7.0-23.0	CALCULATED
<b>Creatinine</b> Sample:Serum	1.09	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20-275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum	3.45	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	30.40	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	26.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	25.10	IU/L	11-50	<b>OPTIMIZED SZAZING</b>
Protein	6.96	gm/dl	6.2-8.0	BIURET
Albumin	4.47	gm/dl	3.4-5.4	B.C.G.
Globulin	2.49	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.80		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	91.58	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.91	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.71	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	1.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	203.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	63.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	118	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima	
		یر ۱	130-159 Borderline High 160-189 High > 190 Very High	
VLDL	21.48	mg/dl	10-33	CALCULATED
Triglycerides	107.40	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr. VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:54
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 08:37:42
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 10:12:24
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 11:31:45
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

Dr. Shoaib Irfan (MBBS, MD, PDCC)

Page 7 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:54
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 14:18:32
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 14:26:16
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 16:22:03
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RINE EXAMINATION, ROUTINE *	, Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.010			
Reaction PH	Neutral (7.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		,	10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
Sugai	ADJLINI	y111570	< 0.5 (+) 0.5-1.0 (++)	DIFJIICK
			1-2 (+++)	
			>2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT		1.1.1	
Vicroscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
	A Contract of the second			EXAMINATION
Pus cells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Othors	ΛΟΟΓΝΙΤ			EXAMINATION
Others	ABSENT			
JGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
ntownwotations				

### Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5\text{-}1.0 \\ (+++) & 1\text{-}2 \\ (++++) & > 2 \end{array}$ 

Page 8 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:54
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 14:18:32
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 14:26:16
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 16:22:03
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation:         (+)       < 0.5 gms%				
		22		

Dr. Shoaib Irfan (MBBS, MD, PDCC)

. Page 9 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:54
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 08:37:41
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 11:51:18
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 12:59:16
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
<b>PSA (Prostate Specific Antigen), Total</b> ** Sample:Serum	0.410	ng/mL	< 2.0	CLIA	

#### **Interpretation:**

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone<sup>-</sup>
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

#### THYROID PROFILE - TOTAL \*\* , Serum

T3, Total (tri-iodothyronine)	156.63	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	9.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.28	μlU/mL	0.27 - 5.5	CLIA

### Interpretation:

0.3-4.5	µIU/mL	First Trimester	
0.5-4.6	µIU/mL	Second Trimester	
0.8-5.2	µIU/mL	Third Trimester	
0.5-8.9	µIU/mL	Adults 55-87 Yea	ars
0.7-27	µIU/mL	Premature 28-36 W	/eek
2.3-13.2	µIU/mL	Cord Blood $> 37W$	'eek
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)	
1-39	µIU/mL	Child 0-4 Days	S
1.7-9.1	µIU/mL	Child 2-20 Wee	k

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:54
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: 08/Jul/2023 08:37:41
UHID/MR NO	: CHDE.0000023422	Received	: 08/Jul/2023 11:51:18
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 12:59:16
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Anupam Singh (MBBS MD Pathology)

Page 11 of 14





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr. VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:55
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: N/A
UHID/MR NO	: CHDE.0000023422	Received	: N/A
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 10:54:42
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF X-RAY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

# X-RAY DIGITAL CHEST PA \* (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

# **DIGITAL CHEST P-A VIEW**

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

# **IMPRESSION:** NORMAL SKIAGRAM

Dr. Anil Kumar Verma (MBBS,DMRD)

Page 12 of 14







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr.VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:55
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: N/A
UHID/MR NO	: CHDE.0000023422	Received	: N/A
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 10:11:48
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

#### LIVER

- Liver is mildly enlarged in size (~ 152 mm) with grade-I fatty changes with few areas of focal fat sparing.
- The intra-hepatic biliary radicles are normal.
- Portal vein is normal in caliber.

### GALL BLADDER & CBD

- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic. No wall thickening or pericholecystic fluid noted.
- Visualised proximal common bile duct is normal in caliber.

#### PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

#### **KIDNEYS**

- Both the kidneys are normal in size and echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

### **SPLEEN**

• The spleen is normal in size and has a normal homogenous echo-texture.

#### LYMPH NODES

• No significant lymph node noted.



Page 13 of 14



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mr. VED PRAKASH SRIVASTAVA	Registered On	: 08/Jul/2023 08:28:55
Age/Gender	: 48 Y 0 M 21 D /M	Collected	: N/A
UHID/MR NO	: CHDE.0000023422	Received	: N/A
Visit ID	: IDCD0153212324	Reported	: 08/Jul/2023 10:11:48
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### URINARY BLADDER

- Urinary bladder is partially distended. Bladder wall is normal in thickness and is regular.
- Pre void urine volume is ~ 110 cc.
- Post void residual urine volume is ~ 12 cc. (Adv: Urine routine microscopy to rule out UTI).

### PROSTATE

• Prostate is normal in size & measures ~ 17.5 grams.

### **IMPRESSION**

- Mild hepatomegaly with grade-I fatty changes in liver.
- Post void residual urine volume of ~ 12 cc. (Adv: Urine routine microscopy to rule out UTI).

Report prepared by- shanaya

## Dr. Anil Kumar Verma

### **MBBS, DMRD**

(This report is a professional opinion & not a diagnosis. Kindly intimate us immediately or within 7 days for any reporting / typing error or any query regarding sonographic correlation of clinical findings)

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow: STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)



Dr. Anil Kumar Verma (MBBS,DMRD)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location

Page 14 of 14



