









**DIAGNOSTIC REPORT** 

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

	Ema	ail : custo	mercare.pitampura@srl.in	
PATIENT NAME : PRAMOD KUMAR			PATIENT ID : PRAM	IM15128862
ACCESSION NO : 0062WB00299 AGE :	34 Years SEX : Male		ABHA NO :	
_	/ED: 25/02/2023 08:58		REPORTED : 27/02/2023 14:5	5
REFERRING DOCTOR : SELF			CLIENT PATIENT ID:	
Test Report Status <u>Final</u>	Results		Biological Reference Interva	al Units
BASOPHILS	0		0 - 2	%
METHOD : MICROSCOPIC EXAMINATION				
ABSOLUTE NEUTROPHIL COUNT	2.87		2.0 - 7.0	thou/µL
METHOD : CALCULATED PARAMETER				<i>,</i> ,
ABSOLUTE LYMPHOCYTE COUNT	1.86		1 - 3	thou/µL
METHOD : CALCULATED PARAMETER				,
ABSOLUTE MONOCYTE COUNT	0.37		0.20 - 1.00	thou/µL
METHOD : CALCULATED PARAMETER				,
ABSOLUTE EOSINOPHIL COUNT	0.21		0.02 - 0.50	thou/µL
METHOD : CALCULATED PARAMETER				71
ABSOLUTE BASOPHIL COUNT	0	Low	0.02 - 0.10	thou/µL
METHOD : CALCULATED PARAMETER				,
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.5			
METHOD : CALCULATED PARAMETER				
ERYTHROCYTE SEDIMENTATION RATE (ES BLOOD	SR),WHOLE			
E.S.R	06		0 - 14	mm at 1 hr
METHOD : WESTERGREN METHOD				
GLUCOSE FASTING, FLUORIDE PLASMA				
FBS (FASTING BLOOD SUGAR)	101		74 - 106	mg/dL
METHOD : HEXOKINASE				5.
GLYCOSYLATED HEMOGLOBIN(HBA1C), E BLOOD	DTA WHOLE			
HBA1C	5.2		Non-diabetic Adult < 5.7 Pre-diabetes 5.7 - 6.4 Diabetes diagnosis: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
METHOD : HPLC			- /	
ESTIMATED AVERAGE GLUCOSE(EAG)	102.5		< 116.0	mg/dL
GLUCOSE, POST-PRANDIAL, PLASMA				
PPBS(POST PRANDIAL BLOOD SUGAR)	105		70 - 140	mg/dL
LIPID PROFILE, SERUM				2.
CHOLESTEROL, TOTAL	158		Desirable: <200 BorderlineHigh : 200-239 High : > or = 240	mg/dL
METHOD : CHOLESTEROL OXIDASE, ESTERASE PEROXIDAS	F			

METHOD : CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE





I	allent Ref. No. 77500000245900	<u> </u>	
CLIENT CODE: C000138376			Diagnostics
CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEN F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030	EL)	SRL Ltd PLOT NO.160,POCKET D-11 SECTOR 8, R	OHINI
DELHI INDIA 8800465156		NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in	
PATIENT NAME : PRAMOD KUMA	R	PATIENT ID :	PRAMM15128862
ACCESSION NO : 0062WB00299	AGE: 34 Years SEX: Mal	e ABHA NO :	
DRAWN :	RECEIVED : 25/02/2023 08:5	58 REPORTED : 27/02/20	23 14:55
REFERRING DOCTOR : SELF		CLIENT PATIENT ID	):
Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
TRIGLYCERIDES	135	Desirable: < 150 Borderline High: 150 - High: 200 - 499 Very High : > or = 500	
METHOD : ENZYMATIC, END POINT		, 2	
HDL CHOLESTEROL	35	Low < 40 Low > or = 60 High	mg/dL
METHOD : DIRECT MEASURE POLYMER-POLYAN	IION		
CHOLESTEROL LDL	96	Adult levels: Optimal < 100 Near optimal/above op 129	mg/dL timal: 100-
		Borderline high : 130-1 High : 160-189 Very high : = 190	59
NON HDL CHOLESTEROL	123	Desirable: Less than 13 Above Desirable: 130 - Borderline High: 160 - High: 190 - 219 Very high: > or = 220	159
METHOD : CALCULATED			
VERY LOW DENSITY LIPOPROTEIN	27.0		mg/dL
CHOL/HDL RATIO	4.5		

2.7

Patient Ref. No. 77500002439065



LDL/HDL RATIO

**DIAGNOSTIC REPORT** 

0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk





CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID:
DRAWN :	RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
ACCESSION NO : 0062WB00299	AGE: 34 Years SEX: Male	ABHA NO :
PATIENT NAME : PRAMOD KUMA	NR	PATIENT ID : <b>PRAMM15128862</b>

### Interpretation(s)

1) Cholesterol levels help assess the patient risk status and to follow the progress of patient under treatment to lower serum cholesterol concentrations.

2) Serum Triglyceride (TG) are a type of fat and a major source of energy for the body. Both quantity and composition of the diet impact on plasma triglyceride concentrations. Elevations in TG levels are the result of overproduction and impaired clearance. High TG are associated with increased risk for CAD (Coronary artery disease) in patients with other risk factors, such as low HDL-C, some patient groups with elevated apolipoprotein B concentrations, and patients with forms of LDL that may be particularly atherogenic.

3)HDL-C plays a crucial role in the initial step of reverse cholesterol transport, this considered to be the primary atheroprotective function of HDL

4) LDL -C plays a key role in causing and influencing the progression of atherosclerosis and, in particular, coronary sclerosis. The majority of cholesterol stored in atherosclerotic plaques originates from LDL, thus LDL-C value is the most powerful clinical predictor.

5)Non HDL cholesterol: Non-HDL-C measures the cholesterol content of all atherogenic lipoproteins, including LDL hence it is a better marker of risk in both primary and secondary prevention studies. Non-HDL-C also covers, to some extent, the excess ASCVD risk imparted by the sdLDL, which is significantly more atherogenic than the normal large buoyant particles, an elevated non-HDL-C indirectly suggests greater proportion of the small, dense variety of LDL particles

Serum lipid profile is measured for cardiovascular risk prediction.Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

### Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

<b>Risk Category</b>			
Extreme risk group	A.CAD with > 1 feature of high risk group		
	B. CAD with $> 1$ feature of Very high risk	group or recurrent ACS (within 1 year) despite LDL-C	
	< or $=$ 50 mg/dl or polyvascular disease		
Very High Risk	1. Established ASCVD 2. Diabetes with 2	major risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolem	ia	
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end		
	organ damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6.		
	Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid		
	plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk F	actors	
1. Age $>$ or $=$ 45 years in males and $>$ or $=$ 55 years in females 3. Current Cigarette smoking or tobacco use		3. Current Cigarette smoking or tobacco use	
2. Family history of premature ASCVD 4. High blood pressure			
5. Low HDL			
Newer treatment goals	s and statin initiation thresholds based on t	he risk categories proposed by LAI in 2020.	

 Risk Group
 Treatment Goals
 Consider Drug Therapy









Units

# CLIENT CODE : C000138376

**DIAGNOSTIC REPORT** 

**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

**Biological Reference Interval** 

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

#### PATIENT NAME : PRAMOD KUMAR PATIENT ID: PRAMM15128862 ACCESSION NO : 0062WB00299 AGE: 34 Years SEX: Male ABHA NO : RECEIVED : 25/02/2023 08:58 27/02/2023 14:55 DRAWN : **REPORTED** : CLIENT PATIENT ID:

Results

## REFERRING DOCTOR : SELF

Test Report Status **Final** 

LDL-C (mg/dl) Non-HDL (mg/dl) LDL-C (mg/dl) Non-HDL (mg/dl) Extreme Risk Group <50 (Optional goal < 80 (Optional goal >OR = 50>OR = 80Category A < OR = 30) < OR = 60)Extreme Risk Group < OR = 30< OR = 60> 30 >60 Category B Very High Risk <50 <80 >OR= 50 >OR= 80 <70 High Risk <100 >OR= 70 >OR = 100Moderate Risk <100 <130 >OR=100 >OR = 130Low Risk <100 <130 >OR=130\* >OR = 160

\*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

### LIVER FUNCTION PROFILE, SERUM

_					
В	ILIRUBIN, TOTAL	1.44	High	0.0 - 1.2	mg/dL
	METHOD : DIAZONIUM ION, BLANKED (ROCHE)				
В	ILIRUBIN, DIRECT	0.41	High	0.0 - 0.2	mg/dL
	METHOD : DIAZONIUM ION, BLANKED (ROCHE)				
В	ILIRUBIN, INDIRECT	1.03	High	0.00 - 1.00	mg/dL
	METHOD : CALCULATED PARAMETER				
T	OTAL PROTEIN	7.2		6.4 - 8.3	g/dL
A	LBUMIN	4.5		3.50 - 5.20	g/dL
	METHOD : BROMOCRESOL PURPLE				
G	IOBULIN	2.7		2.0 - 4.1	g/dL
	METHOD : CALCULATED PARAMETER				
А	LBUMIN/GLOBULIN RATIO	1.7		1.0 - 2.0	RATIO
	METHOD : CALCULATED PARAMETER				
A	SPARTATE AMINOTRANSFERASE (AST/SGOT)	21		UPTO 40	U/L
	METHOD : IFCC WITH PYRIDOXAL 5 PHOSPHATE				
А	LANINE AMINOTRANSFERASE (ALT/SGPT)	28		UP TO 45	U/L
	METHOD : UV WITH P5P-IFCC				
A	LKALINE PHOSPHATASE	80		40 - 129	U/L
	METHOD : PNPP, AMP BUFFER-IFCC				
G	AMMA GLUTAMYL TRANSFERASE (GGT)	18		8 - 61	U/L
	METHOD : G-GLUTAMYL-CARBOXY-NITROANILIDE-IFCC				
L	ACTATE DEHYDROGENASE	211		135 - 225	U/L
	METHOD : L TO P, IFCC				

**BLOOD UREA NITROGEN (BUN), SERUM** 









**DIAGNOSTIC REPORT** 

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 9200465156 8800465156

SRL Ltd PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME : PRAMOD KUMA	R	PATIENT ID : PRAMM15128862
ACCESSION NO : 0062WB00299	AGE : 34 Years SEX : Male	ABHA NO :
DRAWN :	RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
REFERRING DOCTOR : SELF		CLIENT PATIENT ID:

### REFERRING DOCTOR : SELF

Test Report Status <u>Final</u>	Results	<b>Biological Reference</b>	Interval Units
BLOOD UREA NITROGEN	8	6 - 20	mg/dL
METHOD : UREASE - UV			
CREATININE, SERUM			
CREATININE	0.72	0.70 - 1.20	mg/dL
METHOD : ALKALINE PICRATE			
BUN/CREAT RATIO			
BUN/CREAT RATIO	11.11	5.0 - 15.0	
URIC ACID, SERUM			
URIC ACID	6.6	3.5 - 7.2	mg/dL
METHOD : URICASE, COLORIMETRIC			
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN	7.2	6.4 - 8.3	g/dL
METHOD : BIURET			-
ALBUMIN, SERUM			
ALBUMIN	4.5	3.5 - 5.2	g/dL
METHOD : BROMOCRESOL PURPLE (BCP) DYE-BINDING			-
GLOBULIN			
GLOBULIN	2.7	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER			
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	138	136- 145	mmol/L
METHOD : ISE INDIRECT			
POTASSIUM, SERUM	3.93	3.50- 5.10	mmol/L
METHOD : ISE INDIRECT			
CHLORIDE, SERUM	102	98 - 107	mmol/L
METHOD : ISE INDIRECT			









**DIAGNOSTIC REPORT** 

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd			
PLOT NO.160	,POCKET D-11	SECTOR 8	, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

#### PATIENT ID: PRAMM15128862 **PATIENT NAME : PRAMOD KUMAR** 0062WB00299 ACCESSION NO : AGE: 34 Years SEX : Male ABHA NO : a RECEIVED : 25/02/2023 08:58 REPORTED : 27/02/2023 14:55 DRAWN : REFERRING DOCTOR : SELF CLIENT PATIENT ID: **Test Report Status Final** Results Biological Reference Interval Units

### Interpretation(s)

Sodium	Potassium	Chloride
Decreased in: CCF, cirrhosis,	Decreased in: Low potassium	Decreased in: Vomiting, diarrhea,
vomiting, diarrhea, excessive	intake, prolonged vomiting or diarrhea,	renal failure combined with salt
sweating, salt-losing	RTA types I and II,	deprivation, over-treatment with
nephropathy, adrenal insufficiency,	hyperaldosteronism, Cushing's	diuretics, chronic respiratory acidosis
nephrotic syndrome, water	syndrome,osmotic diuresis (e.g.,	diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs:	hyperglycemia),alkalosis, familial	sweating, SIADH, salt-losing
thiazides, diuretics, ACE inhibitors,	periodic paralysis,trauma	nephropathy, porphyria, expansion of
chlorpropamide, carbamazepine, anti	(transient).Drugs: Adrenergic agents,	extracellular fluid volume,
depressants (SSRI), antipsychotics.	diuretics.	adrenalinsufficiency,
		hyperaldosteronism, metabolic
		alkalosis. Drugs: chronic
		laxative,corticosteroids, diuretics.
Increased in: Dehydration	Increased in: Massive hemolysis,	Increased in: Renal failure, nephrotic
(excessivesweating, severe	severe tissue damage, rhabdomyolysis,	syndrome, RTA, dehydration,
vomiting or diarrhea),diabetes	acidosis, dehydration,renal failure,	overtreatment with
mellitus, diabetesinsipidus,	Addison's disease, RTA type IV,	saline, hyperparathyroidism, diabetes
hyperaldosteronism, inadequate	hyperkalemic familial periodic	insipidus, metabolic acidosis from
water intake. Drugs: steroids,	paralysis. Drugs: potassium salts,	diarrhea (Loss of HCO3-), respiratory
licorice,oral contraceptives.	potassium- sparing diuretics,NSAIDs,	alkalosis, hyperadrenocorticism.
	beta-blockers, ACE inhibitors, high-	Drugs: acetazolamide,androgens,
	dose trimethoprim-sulfamethoxazole.	hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or	Interferences: Hemolysis of sample,	Interferences:Test is helpful in
hyperproteinemi, if sodium analysis	delayed separation of serum,	assessing normal and increased anion
involves a dilution step can cause	prolonged fist clenching during blood	gap metabolic acidosis and in
spurious results. The serum sodium	drawing, and prolonged tourniquet	distinguishing hypercalcemia due to
falls about 1.6 mEq/L for each 100	placement. Very high WBC/PLT counts	hyperparathyroidism (high serum
mg/dL increase in blood glucose.	may cause spurious. Plasma potassium	chloride) from that due to malignancy
	levels are normal.	(Normal serum chloride)

PALE YELLOW	
CLEAR	
6.0	4.7 - 7.5
1.005	1.003 - 1.035
NOT DETECTED	NOT DETECTED
NOT DETECTED	NOT DETECTED
NOT DETECTED	NOT DETECTED
	CLEAR 6.0 1.005 NOT DETECTED NOT DETECTED











**DIAGNOSTIC REPORT** 

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 @orl in

Email : customercare.pitampura@srl.in			
PATIENT NAME : PRAMOD KUMAR		PATIENT ID :	PRAMM15128862
ACCESSION NO : 0062WB00299 AGE	: 34 Years SEX : Male	ABHA NO :	
DRAWN : RE	CEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023	3 14:55
REFERRING DOCTOR : SELF		CLIENT PATIENT ID:	
Test Report Status <u>Final</u>	Results	Biological Reference In	iterval Units
METHOD : DIPSTICK / MANUAL			
BLOOD	NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK			
BILIRUBIN	NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK / MANUAL			
UROBILINOGEN	NORMAL	NORMAL	
METHOD : DIPSTICK / MANUAL			
NITRITE	NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK			
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK			
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION			
PUS CELL (WBC'S)	0-1	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			
EPITHELIAL CELLS	0-1	0-5	/HPF
METHOD : MICROSCOPY			
CASTS	NOT DETECTED		
METHOD : MICROSCOPY			
CRYSTALS	NOT DETECTED		
METHOD : MICROSCOPY			
BACTERIA	NOT DETECTED	NOT DETECTED	

BACTERIA NOT DETECTED NOT DETECTED YEAST NOT DETECTED NOT DETECTED METHOD : MICROSCOPY NOTE:- MICROSCOPIC EXAMINATION OF URINE IS PERFORMED BY REMARKS CENTRIFUGE URINARY SEDIMENT.

METHOD : MANUAL









**DIAGNOSTIC REPORT** 

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

Test Report Statu	ıs <u>Final</u>	Results	Biological Reference Interval Units
REFERRING DOCTOR	R: SELF		CLIENT PATIENT ID :
DRAWN :		RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
ACCESSION NO : 0	062WB00299	AGE : 34 Years SEX : Male	ABHA NO :
PATIENT NAME :	PRAMOD KUMAR	R	PATIENT ID : <b>PRAMM15128862</b>

### Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions	
Proteins	Inflammation or immune illnesses	
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind	
	of kidney impairment	
Glucose	Diabetes or kidney disease	
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst	
Urobilinogen	Liver disease such as hepatitis or cirrhosis	
Blood	Renal or genital disorders/trauma	
Bilirubin	Liver disease	
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary	
	tract infection and glomerular diseases	
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either	
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by	
	genital secretions	
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or	
	bladder catheters for prolonged periods of time	
~ 1 ~		
Granular Casts Low intratubular pH, high urine osmolality and sodium con		
	interaction with Bence-Jones protein	
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal	
	diseases	
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous	
	infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl	
oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of		
	ethylene glycol or of star fruit (Averrhoa carambola) or its juice	
Uric acid	arthritis	
Bacteria	Urinary infection when present in significant numbers & with pus cells.	
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis	
HYROID PANEL, SERUM		

Т3	143.80	80.0 - 200.0	ng/dL
T4	9.75	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE)	3.200	0.270 - 4.200	µIU/mL









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN :	RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
ACCESSION NO : 0062WB00299	AGE: 34 Years SEX: Male	ABHA NO :
PATIENT NAME : PRAMOD KUM	PATIENT ID : <b>PRAMM15128862</b>	

### Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	ТЅН	Total T4	FT4	Total T3	Possible Conditions	
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)	
					Post Thyroidectomy (4) Post Radio-Iodine treatment	
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid	
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto	
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical	
					inflammation, drugs like amphetamines, Iodine containing drug and	
					dopamine antagonist e.g. domperidone and other physiological reasons.	
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism	
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre	
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid	
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4	
					replacement therapy (7) First trimester of Pregnancy	
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism	
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor	
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent	
					treatment for Hyperthyroidism	
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness	
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies	

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. **NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

#### PHYSICAL EXAMINATION, STOOL

METHOD : TUBE AGGLUTINATION

SAMPLE NOT RECEIVED

### ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

COLOUR

TYPE B

Scan to View Details







**DIAGNOSTIC REPORT** 

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd	
PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI	

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME : PRAMOD KUMAR		PATIENT ID : <b>PRAMM15128862</b>
ACCESSION NO : 0062WB00299 A	GE: 34 Years SEX: Male	ABHA NO :
DRAWN :	RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
RH TYPE	POSITIVE	
XRAY-CHEST		
»»	BOTH THE LUNG FIELDS	
»»		C AND CARIOPHRENIC ANGELS ARE CLEAR
»»	BOTH THE HILA ARE NOR	
»»		HADOWS APPEAR NORMAL
»»		E DIAPHRAM ARE NORMAL
»»	VISUALIZED BONY THOR	
IMPRESSION	NO ABNORMALITY DETEC	TED
TMT OR ECHO		
TMT OR ECHO	NEGATIVE	
ECG		
ECG	WITHIN NORMAL LIMITS	
MEDICAL HISTORY		
RELEVANT PRESENT HISTORY	NOT SIGNIFICANT	
RELEVANT PAST HISTORY	NOT SIGNIFICANT	
RELEVANT PERSONAL HISTORY	MARRIED, 02 CHILD, NO	
RELEVANT FAMILY HISTORY	BOTH PARENTS- HIGH BL	OOD PRESSURE.
OCCUPATIONAL HISTORY	BANKER.	
HISTORY OF MEDICATIONS	NOT SIGNIFICANT	
ANTHROPOMETRIC DATA & BMI		
HEIGHT IN METERS	1.71	mts
WEIGHT IN KGS.	79.90	Kgs
BMI	27	BMI & Weight Status as follows: kg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese
GENERAL EXAMINATION		
MENTAL / EMOTIONAL STATE	NORMAL	
PHYSICAL ATTITUDE	NORMAL	
GENERAL APPEARANCE / NUTRITIONAL	STATUS HEALTHY	


AVERAGE



**BUILT / SKELETAL FRAMEWORK** 









**DIAGNOSTIC REPORT** 

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 9200465156 8800465156

SRL Ltd PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

Email : customercare.pitampura@srl.in			
PATIENT NAME : PRAMOD KUMAR		PATIENT ID :	PRAMM15128862
ACCESSION NO : 0062WB00299 AGE : 34	4 Years SEX : Male	ABHA NO :	
	D: 25/02/2023 08:58	REPORTED : 27/02/2023	14:55
REFERRING DOCTOR : SELF		CLIENT PATIENT ID:	
Test Report Status <u>Final</u>	Results	Biological Reference In	terval Units
ACIAL APPEARANCE	NORMAL		
SKIN	NORMAL		
JPPER LIMB	NORMAL		
_OWER LIMB	NORMAL		
NECK	NORMAL		
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TE	NDER	
THYROID GLAND	NOT ENLARGED		
CAROTID PULSATION	NORMAL		
BREAST (FOR FEMALES)	NORMAL		
TEMPERATURE	NORMAL		
PULSE	78/MIN REGULAR, ALL BRUIT	PERIPHERAL PULSES WELL FEL	Τ, NO CAROΠD
RESPIRATORY RATE	NORMAL		
CARDIOVASCULAR SYSTEM			
3P	147/83 MM HG (SITTING)		mm/Hg
PERICARDIUM	NORMAL		
APEX BEAT	NORMAL		
HEART SOUNDS	S1, S2 HEARD NORMA	LLY	
MURMURS	ABSENT		
RESPIRATORY SYSTEM			
SIZE AND SHAPE OF CHEST	NORMAL		
MOVEMENTS OF CHEST	SYMMETRICAL		
BREATH SOUNDS INTENSITY	NORMAL		
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)		
ADDED SOUNDS	ABSENT		
PER ABDOMEN			
APPEARANCE	NORMAL		
/ENOUS PROMINENCE	ABSENT		
IVER	NOT PALPABLE		
SPLEEN	NOT PALPABLE		
HERNIA	ABSENT		
ANY OTHER COMMENTS	NIL		







Patient Ref. No. 775000002439065



# CLIENT CODE : C000138376

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 9200465156 8800465156

SRL Ltd PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME : PRAMOD KUMAR PATIENT ID : PRAMM15128862				
ACCESSION NO : 0062WB00299	AGE : 34 Years SEX : Male	ABHA NO :		
DRAWN :	RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55		
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :		
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units		
HIGHER FUNCTIONS	NORMAL			

HIGHER FUNCTIONS	NORMAL
CRANIAL NERVES	NORMAL
CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL
MUSCULOSKELETAL SYSTEM	
SPINE	NORMAL
JOINTS	NORMAL
BASIC EYE EXAMINATION	
CONJUNCTIVA	NORMAL
EYELIDS	NORMAL
EYE MOVEMENTS	NORMAL
CORNEA	NORMAL
DISTANT VISION RIGHT EYE WITHOUT GLASSES	6/6
DISTANT VISION LEFT EYE WITHOUT GLASSES	6/6
NEAR VISION RIGHT EYE WITHOUT GLASSES	N/6
NEAR VISION LEFT EYE WITHOUT GLASSES	N/6
COLOUR VISION	NORMAL
BASIC ENT EXAMINATION	
EXTERNAL EAR CANAL	NORMAL
TYMPANIC MEMBRANE	NORMAL
NOSE	NO ABNORMALITY DETECTED
SINUSES	NORMAL
THROAT	NORMAL
TONSILS	NOT ENLARGED
BASIC DENTAL EXAMINATION	
TEETH	OTHERS
GUMS	HEALTHY
ANY OTHER COMMENTS	ADV- FILLINGS.
SUMMARY	
RELEVANT HISTORY	NOT SIGNIFICANT
RELEVANT GP EXAMINATION FINDINGS	NOT SIGNIFICANT









**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

PATIENT NAME : PRAMOD KUMAR PATIENT ID : PRAMM15128862			
ACCESSION NO :	0062WB00299	AGE: 34 Years SEX: Male	ABHA NO :
DRAWN :		RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
REFERRING DOCT	OR: SELF		CLIENT PATIENT ID:
Test Report Sta	tus <u>Final</u>	Results	Biological Reference Interval Units
RELEVANT LAB I	NVESTIGATIONS	WITHIN NORMAL LIMITS	
RELEVANT NON PATHOLOGY DIAGNOSTICS		NO ABNORMALITIES DET	ECTED

**REMARKS / RECOMMENDATIONS** 

DENTAL TREATMENT

**FITNESS STATUS** 

FITNESS STATUS

FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)

#### Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-**TEST DESCRIPTION** :-Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION** 

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Estrogen medication, Aging. Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. **Decreased** in: Polycythermia vera, Sickle cell anemia

#### LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

#### salicylates)

REFERENCE

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition. GLUCOSE FASTING, FLUORIDE PLASMA-**TEST DESCRIPTION** 

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

#### Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Decreased in Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia), Drugs- insulin,









**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )

**DIAGNOSTIC REPORT** 

F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID :
DRAWN :	RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
ACCESSION NO : 0062WB00299	AGE: 34 Years SEX: Male	ABHA NO :
PATIENT NAME : PRAMOD KUN	IAR	PATIENT ID : <b>PRAMM15128862</b>

ethanol, propranolol sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals.Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic

index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2.Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes). The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 2. eAG gives an evaluation of blood glucose levels for the last couple of months.
 3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

#### HbA1c Estimation can get affected due to :

anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

III.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin. III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia,uremia, hyperbilirubinemia, chronic alcoholism,chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

IV.Interference of hemoglobinopathies in HbA1c estimation is seen in a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.) c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is

CHDF > 25% on alternate pattern (Boronate animity chromatography) is recommended for testing of HDA1C.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobin electrophoresis (HPLC method) is GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE Billrubin is a vellowish pigment found in bile and is a breakdown product of normal heme catabolism. Billrubin is excreted in bile and urine, and elevated levels may give

yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin keen there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis.obstruction of bile ducts.cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget"""'s disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson"""'s disease.GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and source of normal enzyme activity.Serum GGT has been widely used as an index of liver dysfunction.Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas.Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom""""s

disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome,Protein-losing enteropathy etc.Human serum albumin is the most abundant protein in human blood plasma.It is produced in the liver.Albumin constitutes about half of the blood security protein Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome,protein-losing

enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH. CREATININE, SERUM-Higher than normal level may be due to:

Blockage in the urinary tract
Kidney problems, such as kidney damage or failure, infection, or reduced blood flow

Loss of body fluid (dehydration)

Muscle problems, such as breakdown of muscle fibers


• Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)



Scan to View Details

Page 15 Of 18 Цġ ⊡K°2¥ Scan to View Report







DIAGNOSTIC REPORT

**CLIENT'S NAME AND ADDRESS :** ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160, POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

Test Report Status	Final	Results	Biological Reference Interval Units
REFERRING DOCTOR :	SELF		CLIENT PATIENT ID :
DRAWN :		RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
ACCESSION NO : 006	52WB00299	AGE : 34 Years SEX : Male	ABHA NO :
PATIENT NAME : PR	RAMOD KUMAR	2	PATIENT ID : PRAMM15128862

Lower than normal level may be due to:

Mvasthenia Gravis

Muscular dystrophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome

#### Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

MEDICAL

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history as well as the comprehensiveness of the diagnostic panel which has been requested for . These are then further correlated with details of the job under consideration to eventually fit the right man to the right job. Basis the above, SRL classifies a candidate's Fitness Status into one of the following categories:

• Fit (As per requested panel of tests) – SRL Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.

• Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician's consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job. • Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly

elevated blood sugars, etc. • Unfit (As per requested panel of tests) - An unfit report by SRL Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

Test Report Status Final	Results	Units
REFERRING DOCTOR : SELF		CLIENT PATIENT ID:
DRAWN :	RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
ACCESSION NO : 0062WB00299	AGE : 34 Years SEX : Male	ABHA NO :
PATIENT NAME : PRAMOD KUI	1AR	PATIENT ID : <b>PRAMM15128862</b>

## MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

# ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN

# **ULTRASOUND WHOLE ABDOMEN**

Liver is normal in size, outline & normal echotexture. No obvious focal parenchymal lesion/biliary dilatation is seen. Hepatic veins and portal venous radicals are normal.

Gall bladder well distended and reveals an echo-free lumen. No wall edema is seen.

No evidence of any calculus, mass lesion or any other abnormality is seen in gall bladder.

Common bile duct is not dilated. Portal vein is normal in course and caliber.

Pancreas

Pancreas is normal in size, outline and echotexture. No evidence of any focal lesion or calcification is seen. Pancreatic duct is not dilated.

Spleen

Spleen is normal in size, outline and echotexture .No focal lesion/ calcification is seen.

Kidneys

Both kidneys are normal in size, outline and echotexture. Corticomedullary differentiation is well maintained. Parenchymal thickness is normal. No mass lesion, calculus or hydronephrosis is seen.

No significant retroperitoneal lymphadenopathy/ascites is seen.

Urinary Bladder

Urinary bladder is well distended with normal outline.

Prostate

Prostate is normal in size.

Correlate clinically









**DIAGNOSTIC REPORT** 

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd PLOT NO.160,POCKET D-11 SECTOR 8, ROHINI

NEW DELHI, 110085 NEW DELHI, INDIA Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.pitampura@srl.in

ACCESSION NO : 0062WB00299	AGE : 34 Years SEX : Male	ABHA NO :
• DRAWN :	RECEIVED : 25/02/2023 08:58	REPORTED : 27/02/2023 14:55
REFERRING DOCTOR : SELF		CLIENT PATIENT ID:
Test Report Status <u>Final</u>	Results	Units

\*\*End Of Report\*\*

Please visit www.srlworld.com for related Test Information for this accession

K. I. Prejapati

Dr. Kamlesh I Prajapati Consultant Pathologist

### CONDITIONS OF LABORATORY TESTING & REPORTING

 It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
 All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
 Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment

breakdown / natural calamities / technical downtime or any other unforeseen event.

4. A requested test might not be performed if:

i. Specimen received is insufficient or inappropriate

ii. Specimen quality is unsatisfactory

iii. Incorrect specimen type

iv. Discrepancy between identification on specimen container label and test requisition form

5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.

6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.

7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

8. Test results cannot be used for Medico legal purposes.

9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

91115 91115) Within 48 hours of the

### SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



