
Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





General Physical Examination

Name: NEHN JAIN Age: 35 Sex: Female
DOB: 02 March 1987
Referred By:
Photo ID: ID #: attahed
Ht: 155 (cm) Wt: 59 (Kg)
Chest (Expiration): 81 (cm) Abdomen Circumference: 93 (cm)
Blood Pressure: 120/80 mm Hg PR: 82/min RR: 16/min Temp: Alebique
вмі 24.6.
Eye Examination: Vision Normal 6/6, N/6. No Colouge blandness. Other: vof significant.
Other: vot significant.
On examination he/she appears physically and mentally fit: Yes / No
Signature Of Examine : Name of Examinee:
Signature Of Examine: Name of Examinee: Name of



बैंक ऑफ़ बड़ौदा Bank of Baroda

नाम Name नेहा जैन NEHA JAIN

कर्मचारी कूट क्र.

E.C. No.

168083



Wehyan

धारक के हस्ताक्षर Signature of Holder

जारीकर्ता प्राधिकारी Issuing Authority

Dehr

Dr Piyush Geyal M.B.B.S D.M.R.D RMC Reg 19-017996


ECG

DR.GOYAL PATH LAB & IMAGING CENTER, JAIPUR
3522

/ MS. NEHA JAIN / 35 Yrs / M/ Non Smoker

Heart Rate: 80 bpm / Tested On: 27-Jan-23 11:11:13 / HF 0.05 Hz - LF 35 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s

/ Refd By.: BOB





Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Final Authentication: 27/01/2023 11:01:51

Patient ID :-122229199 Ref. By Doctor:-BOB

Lab/Hosp :-

Date :- 27/01/2023 10:40:45 NAME :- Ms. JAIN NEHA

Sex / Age :- Female 35 Yrs Company :- MediWheel

BOB PACKAGEFEMALE BELOW 40

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression: - Normal Study

(Please correlate clinically and with relevant further investigations)



DR ABHISHEK JAIN MBBS. DNB. (RADIO DIAGNOSIS) RMC NO. 21687

*** End of Report ***

AHSAN

Page No: 1 of 1

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996 Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495 Dr. Ashish Choudhary MBBS, MD (Radio Diagnosis) Fetal Medicine Consultant

Dr. Abhishek JainMBBS, DNB, (Radio-Diagnosis)
RMC No. 21687

Transcript by.

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 27/01/2023 10:40:45

NAME :- Ms. NEHA JAIN 35 Yrs

Sex / Age :- Female

Sample Type :- EDTA

Company :- MediWheel

Patient ID: -122229199

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 27/01/2023 13:13:08

HARMAMOT OGN

Sample Collected Time 27/01/2023 10:44:21

Test Name Value Value				
Test Name	Value	Unit	Biological Ref Interval	
BOB PACKAGEFEMALE BELOW 40				
HAEMOGARAM				
HAEMOGLOBIN (Hb)	11.9 L	g/dL	12.0 - 15.0	
TOTAL LEUCOCYTE COUNT	5.68	/cumm	4.00 - 10.00	
DIFFERENTIAL LEUCOCYTE COUNT			10100	
NEUTROPHIL	58.8	%	40.0 - 80.0	
LYMPHOCYTE	37.5	%	20.0 - 40.0	
EOSINOPHIL	1.1	%	1.0 - 6.0	
MONOCYTE	2.5	%	2.0 - 10.0	
BASOPHIL	0.1	%	0.0 - 2.0	
NEUT#	3.34	10^3/uL	1.50 - 7.00	
LYMPH#	2.13	10^3/uL	1.00 - 3.70	
EO#	0.12	10^3/uL	0.00 - 0.40	
MONO#	0.15	10^3/uL	0.00 - 0.70	
BASO#	0.01	10^3/uL	0.00 - 0.10	
TOTAL RED BLOOD CELL COUNT (RBC)	4.22	x10^6/uL	3.80 - 4.80	
HEMATOCRIT (HCT)	34.90 └	%	36.00 - 46.00	
MEAN CORP VOLUME (MCV)	82.7 L	fL	83.0 - 101.0	
MEAN CORP HB (MCH)	28.3	pg	27.0 - 32.0	
MEAN CORP HB CONC (MCHC)	34.2	g/dL	31.5 - 34.5	
PLATELET COUNT	207	x10^3/uL	150 - 410	
RDW-CV	13.6	%	11.6 - 14.0	
MENTZER INDEX	19.60			

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH Technologist

Page No: 1 of 11




Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 27/01/2023 10:40:45

NAME :- Ms. NEHA JAIN

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Sample Type :- EDTA

Patient ID: -122229199

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 27/01/2023 13:13:08

HAEMATOLOGY

Sample Collected Time 27/01/2023 10:44:21

Test Name Value Biological Ref Interval

Erythrocyte Sedimentation Rate (ESR)

14

mm/hr.

00 - 20

(ESR) Methodology: Measurment of ESR by cells aggregation.

Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

: ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states.

The test in used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR "x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia for connective disease. The connective disease of the connective disease of the connective disease. The connective disease of the connective disease of the connective disease of the connective disease. The connective disease of the connective disease. The connective disease of the

AJAYSINGH Technologist

Page No: 2 of 11



Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 27/01/2023 10:40:45

NAME :- Ms. NEHA JAIN

35 Yrs

Patient ID: -122229199 Ref. By Dr:- BOB

Lab/Hosp :-

Sex / Age :- Female

Company :- MediWheel

Final Authentication: 27/01/2023 14:47:44

Sample Type :- EDTA, KOx/Na FLUORIDE-F, KSamhaleFCbl@RiedETPRe 27FUNE2023 10:44:21

HAEMATOLOGY

Test Name Value Unit Biological Per Interval

BLOOD GROUP ABO

"O" POSITIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone)

FASTING BLOOD SUGAR (Plasma)

Method:- GOD PAP

103.0

mg/dl

75.0 - 115.0

Impaired glucose tolerance (IGT) 111 - 125 mg/dL Diabetes Mellitus (DM) > 126 mg/dL

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

BLOOD SUGAR PP (Plasma)

Method:- GOD PAP

124.7

mg/dl

70.0 - 140.0

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels(hypoglycemia) may result from excessive insulin therapy or various liver diseases .

URINE SUGAR (FASTING) Collected Sample Received

Nil

Nil

AJAYSINGH, SURENDRAKHANGA, VIJENDRAMEENA **Technologist**

Page No: 3 of 11



Dr. Piyush Coyal (D.M.R.D.)

Dr. Rashmi Pakshi Dr. Chanda Gupta

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 27/01/2023 10:40:45

NAME :- Ms. NEHA JAIN

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Patient ID: -122229199

Ref. By Dr:- BOB

Lab/Hosp:-

Sample Type :- STOOL

Sample Collected Time 27/01/2023 10:44:21

Final Authentication: 27/01/2023 12:21:51

CLINICAL PATHOLOGY

Test Name

Value

Unit

Biological Refinterval

STOOL ANALYSIS

PHYSICAL EXAMINATION

MUCUS

BLOOD

MICROSCOPIC EXAMINATION

RBC's

WBC/HPF

OVA

CYSTS

OTHERS Collected Sample Received

/HPF

/HPF

VIJENDRAMEENA Technologist

Page No: 4 of 11



Dr. Chandrilla Gupta MBBS.MD (Path) RMC NO. 21/21/008037

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 27/01/2023 10:40:45

Sample Type :- PLAIN/SERUM

NAME :- Ms. NEHA JAIN

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Patient ID: -122229199

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 27.01/2023 12:09:18

BIOCHEMISTRY

Sample Collected Time 27/01/2023 10:44:21

	DIOCHE		
Test Name	Value	Unit	Biological that Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	154.25	mg/dl	Desirable <200 Borderline 200-239 High> 240
TRIGLYCERIDES Method:- GPO-PAP	104.10	mg/dl	Normal <150 Borderline high 150-199 High 200-4 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	41.75	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	95.15	mg/dl	Optimal <100 Near Optimal/above ontimal 100-129 Borderline High 130-150 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	20.82	mg/di	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	3.69		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	2.28		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	471.69	mg/dl	400.00 - 1000.00

TOTAL CHOLESTEROL InstrumentName: Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism

TRIGLYCERIDES InstrumentName: Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid meadadrons and various endocrine disorders e.g. diabetes methods nephrosis man are obstruction

DIRECT HDLCHOLESTERO InstrumentName Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in second and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessed the risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROLI Instrument Name: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which Impure an injuried reduction to prevent atherosclerosis or reduce its progress and in avoid plaque rupture.

TOTAL LIPID AND VLDL ARE CALCULATED

SURENDRAKHANGA

Page No: 5 of 11



Dr. Cha MBBS.N. (Isaa)

RMC NO 11 008037

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 27/01/2023 10:40:45

NAME :- Ms. NEHA JAIN

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Patient ID: -122229199

Ref. By Dr:- BOB

Lab/Hosp:-

Sample Type :- PLAIN/SERUM

Sample Collected Time 27/01/2023 10:44:21

Final Authentication: 27/01/2023 12:09:18

BIOCHEMISTRY

	DIOCITE	1101111	
Test Name	Value	Unit	Biological la Claferval
LIVER PROFILE WITH GGT SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.47	mg/dl	Up to - 1.0 Cord blood = ? Premature < 6 days < 1. Full-term < 6 days = 12
			1month - <12 months <2 1-19 years <1.5 Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:-Colorimetric Method	0.20	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.27	mg/dl	0.30-0.70
SGOT Method:- IFCC	15.8	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	14.9	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:-AMP Buffer	61.10	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	22.00	U/L	7.00 - 32.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.25	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.36	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.89	gm/dl	2.20 - 3.50
A/G RATIO	1.51		1.30 - 2.50

Total BilirubinMethodology:Colorimetric method InstrumentName Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver or great and a series of the hepatitis B or obstruction of the bile duct and in rhesus incompanies habies High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treat the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC Instrument Nume: Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular destroyers and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidney voices. ALT Alanine Aminotransferase Methodology: IFCCInstrument Name Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, panarians applicen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepanaria dystrophy and organ damage.

TOTAL PROTEIN Methodology: Biuret Reagent Instrum diagnosis and treatment of a variety of diseases involving the

ALBUMIN (ALB) Methodology: Bromocresol Green Instiprimarily the liver or kidneys. Globulin & A/G ratio is calcus-

Instrument Name Randox Rx Imola Interpretation: Elevano

Alkaline Phosphatase Methodology; AMP Buffer Instrument and investigation of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobilary disease and in bone disease associated with increased the obligation activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease

and Randox Rx Imola Interpretation: Measurements obtained by this method are used in the

and bone marrow as well as other metabolic or nutritional disorders.

nioni Same Randox Rx Imola. Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving

and GT levels areseen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal level + subject post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal)

SURENDRAKHANGA

Page No: 6 of 11





Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 27/01/2023 10:40:45 NAME :- Ms. NEHA JAIN

JAIN Ref. By Dr:- BOB

Lab/Hosp :-

Patient ID: -122229199

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Sample Type :- PLAIN/SERUM

imple Collected Time 27/01/2023 10:44:21

Final Authentication : 23 12:09:18

BIOCHEMISTRY

	DIOCINE			
Test Name	Value	Unit	Biologic	Interval
SERUM CREATININE Method:- Colorimetric Method	0.84	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20	
SERUM URIC ACID Method:- Enzymatic colorimetric	4.15	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7	

SURENDRAKHANGA

Page No: 7 of 11



Dr. Cha Gupt

MBBS,NII (1) RMC NO (008037

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 27/01/2023 10:40:45 NAME :- Ms. NEHA JAIN

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Patient ID :-122229199 Ref. By Dr:- BOB

Lab/Hosp :-

Sample Type :- PLAIN/SERUM

imple Collected Time 27/01/2023 10:44:21

Final Authentication: 27413 2023 12:09:18

Control of the Contro

PIOCHEMICENT

Total NI	BIOCHEM	HSTRY		
Test Name	Value	Unit	Biological I	1
DI COD LINE			Biological F	Interval

BLOOD UREA NITROGEN (BUN)

6.7

mg/dl

0.0 - 23.0

SURENDRAKHANGA

Page No: 8 of 11



Dr. Chandriles Gupta MBBS.MD (Pmh) RMC NO. 21621/008037

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 27/01/2023 10:40:45 Date NAME :- Ms. NEHA JAIN

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Patient ID: -122229199

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Type :- EDTA

Sample Collected Time 27/01/2023 10:44:21

Final Authentication: 27/0 23 13:13:08

HAEMATOLOGY

Value

Unit

Biological Par Interval

GLYCOSYLATED HEMOGLORING CHAIC)

Test Name

5.7

Non-diabetic: < 5.7 Pre-diabetics: 5.7-

Diabetics: = 6.5 or , ther ADA Target: 7.0

Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately North at 11bA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the blood cells (RBC) (120 days) and the blood glucose concentration. The GPS concerns an represents the integrated values for glucose as the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unabled by recent exercise or food ingestion. Concerns then of plasmaglucose concentration in GHb depends on the time interval, with more recent sets. providing a larger contribution than earlier which The interpretation of GHbdepends on RBC having a normal life span. Patients with he disease or other conditions with shortened BULL survival exhibit a substantial reduction of GHb.High GHb have been reported in 1100 deanemia. GHb has been firmly established as an areax of long term blood glucose concentrations and as a measure of the risk for the developcomplications in patients with diabetes measure. The absolute risk of retinopathy and nephropathy are directly proportional to them HbA1C.Genetic variants (e.g. 11bS trait, 11bd scard), elevated HbF and chemically modified derivatives of hemoglobin can affect the accurate the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE

Method:- Calculated Parameter

is the specific Hb vatiant or derivative and the specific HbA1c method.

117

mg/dL

Non Diabetic < 100 mg// Prediabetic 105 125

Diabetic 126

AJAYSINGH Technologist

Page No: 9 of 11

Dr. Chandrill Gupta MEH MD(F RMC NO. 2102

008037

CONDITIONS OF REPORTING SEE OVER LEAF"

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787 Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 27/01/2023 10:47 47 87 NAME :- Ms. NEHA JA

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Sample Type :- URINE

Patient ID :-122229199 Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 27/01/2023 12:21:51

CLINICAL PATHOLOGY

Total N	CLINICAL PA	THOLOGY	
Test Name	Value	Unit	Biological Bac Interval
Urine Routine			Dangien en mierval
PHYSICAL EXAMINATION			
COLOUR	PALE YE	ELLOW.	
APPEARANCE	Clear	LLOW	PALE YELLOW
CHEMICAL EXAMINATION	0.000		Clear
REACTION(PH) Method:- Double indication blue reaction	6.5		5.0 - 7.5
SPECIFIC GRAVITY	1.025		1.010 1.020
PROTEIN Method:- Regnt.Strip Sulphosalicylic and to a	NIL		1.010 - 1.030 NIL
GLUCOSE	NIL		15000
Method:- Glu.Oxidase Peroxidase(Regni (1991)			NIL
BILIRUBIN Method:-Azo-coupling reaction	NEGATIV	'E	NEGATIVE
UROBILINOGEN Method:- Modified ehrlich reaction	NORMAL	2	NORMAL
KETONES Method:- Regnt Strip(Sodium Nitroperusided Rechauses	NEGATIV	Е	NEGATIVE
NITRITE Method:- Diazotization reaction	NEGATIV	Е	NEGATIVE
MICROSCOPY EXAM!			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	2-3	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		

VIJENDRAMEENA Technologist

Page No: 10 of 11

Dr. Chandriba Gupta MRRS.MD (198h) RMC NO. 21021/008037

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 27/01/2023 10:40 15

NAME :- Ms. NEHA JAIN

Sex / Age :- Female 35 Yrs

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID: -122229199

Ref. By Dr:- BOB

Lab/Hosp:-

mie Collected Time 27/01/2023 10:44:21

Final Authentication: 27/01/2023 12:21:55

IMMUNOASSAY

		/ ks.3s.32% I	
Test Name	Value	Unit	Biological Par Interval
TOTAL THYROID PROPERS			
SERUM TOTAL T3 Method:- Chemiluminescence (Compactions in principal service)	1.321	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Company 1997)	7.418	ug/dl	5.500 - 11.000
SERUM TSH ULTRA Method:- Enhanced Chemiluminescene 1	2.240	μIU/mL	0.500 - 6.880

Interpretation: Triiodothy notice (*) a subtites to the maintenance of the enthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situation occurs in a variety occurs i

Interpretation: The measurement is a second in the differential diagnosis of thyroid disease. While >99.9% of T4 is protom-bound, primarily to thyroxine-binding of the second in the differential diagnosis of thyroid disease. While >99.9% of T4 is protom-bound, primarily to thyroxine-binding of the second in the differential diagnosis of thyroid disease. While >99.9% of T4 is protom-bound, as the free fraction that is biologically active. In most patients, the total T4 concentrations is a good indicator of thyroid status. The same time of the metabolically active hormone consentrations of the metabolically active hormone consentration of the metabolically active.

T4. Some drugs and some seed as a seed of the seed of

INTERPRETATION

PREGNANCY	1 2 Estable and but, (As per American Thyroid
1st Trimester	
2nd Trimester	
3rd Trimester	

4 * 4 Sad of Report ***

AJAYKUMAR Technologist

Page No: 11 of 11

District

008037



Dr. Goya Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sa Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgovalspathlab.com | E-mail: d

Patient ID: -122229199

Ref. By Doctor:-BOB

Lab/Hosp :-



Final Authentication: 27/01/2023 13:26:09

:- 27/01/2023 10:40:45 NAME :- Ms. NEHA JAIN

Sex / Age :- Female 35 Yrs Company:- MediWheel

BOB PACKAGEFEMALE BELOW 40

ULTRA SOUND SCAN OF ABDOMEN

Liver is mild enlarged in size (15.3 cm). Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary Bladder: is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Uterus is anteverted and normal in size.

Myometrium shows normal echo - pattern. A small fibroid noted on posterior wall of uterus, measuring approx. 11 mm. Small irregular echogenic area seen in uterine cavity, measuring approx. 5 x 4.7 mm. Endometrial thickness is 9.5 mm.

Both ovaries are visualised and are normal. No adnexal mass is seen.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified. No significant free fluid is seen in pouch of douglas.

IMPRESSION:

- * Mild hepatomegaly.
- * Small fibroid uterus.
- * Small irregular echogenic area in uterine cavity ? RPOC.

Needs clinical correlation & further evaluation

*** End of Report ***

NIKITAPATWA

Page No: 1 of 1

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996

Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495

Dr. Ashish Choudhary MBBS, MD (Radio Diagnosis) Fetal Medicine Consultant FMF ID - 260517 | RMC No 22430

Dr. Abhishek Jain MBBS, DNB, (Radio-Diagnosis) RMC No. 21687

Transcript by.



Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanga Tele: 0141-2293346, 4049787, 9887049787

NAME :- Ms. NEHA JAIN Sex / Age :- Female 35 Yrs

Company :- MediWheel

Website: www.drgoyalspathlab.com | E-mail: drgoyalplyushlayman :45 | Patient ID: -122229199 Ref. By Doctor:-BOB

Lab/Hosp :-



Final Authentication: 27/01/2023 12:37:57

BOB PACKAGEFEMALE BELOW 40 2D ECHO OPTION TMT (ADULT/CHILD)

2D-ECHOCARDIOGRAPHY M.MODE WITH DOPPLER STUDY:

FAIR TRANSTHORACIC ECHOCARIDIOGRAPHIC WINDOW MORPHOLOGY:

MITRAL VAL	/E	NOR	NORMAL		TRICUSPID VALVE			NORMAL	
AORTIC VALV	/E	NOR			MONARY VALVE		NORMAL		
		M.MODE	EXAMITATION:						
AO .	22	mm	LA	27	Mm	IVS-D	9	mm	
IVS-S	14	mm	LVID	36	Mm	LVSD	23	mm	
LVPW-D	8	mm	LVPW-S	14	Mm	RV		mm	
RVWT		mm	EDV		MI	LVVS		ml	
LVEF	64%			RWM	A	ABSENT			
	1				CHAMBERS:				

LA	NORMAL	RA ·	NORMAL	
LV	NORMAL	RV	NORMAL	
PERICARDI	UM	NORMAL		

COLOUR DOPPLER

	M	ITRAL VAL	LVE					
E VELOCITY .	1.05	m/se	c PEAK	PEAK GRADIENT		Mm/hg		
A VELOCITY	0.46	m/se	c MEAN	GRADIEN	Г	Mm	/hg	
MVA BY PHT		Cm2	MVA	BY PLANIM	ETRY	Cm2	2	
MITRAL REGURGITAT	TION				ABSENT			
	AC	ORTIC VAL	.VE					
PEAK VELOCITY	1.22	· In	n/sec	PEAK GE	RADIENT	mr	n/hg	
AR VMAX		i i	n/sec	sec MEAN GRADIENT		mr	mm/hg	
AORTIC REGURGITAT	ION			ABSENT				
	TRI	CUSPID V	ALVE					
PEAK VELOCITY	0.6	1	m/sec	PEAK G	PEAK GRADIENT		mm/hg	
MEAN VELOCITY			m/sec	MEAN GRADIENT			mm/hg	
VMax VELOCITY								
TRICUSPID REGURGI	TATION			ABSENT				
	PL	ILMONAR	Y VALVE					
PEAK VELOCITY		0.90		M/sec.	PEAK GRADIENT		Mm/hg	
MEAN VALOCITY					MEAN GRADIENT		Mm/hg	
PULMONARY REGUE	RGITATION				ABSENT			

Page No: 1 of 2

ANITASHARMA



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sangard Road, Januar Tele: 0141-2293346, 4049787, 9887049787

:- 27/01/2023 10:40:45

Website: www.drgoyalspathlab.com | E-mail: drgoyalspathlab.com | E-mail: drgoyalspathlab.com | Patient ID:-12

NAME: Ms. NEHA JAIN
Sex / Age: Female 35 Yrs

Ref. By Doctor:-BOB

Company:- MediWheel Lab/Hosp:-

Final Authentication: 27/01/2023 12:37:57



Impression--

- 1. Normal LV size & contractility.
- 2. No RWMA, LVEF 64%.
- 3. Normal cardiac chamber.
- 4. Normal valve.
- 5. No clot, no vegetation, no pericardial effusion.

(Cardiologist)

*** End of Report ***

Page No: 2 of 2

ANITASHARMA