

### CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mr.OM PRAKASH

CARE LTD -

Registered On

: 25/Nov/2023 11:14:00

Age/Gender

: 34 Y 6 M 16 D /M

Collected

: N/A

UHID/MR NO

: ALDP.0000131356 : ALDP0288612324 Received Reported

: 26/Nov/2023 12:44:34

Visit ID Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

: N/A

### DEPARTMENT OF CARDIOLOGY-ECG

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### ECG / EKG \*

1. Machnism, Rhythm

Sinus, Regular

2. Atrial Rate

**67** 

/mt

3. Ventricular Rate

**67** 

/mt

4. P - Wave

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: Configuration:

Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T - Wave

Normal

### **FINAL IMPRESSION**

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.OM PRAKASH Registered On : 25/Nov/2023 11:13:57 Age/Gender Collected : 34 Y 6 M 16 D /M : 25/Nov/2023 11:39:48 UHID/MR NO : ALDP.0000131356 Received : 25/Nov/2023 12:07:48 Visit ID Reported : 25/Nov/2023 14:09:09 : ALDP0288612324

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

### DEPARTMENT OF HAEMATOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blo	ood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE	- constituti		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin	15.70	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	5,000.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	63.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	4.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils <b>ESR</b>	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	4.00	Mm for 1st hr.		
Corrected	45	Mm for 1st hr.	< 9	
PCV (HCT)  Platelet count	46.00	%	40-54	
Platelet Count	1.74	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.OM PRAKASH Registered On : 25/Nov/2023 11:13:57 Age/Gender Collected : 25/Nov/2023 11:39:48 : 34 Y 6 M 16 D /M UHID/MR NO : ALDP.0000131356 Received : 25/Nov/2023 12:07:48 Visit ID : ALDP0288612324 Reported : 25/Nov/2023 14:09:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

### **DEPARTMENT OF HAEMATOLOGY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Result	Unit	Bio. Ref. Interval	Method
0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE
12.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
4.26	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
109.10	fl	80-100	CALCULATED PARAMETER
36.90	pg	28-35	CALCULATED PARAMETER
33.80	%	30-38	CALCULATED PARAMETER
16.10	%	11-16	ELECTRONIC IMPEDANCE
64.70	fL	35-60	ELECTRONIC IMPEDANCE
3,150.00	/cu mm	3000-7000	
150.00	/cu mm	40-440	
	0.22 12.80 4.26 109.10 36.90 33.80 16.10 64.70 3,150.00	0.22 % 12.80 fL  4.26 Mill./cu mm  109.10 fl 36.90 pg 33.80 % 16.10 % 64.70 fL 3,150.00 /cu mm	0.22 % 0.108-0.282 12.80 fL 6.5-12.0  4.26 Mill./cu mm 4.2-5.5  109.10 fl 80-100 36.90 pg 28-35 33.80 % 30-38 16.10 % 11-16 64.70 fL 35-60 3,150.00 /cu mm 3000-7000

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.OM PRAKASH : 25/Nov/2023 11:13:59 Registered On Age/Gender : 34 Y 6 M 16 D /M Collected : 25/Nov/2023 11:39:47 UHID/MR NO : ALDP.0000131356 Received : 25/Nov/2023 12:07:48 Visit ID : ALDP0288612324 Reported : 25/Nov/2023 13:22:16

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD -

### **DEPARTMENT OF BIOCHEMISTRY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING * , Plasma					

Glucose Fasting **GOD POD** 94.40 mg/dl < 100 Normal

100-125 Pre-diabetes ≥ 126 Diabetes

### **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP \* **GOD POD** 159.50 mg/dl <140 Normal

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.30	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	23.90	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	78	mg/dl	

### **Interpretation:**

### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- · eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.OM PRAKASH Registered On : 25/Nov/2023 11:13:59 Collected Age/Gender : 34 Y 6 M 16 D /M : 25/Nov/2023 11:39:47 UHID/MR NO : ALDP.0000131356 Received : 25/Nov/2023 12:07:48 Visit ID : ALDP0288612324 Reported : 25/Nov/2023 13:22:16 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
-------------------------------------------------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	9.11	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.10	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.00	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) \* , Serum





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.OM PRAKASH Registered On : 25/Nov/2023 11:13:59 Age/Gender Collected : 34 Y 6 M 16 D /M : 25/Nov/2023 11:39:47 UHID/MR NO : ALDP.0000131356 Received : 25/Nov/2023 12:07:48 Visit ID Reported : 25/Nov/2023 13:22:16 : ALDP0288612324

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	l	Unit Bio. Ref. Inter	val Method
SGOT / Aspartate Aminotransferase (AST)	23.70	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	28.00	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	20.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.90	gm/dl	6.2-8.0	BIURET
Albumin	4.90	gm/dl	3.4-5.4	B.C.G.
Globulin	3.00	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.63	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	169.70	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.50	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.60	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.90	mg/dl	< 0.8	JENDRASSIK & GROF
Result Rechecked				
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	188.00	mg/dl	<200 Desirable 200-239 Borderline Hig	CHOD-P <mark>AP</mark> gh
			> 240 High	
HDL Cholesterol (Good Cholesterol)	66.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	93	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	28.52	mg/dl	10-33	CALCULATED
Triglycerides	142.60	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP gh

Dr. Akanksha Singh (MD Pathology)









**Appearance** 

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.OM PRAKASH Registered On : 25/Nov/2023 11:13:58 Age/Gender Collected : 34 Y 6 M 16 D /M : 25/Nov/2023 14:30:04 UHID/MR NO : ALDP.0000131356 Received : 25/Nov/2023 14:48:39 Visit ID : ALDP0288612324 Reported : 25/Nov/2023 15:16:38

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

### DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

# URINE EXAMINATION, ROUTINE \* , Urine Color LIGHT YELLOW Specific Gravity 1.020 Reaction PH Acidic (5.0) DIPSTICK

Protein ABSENT mg % < 10 Absent DIPSTICK 10-40 (+) 40-200 (++)

**CLEAR** 

200-500 (+++) > 500 (++++) ABSENT gms% < 0.5 (+)

Sugar ABSENT gms% < 0.5 (+)
0.5-1.0 (++)
1-2 (+++)
> 2 (++++)

Ketone ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY
Bile Salts ABSENT

Bile Pigments ABSENT
Bilirubin ABSENT

Leucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTNitriteABSENTDIPSTICK

Blood ABSENT DIPSTICK

Microscopic Examination:

Epithelial cells 1-3/h.p.f

Pus cells0-2/h.p.fRBCsABSENTMICROSCOPIC<br/>EXAMINATION

Cast ABSENT

Crystals ABSENT MICROSCOPIC EXAMINATION

Others ABSENT

Urine Microscopy is done on centrifuged urine sediment.

**SUGAR, FASTING STAGE \***, Urine

Sugar, Fasting stage ABSENT gms%





DIPSTICK

**DIPSTICK** 

MICROSCOPIC EXAMINATION





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mr.OM PRAKASH

Registered On

: 25/Nov/2023 11:13:58

Age/Gender

: 34 Y 6 M 16 D /M

Collected : 25/Nov/2023 14:30:04 : 25/Nov/2023 14:48:39

UHID/MR NO Visit ID

: ALDP.0000131356 : ALDP0288612324

Received Reported

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

: 25/Nov/2023 15:16:38

Ref Doctor CARE LTD - Status : Final Report

### **DEPARTMENT OF CLINICAL PATHOLOGY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

**Test Name** Result Unit Bio. Ref. Interval Method

### **Interpretation:**

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

### SUGAR, PP STAGE \* , Urine

Sugar, PP Stage

**ABSENT** 

### **Interpretation:**

(+)< 0.5 gms%

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : 25/Nov/2023 11:13:59 : Mr.OM PRAKASH Registered On Age/Gender Collected : 34 Y 6 M 16 D /M : 25/Nov/2023 11:39:47 UHID/MR NO : ALDP.0000131356 Received : 25/Nov/2023 12:07:48 Visit ID : ALDP0288612324 Reported : 25/Nov/2023 15:31:18 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

### DEPARTMENT OF IMMUNOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	107.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	3.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.200	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
, •		0.3-4.5 μIU/r	nL First Trimes	ter
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/n	nL Third Trime	ster
		0.5-8.9 µIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	- 20 Yrs.)
		1-39 μIU	/mL Child	0-4 Days
		1.7-9.1 μIU/r	nL Child	2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.OM PRAKASH

: 34 Y 6 M 16 D /M

Registered On Collected

: 25/Nov/2023 11:14:00

Age/Gender UHID/MR NO

: 34 Y 6 M 16 D /M : ALDP.0000131356

Received

: N/A

Visit ID

: ALDP0288612324

Reported

: 25/Nov/2023 14:32:49

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

: N/A

### **DEPARTMENT OF X-RAY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### X-RAY DIGITAL CHEST PA \*

## X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS,DMRE)







### CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.OM PRAKASH

Registered On : 34 Y 6 M 16 D /M Collected

Age/Gender UHID/MR NO : ALDP.0000131356 Visit ID

Received : N/A : ALDP0288612324 Reported : 25/Nov/2023 13:14:51

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor

CARE LTD -

#### Status : Final Report

: N/A

: 25/Nov/2023 11:14:01

### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

**LIVER**: - Normal in size (12.7 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: - Well distended, walls are normal. No e/o calculus / focal mass lesion/pericholecystic fluid.

**CBD**:- Normal in calibre at porta.

**PORTAL VEIN**: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

**SPLEEN**: - Normal in size, shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size (9.9 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (9.7 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER:** Normal in shape, outline and distension. No e/o wall thickening / calculus.

**PROSTATE:** Normal in size (3.0 x 3.6 x 2.9 cm vol - 17.3 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

**IMPRESSION**: No significant abnormality seen.

Please correlate clinically

\*\*\* End Of Report \*\*\*

Result/s to Follow:

STOOL, ROUTINE EXAMINATION



DR K N SINGH (MBBS, DMRE)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* \*Facilities Available at Select Location 365 Days Open



1800-419-0002



