

# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sangner Road,

Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

### General Physical Examination

Date of Examination: 17/03/2024

Name: Kusum lata Royal Age: 39 Sex: F

DOB: 21/12/1994

Referred By: Mediwheel.

Photo ID: Aadhar ID #: Attached

Ht: 150 (cm)

Wt: 70 (Kg)

Chest (Expiration): 96 (cm)

Abdomen Circumference: 87 (cm)

Blood Pressure: 104/67 mm Hg PR: 71 / min

BMI 31.1

Eye Examination: dis vision 6/6, Near vision N/6

No colour blindness

Other: Not significant.

On examination he/she appears physically and mentally fit:  Yes / No

Signature Of Examinee : [Signature] Name of Examinee: \_\_\_\_\_

Signature Medical Examiner : [Signature] Name Medical Examiner \_\_\_\_\_

Dr. Piyush Goyal  
M.B.B.S. / D.M.D.  
RMC Reg. No. -017998


  
 कुसुम लता रॉयल  
 Kusum Lata Royal


  
 जन्म तिथि / DOB: 21/12/1984  
 लिंग / Gender  
 7590 5490 3119

मेरा आधार, मेरी पहचान


  
 आधर

पता: W/O राजेंद्र सिंह, ए 33, माहि  
 पथ, महादेव मंदिर, गुर्जर कि  
 थड, जयपुर, राजस्थान, 302019

Address: W/O Rajendra Singh, A  
 33, Mahi Path, neokanth  
 Mahadev Mandir, Gurjar Ki  
 Thadi, Jaipur, Rajasthan, 302019

7590 5490 3119


 help@uidai.gov.in



 www.uidai.gov.in

D. Prakash Goyal  
 M.B.B.S. Q.M.R.D.  
 RMC Reg. No.-017996

102337526 / MRS KUSUM LATA ROYAL / 39 Yrs / F / Non Smoker

Heart Rate : 73 bpm / Tested On : 17-Mar-24 14:07:33 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s

Field By: BOB



Heart Rate: 73 bpm

PR Interval: 146 ms

QRS Duration: 76 ms

QT/QTc Int: 390/415 ms

P-QRS-T axis: 180.00, -30.00, 77.00

180°  
Dr. Naresh Kumar Mohanka  
EMC No. 35703  
MEDS. DIP. CARDIO (ESCORTS)  
99 E.M. #866500

Tupl

169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / NonSmoker  
 Date: 17 / 03 / 2024 02:11:32 PM Refd By: BOB Examined By:

Stage	Time	Duration	Speed(mph)	Elevation	Mets	Rate	% THR	BP	RPP	PRC	Comments
Upline	06:21	0:21	01.1	00.0	01.0	079	44%	120/76	094	00	
standing	01:04	0:43	01.1	00.0	01.0	085	47%	120/76	102	00	
IV	01:20	0:16	01.1	00.0	01.0	078	42%	120/76	091	00	
Warm Up	01:46	0:26	01.1	00.0	01.0	096	53%	120/76	115	00	
XStart	02:00	0:14	01.0	00.0	01.0	096	53%	120/76	115	00	
RUCS Stage 1	05:00	3:00	01.7	10.0	04.7	144	80%	130/86	187	00	
RUCS Stage 2	06:00	3:00	02.5	12.0	07.1	183	101%	140/96	256	00	
backx	08:29	0:29	03.4	14.0	07.6	205	113%	140/96	287	00	
recovery	09:29	1:00	00.0	00.0	01.1	173	96%	150/96	259	00	
recovery	10:29	2:00	00.0	00.0	01.0	132	73%	140/86	184	00	
recovery	12:29	4:00	00.0	00.0	01.0	114	63%	130/76	148	00	
recovery	14:29	6:00	00.0	00.0	01.0	112	62%	120/70	134	00	
recovery	15:00	6:32	00.0	00.0	01.0	109	60%	120/70	130	00	

**FINDINGS :**

Exercise Time : 06:29  
 Max HR Attained : 205 bpm 113% of Target 181  
 Max BP Attained : 150/96 (mm/Hg)  
 Max WorkLoad Attained : 7.6 Fair response to induced stress  
 Test End Reasons : Test Complete, Heart Rate Achieved

**REPORT :**

*TTT PA Negative for PHL.*

*D. Namshankar Mohanka  
 RUCS No 35103  
 MBBS, DIP. CARDIO (ESCORTS),  
 D.E.M. (RCGP-UK)*

169 / NIRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / HR : 79

Site: 17 / 03 / 2024 02:11:32 PM METS: 1.0/ 79 bpm 44% of THR BP: 120/76 mmHg Raw ECG BLC Div: Natch Div/ HF: 0.05 Hz/ LF: 100 Hz

IX 30 ml Post J

EXTIME: 00:00 1.5 mph, 0.0%

36 mmHg 1.0 CmV



REMARKS: II aVR aVF V2 V4 V6

169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / HR : 85

DATE: 17 / 03 / 2024 02:11:32 PM METS: 1.01/85 bpm 47% of THR. BP: 120/76 mmHg Raw ECG/BLC On/Noch On/FF: 0.05 HCLF 100 Hz

E-Time: 00:00 1.1 mph 0.0%

1X 00.ms Post J

29 mm/Sec 1.0 Cm/mV



I  
0.2  
0.5




II  
1.6  
2.5



III  
0.9  
2.1




aVR  
-1.1  
-1.5



aVL  
-0.1  
-0.8



aVF  
1.2  
2.3



V1  
0.3  
-0.8




V2  
1.4  
0.8




V3  
0.4  
0.0




V4  
0.3  
0.1



V5  
0.4  
0.2



V6  
0.4  
2.0



REMARKS:

169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / HR : 76

AGE: 17 / 03 / 2024 02:11:32 PM METS: 1.0 / 76 bpm 42% of THR BP: 120/76 mmHg Raw ECG: BLC On Noch Qw Hr: 0.05 HELLF: 100 Hz

EXTime: 00:00 1.1 mph 0.0%

IX III WLS Pos 1

25 mm/sec 1.5 Cm/mV

I 0.3  
II 0.3  
III 0.2



V1 0.4  
V2 0.4  
V3 0.3



II 0.8  
III 0.8  
aVR 0.5




V4 1.1  
V5 1.1  
V6 0.6



III 0.3  
aVR 0.2



V7 0.4  
V8 0.4  
V9 0.2



aVR 0.4  
aVL 0.4  
aVF 0.4



V4 0.4  
V5 0.4  
V6 0.2



aVL 0.1  
aVF 0.1  
aVR 0.0



V5 0.4  
V6 0.4  
V7 0.2



aVF 0.5  
aVL 0.5  
aVR 0.3



V6 0.3  
V7 0.3  
V8 0.2



II aVR aVF V2 V4 V6

III aVL V1 V3 V5

REMARKS:




169 / MRS KUSUM LATA ROYAL / 39 YRS / F / 0 Cms / 0 Kg / HR : 96

ate: 17 / 03 / 2024 02:11:32 PM METS: 1.01 96 bpm 53% of THR BP: 120/76 mmHg Row ECG/ BLC On/ Noct On/ HF: 0.05 Hz LF: 100 Hz

IX B0 III5 Post J

ExTime: 00:00 1.1 mph 0.0%

25 mm/Sec - 1.0 Cm/mV



REMARKS:




169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / HR : 98

Age : 37 / 03 / 2024 02:11:32 PM METS : 1.0V 98 bpm 53% of THR BP : 120/76 mmHg Raw ECG/ BLC ON/ Noch ON/ HF 0.05 Hz/ LF 100 Hz

IX 80 mS Post J

ExtTime: 00:00 1.0 mch. 0.0%

25 mm/Sec - 1.0 Cm/mV



REMARKS:

II aVR aVF V2 V4 V6

III aVL V1 V3 V5



169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / HR : 144

Site: 17 / 03 / 2024 02:11:32 PM METS: 4.71 144 bpm 80% of THR BP: 130/86 mmHg Raw ECG BLK CM Notch CM HF 0.05 Hz LF 100 Hz

EXTime: 03:00 1.7 mph 10.0%

1X 60 ms Post J

24 samples - 1.0 Cm/mV



II aVR aVF V2 V4 V6

REMARKS:






169 / MRS KUSUM LATA ROYAL / 39 YRS / F / 0 CMS / 0 KG / HR : 183

ate: 17 / 03 / 2024 02:11:32 PM METS: 7.1 / 183 bpm 101% of THR BP: 140/95 mmHg Raw ECG/ RLC On/ Noch On/ HF 0.05 Hz/ LF 100 Hz

EXTime: 06:00 2.5 mg/L 12.0%

1X 60 ms Print J

25 mm/sec 1 g/cmV



REMARKS:







169 / MRS KUSUM LATA ROYAL / 39 YRS / F / 0 Cms / 0 Kg / HR : 205

ale: 17 / 03 / 2024 02:11:32 PM METS: 7.6/ 205 bpm 113% of THR BP: 140/96 mmHg Raw ECG/ SINC On/ Match On/ HF 0.05 Hz/ LF 100 Hz

ExTime: 06:30 3.4 mph 14.0%

IX 60 mm/Port 2


25mm/Sec: 1.0 cm/mV



REMARKS:

IX 60 mS Post J

35-min/Sec 1-D Channel





REMARKS:

169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / HR : 132

date: 17 / 03 / 2024 02:11:32 PM METS: 1.0/ 132 bpm 73% of THR BP: 140/86 mmHg Raw ECG Bl C On/ Natch On/ HF 0.05 Hz/LF 100 Hz

IX 60 mg Fost J

25mm/Sec 1.0 Cm/mV



REMARKS:

ASR

169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 10 Kg / HR : 114

ate: 17 / 03 / 2024 02:11:32 PM METS: 1.0/ 114 bpm 63% of THR BP: 130/76 mmHg Raw ECG: BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 06:29 0.0 mph 0.0%

1X 80 MS Post J

25 mm/Sec - 1.0 Cm/mV



I  
PR 173  
QRS 84



V1  
PR 173  
QRS 84



II  
PR 173  
QRS 84



V2  
PR 173  
QRS 84



III  
PR 173  
QRS 84



V3  
PR 173  
QRS 84



AVR  
PR 173  
QRS 84



V4  
PR 173  
QRS 84



AVL  
PR 173  
QRS 84



V5  
PR 173  
QRS 84



AVF  
PR 173  
QRS 84



V6  
PR 173  
QRS 84



II AVR AVF V2 V4 V6  
III AVL V1 V3 V5

REMARKS:

169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / HR : 112

DATE: 17/03/2024 02:11:32 PM METS: 1.0/112 bpm 62% of THR BP: 120/70 mmHg Raw ECG/ BLC On/ Natch On/ HF 0.05 Hz/LF 100 Hz

1X 80 ms Post J

25 mm/Sec 1.0 Cm/5V

I  
aVL 0.2  
aVR 0.3

V1  
0.4  
0.0

II  
0.4  
0.1

V2  
0.7  
0.5

III  
0.6  
0.5

V3  
0.1  
0.0

aVR  
0.1  
0.1

V4  
0.2  
0.1

aVL  
0.4  
0.4

V5  
0.2  
0.2

aVF  
0.5  
0.3

V6  
0.2  
0.2



REMARKS:  
II aVR aVF V2 V4 V6  
III aVL V1 V3 V5




169 / MRS KUSUM LATA ROYAL / 39 Yrs / F / 0 Cms / 0 Kg / HR : 109

ale: 17 / 03 / 2024 02:11:32 PM METS: 1.0/ 109 bpm 60% of THR BP: 120/70 mmHg Raw ECG BLC Div/ Natch Div/ HF 0.05 HELLF 100 Hz

IX 80 ms Post J

EXTime 06:29 0.0 mph 0.0% 25 mm/sec 1 g Gmmv

I  
0.2  
0.2  
0.2



VI  
0.4  
0.4  
0.0



II  
0.3  
0.3  
0.0



V2  
0.7  
0.7  
0.5



III  
0.5  
0.5  
0.3



V3  
0.1  
0.1  
0.0




aVR  
0.1  
0.1  
0.2




V4  
0.2  
0.2  
0.1



aVL  
0.3  
0.3  
0.3




V5  
0.3  
0.3  
0.1



aVF  
0.4  
0.4  
0.1




V6  
0.3  
0.3  
0.1



II  
III  
aVR  
aVL  
aVF  
V1  
V2  
V3  
V4  
V5  
V6

REMARKS:

date: 17 / 03 / 2024 02:11:32 PM I II III aVR aVL aVF V1 V2 V3 V4 V5 V6





169 / MRS KUSUM LATA ROYAL / 39 YRS / F / 0 Cms / 0 Kg / HR : 101

DATE 17 / 03 / 2024 02:11:32 PM I

II

III

aVR

aVL

aVF

V1

V2

V3

V4

V5

V6





B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road- 5509

Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15  
**NAME :- Mrs. KUSUM LATA ROYAL**  
Sex / Age :- Female 39 Yrs 2 Mon 27 Days  
Company :- Med/Wheel

Patient ID :- 12236402  
Ref. By Dr.- BOB  
Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 12:42:58

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

BOB PACKAGE FEMALE BELOW 40

**GLYCOSYLATED HEMOGLOBIN (HbA1C)**

5.6

%

Non-diabetic: < 5.7  
Pre-diabetics: 5.7-6.4  
Diabetics: = 6.5 or higher  
ADA Target: 7.0  
Action suggested: > 6.5

Method:- HPLC

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

#### Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycosylated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.

Ref by ADA 2020

**MEAN PLASMA GLUCOSE**

114

mg/dL

Non Diabetic < 100 mg/dL  
Prediabetic 100- 125 mg/dL  
Diabetic 126 mg/dL or Higher

Method:- Calculated Parameter

AJAYSINGH  
Technologist

Page No: 1 of 12



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828

# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganeer Road, - 5509  
Sodala, Jaipur-302019  
Tele : 0141-2293346, 4049787, 9887049787  
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15  
**NAME :- Mrs. KUSUM LATA ROYAL**  
Sex / Age :- Female 39 Yrs 2 Mon 27 Days  
Company :- Medi/Wheel

Patient ID :- 12236402  
Ref. By Dr:- BOB  
Lab/Hosp :-



Sample Type > EDTA

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 12:42:58

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
<b>HAEMOGARAM</b>			
<b>HAEMOGLOBIN (Hb)</b>	12.4	g/dL	12.0 - 15.0
<b>TOTAL LEUCOCYTE COUNT</b>	7.39	/cumm	4.00 - 10.00
<b>DIFFERENTIAL LEUCOCYTE COUNT</b>			
NEUTROPHIL	66.7	%	40.0 - 80.0
LYMPHOCYTE	25.2	%	20.0 - 40.0
EOSINOPHIL	3.9	%	1.0 - 6.0
MONOCYTE	3.6	%	2.0 - 10.0
BASOPHIL	0.6	%	0.0 - 2.0
NEUT#	4.93	10 <sup>3</sup> /uL	1.50 - 7.00
LYMPH#	1.86	10 <sup>3</sup> /uL	1.00 - 3.70
EO#	0.18	10 <sup>3</sup> /uL	0.00 - 0.40
MONO#	0.24	10 <sup>3</sup> /uL	0.00 - 0.70
BASO#	0.03	10 <sup>3</sup> /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	4.35	x10 <sup>6</sup> /uL	3.80 - 4.80
HEMATOCRIT (HCT)	37.60	%	36.00 - 46.00
MEAN CORP VOLUME (MCV)	86.5	fL	83.0 - 101.0
MEAN CORP HB (MCH)	28.6	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	33.0	g/dL	31.5 - 34.5
<b>PLATELET COUNT</b>	200	x10 <sup>3</sup> /uL	150 - 410
RDW-CV	13.8	%	11.6 - 14.0
MENTZER INDEX	19.89		


The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH  
Technologist

Page No: 2 of 12



  
**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828

# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15

Patient ID :- 12236402



NAME :- Mrs. KUSUM LATA ROYAL

Ref. By Dr:- BOB

Sex / Age :- Female 39 Yrs 2 Mon 27 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 12:42:58

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
Erythrocyte Sedimentation Rate (ESR)	43 H	mm/hr.	00 - 20

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction)

Levels are higher in pregnancy due to hyperfibrinogenaemia.

The "3-figure ESR" >100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia

(CBC) Methodology: TLC, DLC Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance and

MCH, MCV, MCHC, MENTZER INDEX are calculated. Instrument Name: Sysmex 6 part fully automatic analyzer XN-L, Japan

AJAYSINGH  
Technologist

Page No: 3 of 12



Dr. Rashmi Bakshi  
MBBS, MD ( Path )  
RMC No. 17975/008828



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganeer Road - 5509

Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15

Patient ID :- 12236402



NAME :- Mrs. KUSUM LATA ROYAL

Ref. By Dr:- BOB

Sex / Age :- Female 39 Yrs 2 Mon 27 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 12:51:48

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
<b>LIPID PROFILE</b>			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	235.35 H	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	93.25	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	54.33	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	165.48 H	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	18.65	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	4.33		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	3.05		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	644.94	mg/dl	400.00 - 1000.00
<small>TOTAL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatment of lipid lipoprotein metabolism disorders.</small>			
<small>TRIGLYCERIDES InstrumentName:Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.</small>			
<small>DIRECT HDL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.</small>			
<small>DIRECT LDL-CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.</small>			
<small>TOTAL LIPID AND VLDL ARE CALCULATED</small>			

SURENDRAKHANGA

Page No: 4 of 12



Dr. Rashmi Bakshi  
MBBS, MD ( Path )  
RMC No. 17975/008828



# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road, - 5509

Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15

Patient ID :- 12236402



NAME :- Mrs. KUSUM LATA ROYAL

Ref. By Dr- BOB

Sex / Age :- Female 39 Yrs 2 Mon 27 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 12:51:48

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
<b>LIVER PROFILE WITH GGT</b>			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.40	mg/dl	Up to - 1.0 Cord blood <2 Premature < 6 days <16 Full-term < 6 days= 12 1month - <12 months <2 1-19 years <1.5 Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.15	mg/dL	Adult - Up to 0.25 Newborn - <0.6 >- 1 month - <0.2
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.25	mg/dl	0.30-0.70
SGOT Method:- IFCC	22.4	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	27.2	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	72.20	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	18.80	U/L	7.00 - 32.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.70	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.43	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	3.27	gm/dl	2.20 - 3.50
A/G RATIO	1.35		1.30 - 2.50

**Total Bilirubin/Methodology:** Colorimetric method Instrument/Name/Randon Rx Inida Interpretation: An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in various incompatible haemolytic conditions. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

**AST Aspartate Aminotransferase/Methodology:** IFCC Instrument/Name/Randon Rx Inida Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

**ALT Alanine Aminotransferase/Methodology:** IFCC Instrument/Name/Randon Rx Inida Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminase can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

**Alkaline Phosphatase/Methodology:** AMP Buffer Instrument/Name/Randon Rx Inida Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

**TOTAL PROTEIN/Methodology:** Biuret Reagent Instrument/Name/Randon Rx Inida Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

**ALBUMIN (ALB)/Methodology:** Bromocresol Green Instrument/Name/Randon Rx Inida Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

**Instrument Name:** Randon Rx Inida Interpretation: Elevations in GGT levels are not as common and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 1 to 30 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 3 times normal)

SURENDRAKHANGA

**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828

Page No: 5 of 12



# Dr. Goyal's

## Path Lab & Imaging Centre



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road - 5509  
Sodala, Jaipur-302019  
Tele : 0141-2293346, 4049787, 9887049787  
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15  
**NAME :- Mrs. KUSUM LATA ROYAL**  
Sex / Age :- Female 39 Yrs 2 Mon 27 Days  
Company :- Med/Wheel

Patient ID :- 12236402  
Ref. By Dr:- BOB  
Lab/Hosp :-



Sample Type - PLAIN/SERUM

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 12:20:06

### IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

#### TOTAL THYROID PROFILE

SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.120	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	8.900	ug/dl	5.520 - 12.970
SERUM TSH ULTRA Method:- Enhanced Chemiluminescence Immunoassay	2.130	µIU/mL	0.350 - 5.500

**Interpretation:** Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

**Interpretation:** The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

**Interpretation:** TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

#### INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

MUKESH SINGH  
Technologist

Page No: 6 of 12



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828



B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganeer Road, 5509

Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15

Patient ID :-12236402



NAME :- Mrs. KUSUM LATA ROYAL

Ref. By Dr:- BOB

Sex / Age :- Female 39 Yrs 2 Mon 27 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- URINE

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 12:47:05

### CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
<b>Urine Routine</b>			
<b>PHYSICAL EXAMINATION</b>			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
<b>CHEMICAL EXAMINATION</b>			
REACTION(PH) Method:- Reagent Strip(Double indication blue reaction)	5.5		5.0 - 7.5
SPECIFIC GRAVITY Method:- Reagent Strip(bromthymol blue)	1.025		1.010 - 1.030
PROTEIN Method:- Reagent Strip (Sulphosalicylic acid test)	NIL		NIL
GLUCOSE Method:- Reagent Strip (Glu.Oxidase Peroxidase Benedict)	NIL		NIL
BILIRUBIN Method:- Reagent Strip (Azo-coupling reaction)	NEGATIVE		NEGATIVE
UROBILINOGEN Method:- Reagent Strip (Modified shrich reaction)	NORMAL		NORMAL
KETONES Method:- Reagent Strip (Sodium Nitroprusside) Rothera's	NEGATIVE		NEGATIVE
NITRITE Method:- Reagent Strip (Diazotization reaction)	NEGATIVE		NEGATIVE
RBC Method:- Reagent Strip (Peroxidase like activity)	NIL		NIL
<b>MICROSCOPY EXAMINATION</b>			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	1-2	/HPF	2-3
EPITHELIAL CELLS	0-1	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		ABSENT

VIJENDRAMEENA  
Technologist

Page No: 7 of 12



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15

Patient ID :- 12236402



NAME :- Mrs. KUSUM LATA ROYAL

Ref. By Dr:- BOB

Sex / Age :- Female 39 Yrs 2 Mon 27 Days

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA, URINE, URINE-PP

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 17:28:28

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BLOOD GROUP ABO	"A" POSITIVE		
BLOOD GROUP ABO Methodology : Haemagglutination reaction Kit Name : Monoclonal agglutinating antibodies (Span clone)			
URINE SUGAR (FASTING) Collected Sample Received	Nil		Nil
URINE SUGAR PP Collected Sample Received	Nil		Nil

AJAYSINGH, MANOJCHOUDHARY, VIJENDRAMEENA  
Technologist

Page No: 11 of 12



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828

# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 17/03/2024 10:42:15

Patient ID :-12236402

**NAME :- Mrs. KUSUM LATA ROYAL**

Ref. By Dr:- BOB

Sex / Age :- Female 39 Yrs 2 Mon 27 Days

Lab/Hosp :-

Company :- MediWheel



Sample Type :- PLAIN/SERUM

Sample Collected Time 17/03/2024 10:47:13

Final Authentication : 17/03/2024 12:51:48

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
BLOOD UREA NITROGEN (BUN)	9.1	mg/dl	0.0 - 23.0

\*\*\* End of Report \*\*\*

SURENDRAKHANGA

Page No: 12 of 12



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828



Date :- 17/03/2024 10:42:15  
**NAME :- Mrs. KUSUM LATA ROYAL**  
Sex / Age :- Female 39 Yrs 2 Mon 27 Days  
Company :- MediWheel

Patient ID :-12236402  
Ref. By Doctor:-BOB  
Lab/Hosp :-

Final Authentication : 17/03/2024 15:54:39

BOB PACKAGEFEMALE BELOW 40

**X RAY CHEST PA VIEW:**

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.


Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

**Impression :- Normal Study**

(Please correlate clinically and with relevant further investigations)

  
Dr. NAVNEET AGARWAL (MD, DNB RADIO-DIAGNOSIS, MNAMS)  
EX-SR NEURO-RADIOLOGY AIIMS NEW DELHI  
(RMC No. 33613 / 14911)

\*\*\* End of Report \*\*\*

**Dr. Piyush Goyal**  
(D.M.R.D.) BILAL

Page No: 1 of 1

Transcript by.

Dr. Piyush Goyal  
M.B.B.S., D.M.R.D.  
RMC Reg No. 017996

Dr. Ashish Choudhary  
MBBS, MD (Radio Diagnosis)  
Fetal Medicine Consultant

Dr. Abhishek Jain  
MBBS, DNB. (Radio-Diagnosis)  
RMC No. 21687

Dr. Navneet Agarwal  
MD, DNB (Radio Diagnosis)  
RMC No. 33613/14911

Dr. Poorvi Malik  
MBBS, MD, DNB (Radio Diagnosis)  
RMC No. 21505

FMF ID - 260517 | RMC No 22430



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road, Jaipur  
 Tele : 0141-2293346, 4049787, 9887049787  
 Website : www.drgoyalspathlab.com E-mail : drgoyalpiyush@gmail.com



Date :- 17/03/2024 10:42:15  
**NAME :- Mrs. KUSUM LATA ROYAL**  
 Sex / Age :- Female 39 Yrs 2 Mon 27 Days  
 Company :- MediWheel

Patient ID :- 12236402  
 Ref. By Doctor:-BOB  
 Lab/Hosp :-

Final Authentication : 17/03/2024 13:20:21

BOB PACKAGEFEMALE BELOW 40

### ULTRA SOUND SCAN OF ABDOMEN

**Liver** is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

**Gall bladder** is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

**Pancreas** is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

**Spleen** is of normal size and shape. Echotexture is normal. No focal lesion is seen.

**Kidneys** are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

**Urinary Bladder:** is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

**Uterus** is retroverted and normal in size.

Myometrium shows normal echo - pattern.

**Two small thick walled cystic lesions seen in anterior myometrium measuring ~ 10x9mm & ~5.6x4.4mm**

Endometrial echo is normal. Endometrial thickness is 3 mm.

Few tiny nabothian cysts are seen in cervix.

**Both ovaries** are visualised and are normal. No adnexal mass is seen.

No significant free fluid is seen in pouch of douglas.

### IMPRESSION:

\* **Two small thick walled cystic lesions in anterior myometrium - ? cystic adenomyomas / degenerating fibroids.**

*Needs clinical correlation.*

\*\*\* End of Report \*\*\*

BILAL

Page No: 1 of 1

Transcript by.

Dr. Piyush Goyal  
 M.B.B.S., D.M.R.D.  
 RMC Reg No. 017996

Dr. Ashish Choudhary  
 MBBS, MD (Radio Diagnosis)  
 Fetal Medicine Consultant  
 FMF ID - 260517 | RMC No 22430.

Dr. Abhishek Jain  
 MBBS, DNB, (Radio-Diagnosis)  
 RMC No. 21667

Dr. Navneet Agarwal  
 MD, DNB (Radio Diagnosis)  
 RMC No. 33613/14911

Dr. Poorvi Malik  
 MBBS, MD, DNB (Radio Diagnosis)  
 RMC No. 21605



