

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 28/07/2021 Name Mrs. SEEMA KUMARI Ref. By Dr.BOB		rl No. 18 ge 39 Yrs.	Patient Id 2107280018 Sex F
Test Name	Value	Unit	Normal Value
	<u>HAEMA</u>	TOLOGY	
HB A1C	5.3	%	
EXPECTED VALUES :-			
Metabolicaly healthy patient: Good Contr Fair Cont Poor Cont <u>REMARKS:-</u> In vitro quantitative determination of HbA	rol = rol = rol =	4.8 - 5.5 % HbAIC 5.5 - 6.8 % HbAIC 6.8-8.2 % HbAIC >8.2 % HbAIC	term monitoring of glycemia

The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

Duplicate

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST



info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 28/07/2021 Name Mrs. SEEMA KUMARI Ref. By Dr.BOB	Srl No Age	. 18 39 Yrs.	Patient Id 2 Sex F	
Test Name	Value	Unit	Normal Value	•
COMPLETE BLOOD COUNT (CBC)				
HAEMOGLOBIN (Hb)	10.5	gm/dl	11.5 - 16.5	
TOTAL LEUCOCYTE COUNT (TLC)	4,700	/cumm	4000 - 11000)
DIFFERENTIAL LEUCOCYTE COUNT (I	DLC)			
NEUTROPHIL	64	%	40 - 75	
LYMPHOCYTE	31	%	20 - 45	
EOSINOPHIL	01	%	01 - 06	
MONOCYTE	04	%	02 - 10	
BASOPHIL	00	%	0 - 0	
ESR (WESTEGREN's METHOD)	14	mm/lst hr.	0 - 20	
R B C COUNT	3.22	Millions/cmm	3.8 - 4.8	
P.C.V / HAEMATOCRIT	28.6	%	35 - 45	
MCV	88.82	fl.	80 - 100	
МСН	32.61	Picogram	27.0 - 31.0	
МСНС	36.7	gm/dl	33 - 37	
PLATELET COUNT	1.95	Lakh/cmm	1.50 - 4.00	
BLOOD GROUP ABO	"A"			
RH TYPING	POSITIVE			

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD **CONSULTANT PATHOLOGIST**



🖾 info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

		Patient Id 2107280018
Age	39 Yrs.	Sex F
Value	Unit	Normal Value
BIOCHEM	<u>ISTRY</u>	
102.6	mg/dl	70 - 110
0.77	mg%	0.5 - 1.3
21.9	mg /dl	15.0 - 45.0
5.1	mg%	2.5 - 6.0
0.63	mg/dl	0 - 1.0
0.19	mg/dl	0.00 - 0.25
0.44	mg/dl	0.00 - 0.70
7.1	gm/dl	6.6 - 8.3
3.6	gm/dl	3.4 - 4.8
3.5	gm/dl	2.3 - 3.5
1.029		
31.5	IU/L	5 - 35
34.6	IU/L	5.0 - 45.0
70.3	U/L	35.0 - 104.0
24.3	IU/L	6.0 - 42.0
308.1	mg/dL	40.0 - 165.0
169.9	mg/dL	123.0 - 199.0
	Age Value Ualue BIOCHEM 102.6 0.77 21.9 5.1 0.63 0.19 0.44 7.1 3.6 3.5 1.029 31.5 34.6 70.3 24.3 308.1	Value Unit BIOCHEMISTRY 102.6 mg/dl 0.77 mg/dl 21.9 mg/dl 5.1 mg/dl 0.63 mg/dl 0.19 mg/dl 0.44 mg/dl 7.1 gm/dl 3.6 gm/dl 3.5 gm/dl 3.6 gm/dl 3.5 gm/dl 3.6 JU/L 34.6 IU/L 70.3 U/L 24.3 IU/L

🖾 info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 28/07/2021 Name Mrs. SEEMA KUMARI Ref. By Dr.BOB	Srl No. Age	18 39 Yrs.	Patient Id 2107280018 Sex F
Test Name	Value	Unit	Normal Value
H D L CHOLESTEROL DIRECT	79.1	mg/dL	40.0 - 79.4
VLDL	61.62	mg/dL	4.7 - 22.1
L D L CHOLESTEROL DIRECT	29.18	mg/dL	63.0 - 129.0
TOTAL CHOLESTEROL/HDL RATIO	2.148		0.0 - 4.97
LDL / HDL CHOLESTEROL RATIO	0.369		0.00 - 3.55
THYROID PROFILE			
Т3	1.2	ng/ml	0.60 - 1.81
T4 Chemiluminescence	10.17	ug/dl	4.5 - 10.9
TSH Chemiluminescence REFERENCE RANGE	3.01	ulU/ml	
<u>PAEDIATRIC AGE GROUP</u> 0-3 DAYS 3-30 DAYS I MONTH -5 MONTHS 6 MONTHS- 18 YEARS	1-20 0.5 - 6.5 0.5 - 0.5 -		
ADULTS	0.39 - 6.16	ulu/ml	

before the onset of sleep, reaching peak levels between 11 pm to 6 am. Nadir concentrations are observed during the afternoon. Diurnal variation in TSH level approximates \pm 50 %, hence time of the day has influence on the measured serum TSH concentration.



info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 28/07/2021 Name Mrs. SEEMA KUMARI Ref. By Dr.BOB		Srl No. 18 Age 39 Yrs.		Patient Id 2107280018 Sex F	
Test Name		Value	Unit	Normal	Value

Assay performed on enhanced chemi lumenescence system (Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.

2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.

3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.

4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.

5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

URINE EXAMINATION TEST

PHYSICAL EXAMINATION

	QUANTITY	20	ml.
	COLOUR	PALE YELLOW	,
	TRANSPARENCY	CLEAR	
	SPECIFIC GRAVITY	1.030	
	РН	6.0	
(CHEMICAL EXAMINATION		
	ALBUMIN	NIL	



S204278300, 9003873700, 8783331²Info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date	Date 28/07/2021 Name Mrs. SEEMA KUMARI Ref. By Dr.BOB		o. 18	Patient Id	2107280018
			Age 39 Yrs.		Sex F
Test Name		Value	Unit	Normal Val	ue
SUGAR		NIL			
MICROSCO	OPIC EXAMINATION				
PUS CEL	LS	3-5	/HPF		
RBC'S		NIL	/HPF		
CASTS		NIL			
CRYSTAL	S	NIL			
EPITHELI	IAL CELLS	2-3	/HPF		
BACTERI	A	NIL			
OTHERS		NIL			

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST