

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status **Final** Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

TMT OR ECHO

TMT OR ECHO NEGATIVE

ECG

ECG WITHIN NORMAL LIMITS

MEDICAL HISTORY

RELEVANT PRESENT HISTORY NOT SIGNIFICANT

RELEVANT PAST HISTORY NOT SIGNIFICANT

RELEVANT PERSONAL HISTORY MARRIED / MIXED DIET / NO ALLERGIES / NO SMOKING / OCC ALCOHOL.

RELEVANT FAMILY HISTORY NOT SIGNIFICANT

OCCUPATIONAL HISTORY NOT SIGNIFICANT

HISTORY OF MEDICATIONS NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS 1.74 mts
WEIGHT IN KGS. 88 Kgs
BMI 29 kg/sqmts
BMI & Weight Status as follows:
Below 18.5: Underweight
18.5 - 24.9: Normal
25.0 - 29.9: Overweight
30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL
PHYSICAL ATTITUDE NORMAL
GENERAL APPEARANCE / NUTRITIONAL STATUS OVERWEIGHT
BUILT / SKELETAL FRAMEWORK AVERAGE
FACIAL APPEARANCE NORMAL
SKIN NORMAL
UPPER LIMB NORMAL
LOWER LIMB NORMAL
NECK NORMAL



View Details



View Report

PERFORMED AT :

SRL Ltd
S.K. Tower, Hari Niwas, LBS Marg
THANE, 400602
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.thane@srl.in



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
--------------------	--------------	---------	-------------------------------	-------

NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER		
THYROID GLAND	NOT ENLARGED		
CAROTID PULSATION	NORMAL		
TEMPERATURE	NORMAL		
PULSE	72/MIN.REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID BRUIT		
RESPIRATORY RATE	NORMAL		
CARDIOVASCULAR SYSTEM			
BP	140/90 MM HG (SUPINE)		mm/Hg
PERICARDIUM	NORMAL		
APEX BEAT	NORMAL		
HEART SOUNDS	NORMAL		
MURMURS	ABSENT		
RESPIRATORY SYSTEM			
SIZE AND SHAPE OF CHEST	NORMAL		
MOVEMENTS OF CHEST	SYMMETRICAL		
BREATH SOUNDS INTENSITY	NORMAL		
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)		
ADDED SOUNDS	ABSENT		
PER ABDOMEN			
APPEARANCE	NORMAL		
VENOUS PROMINENCE	ABSENT		
LIVER	NOT PALPABLE		
SPLEEN	NOT PALPABLE		
HERNIA	ABSENT		
CENTRAL NERVOUS SYSTEM			
HIGHER FUNCTIONS	NORMAL		
CRANIAL NERVES	NORMAL		
CEREBELLAR FUNCTIONS	NORMAL		
SENSORY SYSTEM	NORMAL		
MOTOR SYSTEM	NORMAL		
REFLEXES	NORMAL		

Page 2 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
S.K. Tower, Hari Niwas, LBS Marg
THANE, 400602
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.thane@srl.in



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
--------------------	--------------	---------	-------------------------------	-------

MUSCULOSKELETAL SYSTEM

SPINE NORMAL
JOINTS NORMAL

BASIC EYE EXAMINATION

CONJUNCTIVA NORMAL
EYELIDS NORMAL
EYE MOVEMENTS NORMAL
CORNEA NORMAL
DISTANT VISION RIGHT EYE WITHOUT GLASSES REDUCED VISUAL ACUITY 6/12
DISTANT VISION LEFT EYE WITHOUT GLASSES REDUCED VISUAL ACUITY 6/12
DISTANT VISION RIGHT EYE WITH GLASSES WITH GLASSES NORMAL
DISTANT VISION LEFT EYE WITH GLASSES WITH GLASSES NORMAL
NEAR VISION RIGHT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT
NEAR VISION LEFT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT
COLOUR VISION NORMAL

SUMMARY

RELEVANT HISTORY NOT SIGNIFICANT

RELEVANT GP EXAMINATION FINDINGS OVERWEIGHT

REMARKS / RECOMMENDATIONS
WEIGHT LOSS:- LOW CALORIE, HIGH FIBRE DIET, REGULAR EXERCISE.
BP MONITORING FOR 5 DAYS. IF PERSISTENTLY HIGH, WILL REQUIRE
EVALUATION BY PHYSICIAN.
LOW FAT,LOW CALORIE, LOW CARBOHYDRATE, HIGH FIBRE DIET.
REGULAR EXERCISE.REGULAR WALK FOR 30-40 MIN DAILY.
REPEAT LIPID PROFILE AFTER 3 MONTHS OF DIET AND EXERCISE.
DRINK 2-3 LITTER WATER DAILY.
UROLOGY CONSULT SOS FOR RENAL CALCULUS.



View Details



View Report

PERFORMED AT :

SRL Ltd
S.K. Tower, Hari Niwas, LBS Marg
THANE, 400602
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.thane@srl.in



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : **RAJEM310587181**
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
--------------------	--------------	---------	-------------------------------	-------

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

GRADE I FATTY LIVER.
LEFT RENAL NON OBSTRUCTING CALCULUS.

Interpretation(s)

MEDICAL

HISTORY:*****
THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

****End Of Report****

Please visit www.srlworld.com for related Test Information for this accession



View Details



View Report

PERFORMED AT :

SRL Ltd
S.K. Tower, Hari Niwas, LBS Marg
THANE, 400602
MAHARASHTRA, INDIA
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.thane@srl.in



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0181WD000174
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status **Final** Results Biological Reference Interval Units

HAEMATOLOGY - CBC

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

BLOOD COUNTS, EDTA WHOLE BLOOD

HEMOGLOBIN (HB)	17.1 High	13.0 - 17.0	g/dL
METHOD : SLS- HEMOGLOBIN DETECTION METHOD			
RED BLOOD CELL (RBC) COUNT	5.40	4.5 - 5.5	mil/ μ L
METHOD : HYDRODYNAMIC FOCUSING BY DC DETECTION			
WHITE BLOOD CELL (WBC) COUNT	10.07 High	4.0 - 10.0	thou/ μ L
METHOD : FLUORESCENCE FLOW CYTOMETRY			
PLATELET COUNT	347	150 - 410	thou/ μ L
METHOD : HYDRODYNAMIC FOCUSING BY DC DETECTION			

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	51.0 High	40.0 - 50.0	%
METHOD : CUMULATIVE PULSE HEIGHT DETECTION METHOD			
MEAN CORPUSCULAR VOLUME (MCV)	94.4	83.0 - 101.0	fL
METHOD : CALCULATED FROM RBC & HCT			
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	31.7	27.0 - 32.0	pg
METHOD : CALCULATED FROM THE RBC & HGB			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	33.5	31.5 - 34.5	g/dL
METHOD : CALCULATED FROM THE HGB & HCT			
RED CELL DISTRIBUTION WIDTH (RDW)	13.3	11.6 - 14.0	%
METHOD : CALCULATED FROM RBC SIZE DISTRIBUTION CURVE			
MENTZER INDEX	17.5		
MEAN PLATELET VOLUME (MPV)	10.5	6.8 - 10.9	fL
METHOD : CALCULATED FROM PLATELET COUNT & PLATELET HEMATOCRIT			

WBC DIFFERENTIAL COUNT

NEUTROPHILS	51	40 - 80	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING			
LYMPHOCYTES	41 High	20 - 40	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING			
MONOCYTES	5	2 - 10	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING			
EOSINOPHILS	3	1 - 6	%
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE NEUTROPHIL COUNT	5.14	2.0 - 7.0	thou/ μ L
METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE LYMPHOCYTE COUNT	4.11 High	1.0 - 3.0	thou/ μ L

Chinchkhede

Dr. Priyal Chinchkhede
Consultant Pathologist

Page 5 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING

ABSOLUTE MONOCYTE COUNT 0.54 0.2 - 1.0 thou/ μ L

METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING

ABSOLUTE EOSINOPHIL COUNT 0.26 0.02 - 0.50 thou/ μ L

METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING

NEUTROPHIL LYMPHOCYTE RATIO (NLR) 1.3

MORPHOLOGY

RBC NORMOCYTIC NORMOCHROMIC

WBC NORMAL MORPHOLOGY

METHOD : MICROSCOPIC EXAMINATION

PLATELETS ADEQUATE

Interpretation(s)

BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr.Priyal Chinchkhede
Consultant Pathologist

Page 6 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0181WD000174
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD

E.S.R	3	< 15	mm at 1 hr
-------	---	------	------------

METHOD : MODIFIED WESTERGREN

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR (> 100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythemia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc.), Hypercholesterolemia

False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

Dr. Priyal Chinchkhede

Dr. Priyal Chinchkhede
Consultant Pathologist

Page 7 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
--------------------	--------------	---------	-------------------------------	-------

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP	TYPE B
METHOD : GEL COLUMN AGGLUTINATION METHOD.	
RH TYPE	POSITIVE
METHOD : GEL COLUMN AGGLUTINATION METHOD.	


Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A, B, O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



Dr. Priyal Chinchkhede
Consultant Pathologist



Dr. Ushma Wartikar
Consultant Pathologist

Page 8 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status **Final** Results Biological Reference Interval Units

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR) **101 High** Normal 75 - 99 mg/dL
Pre-diabetics: 100 - 125
Diabetic: > or = 126

METHOD : ENZYMATIC REFERENCE METHOD WITH HEXOKINASE

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C **5.4** Non-diabetic Adult < 5.7 %
Pre-diabetes 5.7 - 6.4
Diabetes diagnosis: > or = 6.5
Therapeutic goals: < 7.0
Action suggested : > 8.0
(ADA Guideline 2021)

METHOD : HPLC

ESTIMATED AVERAGE GLUCOSE(EAG) **108.3** < 116.0 mg/dL

METHOD : CALCULATED PARAMETER

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) **93** 70 - 139 mg/dL

METHOD : ENZYMATIC REFERENCE METHOD WITH HEXOKINASE

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL **188** Desirable : < 200 mg/dL
Borderline : 200 - 239
High : > / = 240

METHOD : ENZYMATIC COLORIMETRIC ASSAY

TRIGLYCERIDES **189 High** Normal: < 150 mg/dL
Borderline high: 150 - 199
High: 200 - 499
Very High: > / = 500

METHOD : ENZYMATIC COLORIMETRIC ASSAY

HDL CHOLESTEROL **38 Low** At Risk: < 40 mg/dL
Desirable: > or = 60

METHOD : ENZYMATIC, COLORIMETRIC

Dr. Ushma Wartikar
Consultant Pathologist

Dr. Priyal Chinchkhede
Consultant Pathologist

Dr. (Mrs) Neelu K Bhojani
Lab Head

Page 9 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0181WD000174
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID :
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status **Final** Results Biological Reference Interval Units

CHOLESTEROL LDL	112 High	Adult levels: Optimal < 100 Near optimal/above optimal: 100-129 Borderline high : 130-159 High : 160-189 Very high : = 190	mg/dL
METHOD : ENZYMATIC COLORIMETRIC ASSAY			
NON HDL CHOLESTEROL	150 High	Desirable : < 130 Above Desirable : 130 -159 Borderline High : 160 - 189 High : 190 - 219 Very high : > / = 220	mg/dL
VERY LOW DENSITY LIPOPROTEIN CHOL/HDL RATIO	37.8 High 5.0 High	< OR = 30.0 Low Risk : 3.3 - 4.4 Average Risk : 4.5 - 7.0 Moderate Risk : 7.1 - 11.0 High Risk : > 11.0	mg/dL
LDL/HDL RATIO	2.9	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	

Interpretation(s)

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.54	Upto 1.2	mg/dL
METHOD : COLORIMETRIC DIAZO			
BILIRUBIN, DIRECT	0.29	< 0.30	mg/dL
BILIRUBIN, INDIRECT	0.25	0.1 - 1.0	mg/dL
TOTAL PROTEIN	7.0	6.0 - 8.0	g/dL
METHOD : COLORIMETRIC			
ALBUMIN	4.7	3.97 - 4.94	g/dL
METHOD : COLORIMETRIC			
GLOBULIN	2.3	2.0 - 3.5	g/dL
ALBUMIN/GLOBULIN RATIO	2.0	1.0 - 2.1	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	24	< OR = 50	U/L
METHOD : UV ABSORBANCE			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	35	< OR = 50	U/L
METHOD : UV ABSORBANCE			

Dr. Ushma Wartikar
Consultant Pathologist

Dr. Priyal Chinchkhede
Consultant Pathologist

Dr. (Mrs) Neelu K Bhojani
Lab Head

Page 10 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
ALKALINE PHOSPHATASE		52	40 - 129	U/L
METHOD : COLORIMETRIC				
GAMMA GLUTAMYL TRANSFERASE (GGT)		48	0 - 60	U/L
METHOD : ENZYMATIC, COLORIMETRIC				
LACTATE DEHYDROGENASE		164	125 - 220	U/L
METHOD : UV ABSORBANCE				
BLOOD UREA NITROGEN (BUN), SERUM				
BLOOD UREA NITROGEN		8	6 - 20	mg/dL
METHOD : ENZYMATIC ASSAY				
CREATININE, SERUM				
CREATININE		0.72	0.7 - 1.2	mg/dL
METHOD : COLORIMETRIC				
BUN/CREAT RATIO				
BUN/CREAT RATIO		11.11	8.0 - 15.0	
URIC ACID, SERUM				
URIC ACID		7.0	3.4 - 7.0	mg/dL
METHOD : ENZYMATIC COLORIMETRIC ASSAY				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN		7.0	6.0 - 8.0	g/dL
METHOD : COLORIMETRIC				
ALBUMIN, SERUM				
ALBUMIN		4.7	3.97 - 4.94	g/dL
METHOD : COLORIMETRIC				
GLOBULIN				
GLOBULIN		2.3	2.0 - 3.5	g/dL
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM		138	136 - 145	mmol/L
POTASSIUM, SERUM		4.38	3.5 - 5.1	mmol/L
CHLORIDE, SERUM		102	98 - 107	mmol/L

Interpretation(s)

Sodium	Potassium	Chloride
--------	-----------	----------

Dr. Ushma Wartikar
Consultant Pathologist

Dr. Priyal Chinchkhede
Consultant Pathologist

Dr. (Mrs) Neelu K Bhojani
Lab Head



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0181WD000174
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID :
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status **Final** Results Biological Reference Interval Units

Decreased In: CCF,cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy,adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide,carbamazepine,anti depressants (SSRI), antipsychotics.	Decreased In: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased In: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism,metabolic alkalosis. Drugs: chronic laxative,corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison' s disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high-dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA,dehydration, overtreatment with saline,hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis,hyperadrenocorticism. Drugs: acetazolamide,androgens, hydrochlorothiazide,salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences: Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)

GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

Increased in: Diabetes mellitus, Cushing' s syndrome (10 – 15%), chronic pancreatitis (30%). Drugs: corticosteroids,phenytoin, estrogen, thiazides.

Decreased in : Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol, propranolol; sulfonyleureas,tolbutamide,and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values),there is wide fluctuation within individuals.Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemc control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria,Glycaemic index & response to food consumed,Alimentary Hypoglycemia,Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes.
- 3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- 1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
- 2. eAG gives an evaluation of blood glucose levels for the last couple of months.
- 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

Dr. Ushma Wartikar
Consultant Pathologist

Dr. Priyal Chinchkhede
Consultant Pathologist

Dr. (Mrs) Neelu K Bhojani
Lab Head



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0181WD000174
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID :
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status Final Results Biological Reference Interval Units

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results.
4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c) HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatemia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to: Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome **Causes of decreased levels**-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. **Low blood albumin levels (hypoalbuminemia) can be caused by:** Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Ushma Wartikar
Consultant Pathologist

Dr. Priyal Chinchkhede
Consultant Pathologist

Dr. (Mrs) Neelu K Bhojani
Lab Head

Page 13 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status **Final** Results Biological Reference Interval Units

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW
APPEARANCE CLEAR

CHEMICAL EXAMINATION, URINE


PH	6.0	5.00 - 7.50
SPECIFIC GRAVITY	1.025	1.010 - 1.030
METHOD : URINE ROUTINE & MICROSCOPY EXAMINATION BY INTEGRATED AUTOMATED SYSTEM		
PROTEIN	NOT DETECTED	NOT DETECTED
GLUCOSE	NOT DETECTED	NOT DETECTED
KETONES	NOT DETECTED	NOT DETECTED
BLOOD	NOT DETECTED	NOT DETECTED
UROBILINOGEN	NORMAL	NORMAL
NITRITE	NOT DETECTED	NOT DETECTED
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	0-1	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	

METHOD : URINE ROUTINE & MICROSCOPY EXAMINATION BY INTEGRATED AUTOMATED SYSTEM

Interpretation(s)



Dr. Priyal Chinchkhede
Consultant Pathologist



Dr. Ushma Wartikar
Consultant Pathologist



Dr. (Mrs) Neelu K Bhojani
Lab Head

Page 14 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
--------------------	--------------	---------	-------------------------------	-------

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

MICROSCOPIC EXAMINATION,STOOL

REMARK

SAMPLE NOT RECEIVED

Interpretation(s)

Sheetal Sawant

Dr. Sheetal Sawant
Consultant Microbiologist

Page 15 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE**REF. DOCTOR : SELF**

CODE/NAME & ADDRESS : C000138394
 ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156

ACCESSION NO : **0181WD000174**
 PATIENT ID : RAJEM310587181
 CLIENT PATIENT ID:
 ABHA NO :

AGE/SEX : 35 Years Male
 DRAWN :
 RECEIVED : 04/04/2023 08:01:51
 REPORTED : 06/04/2023 16:14:23

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

SPECIALISED CHEMISTRY - HORMONE**MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE****THYROID PANEL, SERUM**

T3	136.0	80 - 200	ng/dL
METHOD : ELECTROCHEMILUMINESCENCE			
T4	8.16	5.1 - 14.1	µg/dL
METHOD : ELECTROCHEMILUMINESCENCE			
TSH (ULTRASENSITIVE)	1.780	0.27 - 4.2	µIU/mL
METHOD : ELECTROCHEMILUMINESCENCE			

Interpretation(s)

Triiodothyronine T3 , **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.


In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1) Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism



Dr. Ushma Wartikar
Consultant Pathologist



Dr. Priyal Chinchkhede
Consultant Pathologist



Dr. (Mrs) Neelu K Bhojani
Lab Head

Page 16 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
 Mulund Goregoan Link Road
 MUMBAI, 400078
 MAHARASHTRA, INDIA
 Fax :
 CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846

PATIENT NAME : RAJESH J MHATRE

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138394
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0181WD000174**
PATIENT ID : RAJEM310587181
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 35 Years Male
DRAWN :
RECEIVED : 04/04/2023 08:01:51
REPORTED : 06/04/2023 16:14:23

Test Report Status **Final** Results Biological Reference Interval Units

8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIEZT Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011.
NOTE: It is advisable to detect Free T3,FreeT4 along with TSII, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

Dr. Ushma Wartikar
Consultant Pathologist

Dr. Priyal Chinchkhede
Consultant Pathologist

Dr. (Mrs) Neelu K Bhojani
Lab Head

Page 17 Of 17



View Details



View Report

PERFORMED AT :

SRL Ltd
Mulund Goregoan Link Road
MUMBAI, 400078
MAHARASHTRA, INDIA
Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 775000002801846