Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY



Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 01:26 p.m.

Sample ID :

Test Description	Value(s)	Unit(s)	Reference Range
BIOCHEMISTRY			
LIPID PROFILE			
Cholesterol Total Method: ENZYMETIC COLORIMETRIC METHOD CHOD - POD	208.36	mg/dL	130 -250
Triglycerides Method: ENZYMETIC COLORIMETRIC	145.98	mg/dL	60 -170
HDL Cholesterol Method : PHOSPHOTUNGSTIC ACID	45.71	mg/dL	Normal: 40-60 Major Risk for Heart: > 60
VLDL Cholesterol Method : Calculated	29.20	mg/dL	6 - 38
LDL Cholesterol Method : Calculated	133.45	mg/dL	Optimal < 100 Near / Above Optimal 100-129 Borderline High 130-159 High 160-189 Very High >or = 190
CHOL/HDL Ratio Method : Calculated	4.56		2.6-4.9
LDL/HDL Ratio Method : Calculated	2.92		0.5-3.4



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY



Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 01:26 p.m.

Sample ID :

Test Description	Value(s)	Unit(s)	Reference Range
IMMUNOLOGY			
T3-Triiodothyronine Method: CHEMILUMINOSCENCE	1.28	ng/dL	0.60-1.81
T4-Thyroxine Method: CHEMILUMINOSCENCE	9.7	ug/dL	4.5 - 10.9
TSH -ULTRA SENSITIVE Method : CHEMILUMINOSCENCE	2.46	uIU/mL	0.35 - 5.50

Interpretation:

TSH measurement is useful in screening and diagnosis for euthyroidism, hyperthyroidism and hypothyroidism. TSH levels may be affected by acute illness and drugs like doapmine and glucocorticoids. Low or undetectable TSH is suggestive of graves disease TSH between 5.5 to 15.0 with normal T3 T4 indicates impaired thyroid hormone or subclinical hypothyroidism or normal T3 T4 with slightly low TSH suggests subclinical Hyperthyroidism. TSH suppression does not reflect severity of hyperthyroidism therefore, measurement of FT3 FT4 is important. FreeT3 is first hormone to increase in early Hyperthyroidism. Only TSH level can prove to be misleading in patients on treatment. Therefore FreeT3, FreeT4 along with TSH should be checked.



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY

Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 02:09 p.m.

Sample ID:



Test Description	Value(s)	Unit(s)	Reference Range
HAEMATOLOGY			
HbA1c (GLYCOSYLATED HEMOGLOBIN)	5.9	%	> 8% Action Suggested
BLOOD		, ,	7 - 8 % Good Control
Method : Nephelometry Methodology			< 7% Goal
			6 - 7 % Near Normal Glycemia
			< 6% Normal level

Instrument:Mispa i2 Clinical Information:

Glycated hemoglobin measurement is not appropriate where there has been a change in diet or treatment within 6 weeks. Hence, people with recent blood loss, hemolytic anemia, or genetic differences in the hemoglobin molecule (hemoglobinopathy and Hb variants viz: HbS,HbC,HbE, HbD,elevated HbF, as well as those that have donated blood recently, are not suitable for this test. Conditions associated with false increased HbA1C values: HbF, Uremia,Lead Poisoning, Hypertriglyceridemia, Alcoholism, Opiate addiction, Iron defiency state,Postsplenectomy, Hyperbilirubinemia, Chronic aspirin therapy. Conditions associated with false low HbA1C values: HbS, HbC, Hemolytic anemia, Pregnancy, Acute or chronic blood loss

AVERAGE BLOOD GLUCOSE

122.63

90 - 120 Very Good Control 121 - 150 Adequate Control 51 - 180 Sub-optimal Control 181 - 210 Poor Control > 211 Very Poor Control



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY



Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 02:06 p.m.

Sample ID:

Test Description	Value(s)	Unit(s)	Reference Range
BIOCHEMISTRY			
RENAL FUNCTION TEST			
Urea	34.39	mg/dL	10 - 45
Method: Uricase			
Creatinine	0.75	mg/dL	0.6 - 1.4
Method : Serum, Jaffe			
Uric Acid	4.83	mg/dL	3.0 - 7.0
Method : Serum, Uricase			
Calcium	9.30	mg/dl	8.6 - 10.2
Method : ARSENASO with serum			
Sodium	142	mmol/L	135 - 145
Method : Ion-Selective Electrode with serum			
Potassium	4.6	mmol/L	3.50 - 5.00
Method : Ion Selective Electrode with serum			
Chlorides	106	mmol/L	98 - 106
Method : Ion-Selective Electrode with serum			



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY



Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 02:00 p.m.

Sample ID:

Test Description	Value(s)	Unit(s)	Reference Range
HAEMATOLOGY			
Hemoglobin (HB)	15.4	gm/dl	13.5 - 18.0
Erythgrocyte (RBC) Count	5.32	mil/cu.mm	4.7 - 6.0
Packed Cell Volume (PCV)	44.4	%	42 - 52
Mean Cell Volume (MCV)	83.5	FL	78 - 100
Mean Cell Haemoglobin (MCH)	28.9	Pg	27 - 31
Mean Corpuscular Hb Concn. (MCHC)	34.7	g/dl	32 - 36
Red Cell Distribution Width (RDW)	13.1	%	11.5 - 14.0
Total Leucocytes Count (WBC)	7200	Cell/cu.mm	4000 - 10000
Neutrophils	62	%	40 - 80
Lymphocytes	32	%	20 - 40
Monocytres	03	%	2 - 10
Eosinophils	03	%	1-6
Basophils	00	%	0-1
Mean Platelet Volume (MPV)	9.6	fL	7.2 - 11.7
PCT	0.25	%	0.2 - 0.5
Platelet Count	264	10^3/ul	150 - 450

^{**}END OF REPORT**



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY



Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 01:29 p.m.

Sample ID:

Test Description	Value(s)	Unit(s)	Reference Range
BIOCHEMISTRY			
IRON - SERUM	106	ug/dL	65 - 175
TOTAL IRON BINDING CAPACITY(TIBC)	328	ug/dL	228 - 428
FERRITIN	83.2	ng/mL	Male:22-322
Method : Serum CLIA			Female:10-291
TRANSFERRIN SATURATION %	32.32	%	16 - 50
Method : Calculated			

Method : Calculated
INTERPRETATION

The serum iron test is used to measure the amount of iron that is in transit in the body – the iron that is bound to transferrin in the blood. Along with other tests, it is used to help detect and diagnose iron deficiency or iron overload. Testing may also be used to help differentiate various causes of anemia. The amount of iron present in the blood will vary throughout the day and from day to day. For this reason, serum iron is almost always measured with other iron tests, including ferritin, transferrin, and calculated total iron-binding capacity (TIBC) and transferrin saturation. Serum ferritin appears to be in equilibrium with tissue ferritin and is a good indicator of

storage iron in normal subjects and in most disorders. In patients with some hepatocellular diseases, malignancies and inflammatory diseases, serum ferritin is a disproportionately high estimate of storage iron because serum ferritin is an acute phase reactant. In such

disorders iron deficiency anemia may exist with a normal serum ferritin conc. In the presence of inflammation, persons with low serum ferritin are likely to respond to iron therapy.

Increased Levels -

Iron overload - Hemochromatosis, Thalassemia & Sideroblastic anemia

- -Malignant conditions Acute myeloblastic & Lymphoblastic leukemia, Hodgkin's disease & Breast carcinoma
- -Inflammatory diseases Pulmonary infections, Osteomyelitis, Chronic UTI, -Rheumatoid arthritis, SLE, burns, Acute & Chronic hepatocellular disease

Decreased Levels

-Iron deficiency anemia

SP.

Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY

Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 01:29 p.m.

Sample ID:



Test Description Value(s) Unit(s) Reference Range



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY

Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 01:58 p.m.

Sample ID:



Test Description	Value(s)	Unit(s)	Reference Range
BIOCHEMISTRY			
C-Reactive Protein; CRP, SERUM	5.1	mg/L	0.0-6.0

Interpretation:

- 1. Measurement of CRP is useful for the detection and evaluation of infection, tissue injury, inflammatory disorders and associated diseases .
- 2. High sensitivity CRP (hsCRP) measurements may be used as an independent risk marker for the identification of individual at risk for future cardiovascular disease.
- 3. Increase in CRP values are non-Specific and should not be interpreted without a complete history.



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY



Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 01:26 p.m.

Sample ID:

Test Description	Value(s)	Unit(s)	Reference Range
BIOCHEMISTRY			
LIVER FUNCTION TEST			
Bilirubin - Total	1.08	gm/dl	0.0 - 1.20
Bilirubin - Direct	0.25	mg/dL	0.00 - 0.3
	0.83	mg/dL	0.1 - 1.0
Method : Calculated ASPARTATE AMINO TRANSFERASE (SGOT-AST) Method : IFCC with Serum	35.77	U/L	5.0-40
ALANINE AMINO TRANSFERASE (SGPT-ALT) Method: IFCC with POD Serum	40.00	U/L	5.0 - 40.0
Alkaline Phosphatase	73.90	U/L	MALE & FEMALE
Method : IFCC with Serum			4-15 YEAR: 54-369 U/L 20-59 YEAR: 42-98 U/L >60 YEAR: 53-141 U/L
Total Protein	7.29	g/dL	6.0 - 8.0
Method : Biuret, with Serum Albumin Method : Tech; BCG with Serum	4.22	g/dL	3.4 - 5.5
	3.07	g/dL	1.5 - 3.5
A/G Ratio Method : Calculated	1.37		1.5 - 2.5



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY

Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Test Description	Value(s)	Unit(s)	Reference Range
BIOCHEMISTRY			
Gamma GT	25	U/L	8-61

Method: G-Glutamyl-Carboxy-Nito an ilide

Interpretation

A high GGT level can help rule out bone disease as the cause of an increased ALP level, but if GGT is low or normal, then an increased ALP is more likely due to bone disease. Even small amounts of alcohol within 24 hours of a GGT test may cause a temporary increase in the GGT.



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY

Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 02:02 p.m.

Sample ID:

Unit(s)

Reference Range

HA	EM	AT(OLO	GY

Test Description

BLOOD GROUP ABO AND RHTYPE

'B' POSITIVE

Value(s)

Method : Gel Technique & Tube Agglutination

Medical Remark:

The blood group done is forward blood group only. In case of any discrepancy kindly contact the lab



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY

Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 02:11 p.m.

Sample ID:



Test Description	Value(s)	Unit(s)	Reference Range
HAEMATOLOGY			
ESR	10	mm	0 - 20



Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics

Referral: MEDI BUDDY



Collected Date & Time : Nov 12, 2022, 12:56 p.m. **Reported Date & Time :** Nov 12, 2022, 02:10 p.m.

Sample ID:



Test Description	Value(s)	Unit(s)	Reference Range	
CLINICAL PATHOLOGY				
General Examination				
Colour	Yellow		Pale Yellow	
Transparency (Appearance)	Clear		Clear	
Reaction (pH)	Acidic		4.5 - 7.0	
Specific gravity	1.015		1.005 - 1.030	
Chemical Examination				
Urine Protein (Albumin)	NIL		NIL	
Urine Glucose (Sugar)	NIL		NIL	
Microscopic Examination				
Pus cells (WBCs)	2-3	/hpf	0-9	
Epithelial cells	1-2	/hpf	0-4	
Red blood cells	NIL	/hpf	0-4	
Crystals	Absent		Absent	
Cast	Absent		Absent	
Amorphous deposits	Absent		Absent	
Bacteria	Absent		Absent	
Yeast cells	Absent		Absent	

^{**}END OF REPORT**

Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY

Collected Date & Time: Nov 12, 2022, 12:11 p.m.

Reported Date & Time: Nov 12, 2022, 01:26 p.m.

Sample ID:



Test Description	Value(s)	Unit(s)	Reference Range	
BIOCHEMISTRY				
Glucose fasting	86.14	mg/dL	70.0-110.0	
Method : Fluoride Plasma-F, Hexokinase				



Dr. Roopa Goyal

MD (Radio-Diagnosis)



SHOP NO. 16-17, IST FLOOR SHOPPING CENTRE, OPP. JLN HOSPITAL, AJMER -305 001 PHONE: 2428948

Patient Name: MR. SARVESHWAR

CHOUDHARY

Age / Gender: 39 years / Male

Endo ID: 94859

Organization: Goyal Diagnostics Profile

Referral: MEDI BUDDY

Collected Date & Time: Nov 12, 2022, 04:33 p.m.

Reported Date & Time: Nov 12, 2022, 05:02 p.m.

Sample ID:



Test Description	Value(s)	Unit(s)	Reference Range	
BIOCHEMISTRY				
Blood Glucose-Post Prandial	122.0	mg/dL	70 - 140	
Method: Hexokinase				

