

CERTIFICATE OF MEDICAL FITNESS

NAME: GeethalakShoni S
AGE/GENDER: 58 y JS/ Florall
HEIGHT: 155cm WEIGHT: 61.9kg
IDENTIFICATION MARK:
BLOOD PRESSURE: 150/90 mm Hg
PULSE: 85/ordo
CVS: P No Isonal
ANY OTHER DISEASE DIAGNOSED IN THE PAST: Hypertestion
ALLERGIES, IF ANY:
LIST OF PRESCRIBED MEDICINES: Nil
ANY OTHER REMARKS: NILL
of Ms Palmanetha Ail Who has signed in my presence. He/ she has no physical disease and is fit for employment.
Signature of candidate Dr. BINDURAJ. R Signature of Medical Officer
Place: GPect. In Diagnostics CHealth Cases. No. 62806
Date: <u>98 / 10 / 23</u>
Disclaimer: The patient has not been checked for COVID. This certificate does not relate to the
covid status of the patient examined







Dr. Ashok S Bsc., MBBS., D.O.M.S Consultant Opthalmologist KMC No: 31827

DATE: 28-16-23


EYE EXAMINATION

NAME: MSS-GRETTA CARRE	8mmi AGE: 58)	GENDER : F / M
	RIGHT EYE	LEFT EYE
Vision	619 20/16	619 wo
Vision With glass	ely: no	ain
Color Vision	Normal	Normal
Anterior segment examination	Normal	Normal
Fundus Examination	Normal	Normal
Any other abnormality	Nill	Nill
Diagnosis/ impression	Normal	Normal
	70 Weas	mormal Greekeles





Consultant (Ophalmologist) Eye Consultant & Surgeon KMC 31827



SPECTRUM DIAGNOSTICS & HEALTH CARE

#9/1 TEJAS ARCADE, DR. RAJKUMAR ROAD, RAJAJINAGAR-560010 AUDIOGRAN

RMS


Patient ID: 0953

Name : GEETHALAKSHMI S KEDL

CR Number : 20231028120210 Registration Date : 28-Oct-2023 Age: 58

Gender : Female

Operator: spectrum diagnostics



	125 Hz	250 Hz	500 Hz	750 Hz	1000 Hz	1500 Hz	2000 Hz	3000 Hz	4000 Hz	6000 Hz	8000 Hz
X - Air Left	30	50	35	35	30	25	30	20	20	30	40
O - Air Right	30	25	30	30	30	35	35	30	30	30	30
> - Bone Left											
< - Bone Right											

Clinical Notes:

Right Ear :Mild Left Ear;Mild	
	CTIC
	(BENGAURU)
https://www.rmsindia.com @ RMS Audiometer(HERMES_v3.0.0.7) Print Date:28-Oct-2023	() T



NAME	: MRS.GEETHALAKSHMI S	DATE :28/10/2023
AGE/SEX	: 58YEARS/FEMALE	REG NO:012
REF BY	: APOLLO CLINIC	

CHEST PA VIEW

Lung fields are clear.

Cardiovascular shadows are within normal limits.

Both CP angles are free.

Domes of diaphragm and bony thoracic cage are normal.

IMPRESSION: NORMAL CHEST RADIOGRAPH.

DR.RAM PRAKASH G MDRD CONSULTANT RADIOLOGIST

RH1-14

Your suggestion / feedback is a valuable input for improving our services







PATIENT NAME	MRS GEETHALAKSHMI S KEDLAYA	ID NO	2810230012
AGE	58YEARS	SEX	FEMALE
REF BY	DR.APOLO CLINIC	DATE	28.10.2023

2D ECHO CARDIOGRAHIC STUDY

M-MODE

	IVIODE	
AORTA	36mm	
LEFT ATRIUM	26mm	X
RIGHT VENTRICLE	20mm	
LEFT VENTRICLE (DIASTOLE)	46mm	
LEFT VENTRICLE(SYSTOLE)	29mm	
VENTRICULAR SEPTUM (DIASTOLE)	12mm	
VENTRICULAR SEPTUM (SYSTOLE)	11mm	
POSTERIOR WALL (DIASTOLE)	10mm	
POSTERIOR WALL (SYSTOLE)	11mm	
FRACTIONAL SHORTENING	30%	
EJECTION FRACTION	60%	

DOPPLER / COLOUR FLOW

Mitral Valve Velocity: MVE- 0.34m/s MVA -0.54 m/s E/A-0.68

Tissue Doppler : e' (Septal) -10 cm/s E/e'(Septal) -3

Velocity/ Gradient across the Pulmonic valve :0.84m/s 2mmHg

Max. Velocity / Gradient across the Aortic valve: 1.01m/s 4mmHg

Velocity / Gradient across the Tricuspid valve : 2.45m/s 30mmHg







PATIENT NAME	MRS GEETHALAKSHMI S KEDLAYA	ID NO	2810230012
AGE	58YEARS	SEX	FEMALE
REF BY	DR.APOLO CLINIC	DATE	28.10.2023

2D ECHO CARDIOGRAHIC STUDY

LEFT VENTRICLE	SIZE& THICKNESS	NORMAL
CONTRACTILITY	REGIONAL GLOBAL	NO RWMA

RIGHT VENTRICLE	:	NORMAL	
LEFT ATRIUM	:	NORMAL	
RIGHT ATRIUM	:	NORMAL	
MITRAL VALVE	:	NORMAL	
AORTIC VALVE	:	NORMAL	
PULMONARY VALVE	:	NORMAL	
TRICUSPID VALVE		NORMAL	
INTER ATRIAL SEPTUM	:	INTACT	
INTER VENTRICULAR SEPTI	JM:	INTACT	
PERICARDIUM	:	NORMAL	
OTHERS	:	· NIL	

IMPRESSION

- NO REGIONAL WALL MOTION ABNORMALITY PRESENT
- > NORMAL VALVES AND DIMENSIONS
- NORMAL LV SYSTOLIC FUNCTION, LVEF- 60%
- LVH WITH GRDAE I LVDD
- TRIVIAL MR / MILD TR / MILD PAH [RVSP-30mmHg]
- NO CLOT / VEGETATION / EFFUSION
- NO ASD / VSD / PDA / CoA SEEN

ECHO TECH

The science of radiology is based upon interpretation of shadows of normal and abnormal tissue. This is neither complete nor accurate; hence, findings should always be interpreted in to the light of clinico-pathological correction.





NAME AND LAB NO	MRS GEETHALAKSHMI S	Reg: 30012
AGE & SEX	58 YRS	FEMALE
DATE AND AREA OF INTEREST	28.10.2023	BREAST SCAN
REF BY	C/O APOLO CLINIC	

USG BILATERAL BREASTS AND AXILLAE

RIGHT BREAST:

- Heterogenous fibroglandular tissue.
- Subareolar tissue appears normal.
- No e/o focal solid/cystic lesions.
- No e/o dilated ducts/ focal collections.

LEFT BREAST:

- Heterogenous fibroglandular tissue.
- Subareolar tissue appears normal.
- No e/o focal solid/ cystic lesions.
- No e/o dilated ducts/ focal collections.

AXILLA

Few axillary lymph nodes with benign morphology-likely reactive.

IMPRESSION:

- RIGHT BREAST: No significant sonological abnormality detected -BIRADS 1.
- LEFT BREAST: No significant sonological abnormality detected BIRADS 1.

-Suggested routine screening.

DR AKSHATHA R BHAT MDRD DNB FRCR







NAME AND LAB NO	MRS GEETHALAKSHMI S	Reg: 30012
AGE & SEX	58 YRS	FEMALE
DATE AND AREA OF INTEREST	28.10.2023	ABDOMEN & PELVIS
REF BY	C/O APOLO CLINIC	

USG ABDOMEN AND PELVIS

LIVER:

Measures 17.0cm Enlarged in size with increased echotexture..

No e/o IHBR dilatation. No evidence of SOL.

Portal vein appears normal.

CBD appears normal. . No e/o calculus / SOL

GALL BLADDER:

Well distended. Wall appears normal. No e/o calculus/ neoplasm.

SPLEEN:

Measures 11.7 cm. Normal in size and echotexture. No e/o SOL/ calcification.

PANCREAS:

Head and body appears normal in size and echotexture. Tail obscured by bowel

gas shadows.

Pancreatic duct appears normal. No e/o calculus / calcifications.

RETROPERITONEUM:

Poor window.

RIGHT KIDNEY:

Measures 9.3 x 4.2 cm. Right kidney is normal in size & echotexture

No evidence of calculus/ hydronephrosis.

LEFT KIDNEY:

Measures 11.3 x 4.6 cm .Left kidney is normal in size & echotexture

Simple parapelvic cyst measuring 1x1 cm in the inter polar region.

No evidence of calculus/ hydronephrosis.

URETERS:

Bilateral ureters are not dilated.

URINARY BLADDER:

Well distended. No wall thickening/ calculi.

UTERUS:

Anteverted , Normal in size and echotexture

Fibroids in the posterior wall largest measuring 2.2 x2.0 cm

Endometrium is normal.ET 5 mm.

OVARIES:

Right ovary is normal in size and echotexture.

Left ovary - obscured by bowel gas shadows .

No evidence of ascites/pleural effusion.

IMPRESSION:

Hepatomegaly with grade II fatty liver.

Uterine fibroids as described.

DR AKSHATHA R BHAT
MDRD DNB FRCR







Name: MRS.GEETHALAKSHMI S KEDLAYA	Age/Sex: 58 Y Female	Date of receipt:28.10.2023 Date of report: 28.10.2023
Ref DR: APOLLO CLINIC	LABREFNO: 2810230012	PAP No: 356 /23

CERVICAL PAP SMEAR REPORT

Clinical history

: Health check

Specimen

: 2 Conventional PAP smears.

Specimen Adequacy

: Adequate for evaluation.

Description

: Seen are mixture of intermediate squamous cells, parabasal cells and

a few endocervical cells.

Inflammation

: Neutrophilic exudate is noted.

Organism

: Dodderlein bacilli are noted.

Reactive changes

: Nil

Dysplastic changes


: Nil

Impression

: Negative for Squamous Intraepithelial Lesion/Malignancy.

Note: Enclosed: 2slides: preserve them carefully.

---End of report---







: 58 Years / Female

UHID

2810230012

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 2810230012

Age / Gender

C/o : Apollo Clinic

Bill Date : 28-Oct-2023 08:21 AM : 2810230012

Sample Col. Date: 28-Oct-2023 08:21 AM **Result Date** : 28-Oct-2023 01:55 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Complete Haemogram-Whole E	Blood EDTA			
Haemoglobin (HB)	12.40	g/dL	Male: 14.0-17.0 Female:12.0-15.0 Newborn:16.50 - 19.50	Spectrophotmeter
Red Blood Cell (RBC)	4.77	million/cun	nm3.50 - 5.50	Volumetric Impedance
Packed Cell Volume (PCV)	37.60	%	Male: 42.0-51.0 Female: 36.0-45.0	Electronic Pulse
Mean corpuscular volume (MCV)	78.80	fL	78.0- 94.0	Calculated
Mean corpuscular hemoglobin (MCH)		pg	27.50-32.20	Calculated
Mean corpuscular hemoglobin concentration (MCHC)	32.90	%	33.00-35.50	Calculated
Red Blood Cell Distribution Width SD (RDW-SD)	40.80	fL	40.0-55.0	Volumetric Impedance
Red Blood Cell Distribution CV (RDW-CV)	15.80	%	Male: 11.80-14.50 Female:12.20-16.10	Volumetric Impedance
Mean Platelet Volume (MPV)	9.40	fL	8.0-15.0	Volumetric Impedance
Platelet	2.74	lakh/cumm	1.50-4.50	Volumetric Impedance
Platelet Distribution Width (PDW)	12.90	%	8.30 - 56.60	Volumetric Impedance
White Blood cell Count (WBC)	6770.00	cells/cumm	Male: 4000.0-11000.0 Female 4000.0-11000.0 Children: 6000.0-17500.0 Infants: 9000.0-30000.0	Volumetric Impedance
Neutrophils	60.40	%	40.0-75.0	Light scattering/Manual
Lymphocytes	32.60	%	20.0-40.0	Light
Eosinophils	3.20	%	0.0-8.0	scattering/Manual Light scattering/Manual





other Branch: #466/A, Ideal Homes Township, 80 Feet Road, Kenchanahalli, Rajarajeshwari Nagar, Bengaluru-560098 🍮+91 6361 253 097 | 080-2991 6944 | 080-49511985





Age / Gender : 58 Years / Female Ref. By Dr.

: Dr. APOLO CLINIC : 2810230012

C/o : Apollo Clinic

Reg. No.

Bill Date : 28-Oct-2023 08:21 AM

Sample Col. Date: 28-Oct-2023 08:21 AM

: 28-Oct-2023 01:55 PM

Report Status : Final

Result Date

Test Name	Result	Unit	Reference Value	Method
Monocytes	3.60	%	0.0-10.0	Light scattering/Manual
Basophils	0.20	%	0.0-1.0	Light scattering/Manual
Absolute Neutrophil Count	4.10	10^3/uL	2.0- 7.0	Calculated
Absolute Lymphocyte Count	2.20	10^3/uL	1.0-3.0	Calculated
Absolute Monocyte Count	0.24	10^3/uL	0.20-1.00	Calculated
Absolute Eosinophil Count	220.00	cells/cumm	40-440	Calculated
Absolute Basophil Count	0.01	10^3/uL	0.0-0.10	Calculated
Erythrocyte Sedimentation Rate (ESR)	11	mm/hr	Female: 0.0-20.0 Male: 0.0-10.0	Westergren

: 2810230012

2810230012

Peripheral Smear Examination-Whole Blood EDTA

Method: (Microscopy-Manual)

RBC'S : Normocytic Normochromic.

WBC'S : Are normal in total number, morphology and distribution.

Platelets : Adequate in number and normal in morphology.

No abnormal cells or hemoparasites are present.

Impression: Normocytic Normochromic Blood picture.



Printed By

: spectrum

Printed On

: 28 Oct, 2023 05:47 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, BengaluPage \$60040 www.spectrumdiagnostics.org





: 58 Years / Female

: Dr. APOLO CLINIC

Reg. No. : 2810230012

C/o : Apollo Clinic **Bill Date** : 28-Oct-2023 08:21 AM

Sample Col. Date: 28-Oct-2023 08:21 AM

Result Date : 28-Oct-2023 01:19 PM

: Final Report Status

Blood Group & Rh Typing-Whole Blood EDTA

Blood Group

Age / Gender

Ref. By Dr.

2810230012

: 2810230012

Reference Value

UHID

Unit

Method

Rh Type

Test Name

Positive

Result

Slide/Tube

agglutination

Slide/Tube

agglutination

Note: Confirm by tube or gel method.

Comments: ABO blood group system, the classification of human blood based on the inherited properties of red blood cells (erythrocytes) as determined by the presence or absence of the antigens A and B, which are carried on the surface of the red cells. Persons may thus have type A, type B, type O, or type AB blood.



Printed By

: spectrum

Printed On

: 28 Oct, 2023 05:47 pm

Dr. Nithun Reddy C, MD, Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, BengaluPage \$60040 +91 77604 97644 | 080 2337 1555

info@spectrumdiagnostics.org

www.spectrumdiagnostics.org







Name : MRS. GEETHALAKSHMI S KEDLAYA Bill Date : 28-Oct-2023 08:21 AM

 Age / Gender
 : 58 Years / Female
 UHID
 : 2810230012
 Sample Col. Date : 28-Oct-2023 08:21 AM

 Ref. By Dr.
 : Dr. APOLO CLINIC
 Result Date
 : 28-Oct-2023 01:19 PM

C/o : Apollo Clinic : 2810230012 Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Fasting Blood Sugar (FBS)- Plasma	88	mg/dL	60.0-110.0	Hexo Kinase

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula $C_6H_{12}O_6$. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high. Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying & brisk glucose absorption.

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total Gastrectomy.

Glycosylated Haemoglobin (HbA1c)-Whole Blood EDTA

Glycosylated Haemoglobin

Solution Strick (Prediabetes): 5.7 - 6.4

Solution Solution Strick (Prediabetes): 5.7 - 6.4

(HbA1c) Diagnosing Diabetes :>= 6.5

Diagnosing Diabetes :>= 6
Diabetes

Excellent Control: 6-7
Fair to good Control: 7-8

Unsatisfactory Control :8-10
Poor Control :>10

Estimated Average 105.41 mg/dL Calculated Calculated









Result

Bill Date : 2810230012

: 28-Oct-2023 08:21 AM Sample Col. Date: 28-Oct-2023 08:21 AM

Age / Gender Ref. By Dr.

: 58 Years / Female : Dr. APOLO CLINIC

Result Date

: 28-Oct-2023 01:19 PM

Reg. No.

: 2810230012

Report Status

: Final

C/o

Test Name

: Apollo Clinic

Unit

UHID

Reference Value

Method

Note: 1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled.

2810230012

2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

Comments: HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.



Printed By

: spectrum

Printed On

: 28 Oct, 2023 05:47 pm

Dr. Nithun Reddy C, MD, Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, BengaluPage \$60040 info@spectrumdiagnostics.org

www.spectrumdiagnostics.org





> : 58 Years / Female UHID

: Dr. APOLO CLINIC

Reg. No. : 2810230012

Age / Gender

Ref. By Dr.

C/o : Apollo Clinic

Bill Date : 28-Oct-2023 08:21 AM : 2810230012

Sample Col. Date: 28-Oct-2023 08:21 AM **Result Date** : 28-Oct-2023 02:10 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
LFT-Liver Function Test -Seru	m			
Bilirubin Total-Serum	0.90	mg/dL	0.2-1.0	Caffeine Benzoate
Bilirubin Direct-Serum	0.15	mg/dL	0.0-0.2	Diazotised Sulphanilic Acid
Bilirubin Indirect-Serum	0.75	mg/dL	0.0-1.10	Direct Measure
Aspartate Aminotransferase (AST/SGOT)-Serum	22.00	U/L	15.0-37.0	UV with Pyridoxal - 5 - Phosphate
Alanine Aminotransferase (ALT/SGPT)-Serum	47.00	U/L	Male:16.0-63.0 Female:14.0-59.0	UV with Pyridoxal - 5 - Phosphate
Alkaline Phosphatase (ALP)- Serum	58.00	U/L	Adult: 45.0-117.0 Children: 48.0-445.0 Infants: 81.90-350.30	PNPP,AMP- Buffer
Protein, Total-Serum	7.23	g/dL	6.40-8.20	Biuret/Endpoint- With Blank
Albumin-Serum	4.51	g/dL	3.40-5.00	Bromocresol Purple
Globulin-Serum	2.72	g/dL	2.0-3.50	Calculated
Albumin/Globulin Ratio-Serun	1.66	Ratio	0.80-1.20	Calculated

2810230012



Printed By

: spectrum

Printed On

: 28 Oct, 2023 05:47 pm



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalu**Pa**ge **66DD**40 @+91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org









: 58 Years / Female

: Dr. APOLO CLINIC

: 2810230012

C/o

Age / Gender

Ref. By Dr.

Reg. No.

: Apollo Clinic

Bill Date : 28-Oct-2023 08:21 AM

Sample Col. Date: 28-Oct-2023 08:21 AM **Result Date**

: 28-Oct-2023 01:19 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Gamma-Glutamyl Transferase (GGT)-Serum	17.00	U/L	Male: 15.0-85.0 Female: 5.0-55.0	Other g-Glut- 3-carboxy-4 nitro

2810230012

: 2810230012

UHID

Comments: Gamma-glutamyltransferase (GGT) is primarily present in kidney, liver, and pancreatic cells. Small amounts are present in other tissues. Even though renal tissue has the highest level of GGT, the enzyme present in the serum appears to originate primarily from the hepatobiliary system, and GGT activity is elevated in any and all forms of liver disease. It is highest in cases of intra- or posthepatic biliary obstruction, reaching levels some 5 to 30 times normal. GGT is more sensitive than alkaline phosphatase (ALP), leucine aminopeptidase, aspartate transaminase, and alanine aminotransferase in detecting obstructive jaundice, cholangitis, and cholecystitis; its rise occurs earlier than with these other enzymes and persists longer. Only modest elevations (2-5 times normal) occur in infectious hepatitis, and in this condition, GGT determinations are less useful diagnostically than are measurements of the transaminases. High elevations of GGT are also observed in patients with either primary or secondary (metastatic) neoplasms. Elevated levels of GGT are noted not only in the sera of patients with alcoholic cirrhosis but also in the majority of sera from persons who are heavy drinkers. Studies have emphasized the value of serum GGT levels in detecting alcohol-induced liver disease. Elevated serum values are also seen in patients receiving drugs such as phenytoin and phenobarbital, and this is thought to reflect induction of new enzyme activity.



Printed By

: spectrum

Printed On

: 28 Oct, 2023 05:48 pm

Dr. Nithun Reddy C, MD, Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, BengaluPage 360040 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org







UHID

Bill Date

: 28-Oct-2023 08:21 AM

Age / Gender Ref. By Dr.

: 58 Years / Female

: 2810230012 **Result Date**

Sample Col. Date: 28-Oct-2023 08:21 AM : 28-Oct-2023 02:10 PM

Reg. No.

: Dr. APOLO CLINIC : 2810230012

2810230012

Report Status

: Final

C/o

: Apollo Clinic

Test Name	Result	Unit	Reference Value	Method
Lipid Profile-Serum				
Cholesterol Total-Serum	163.00	mg/dL	Female: 0.0 - 200	Cholesterol Oxidase/Peroxidase
Triglycerides-Serum	241.00	mg/dL	Female: 0.0 - 150	Lipase/Glycerol Dehydrogenase
High-density lipoprotein (HDL) Cholesterol-Serum	37.00	mg/dL	Female: 40.0 - 60.0	Accelerator/Selective Detergent
Non-HDL cholesterol-Serum	126	mg/dL	Female: 0.0 - 130	Calculated
Low-density lipoprotein (LDL) Cholesterol-Serum	78	mg/dL	Female: 0.0 - 100.0	Cholesterol esterase and cholesterol oxidase
Very-low-density lipoprotein (VLDL) cholesterol-Serum	48	mg/dL	Female: 0.0 - 40	Calculated
Cholesterol/HDL Ratio-Serum	4.41	Ratio	Female: 0.0 - 5.0	Calculated

Interpretation:

Parameter	Desirable	Borderline High	High	Very High
Total Cholesterol	<200	200-239	>240	
Triglycerides	<150	150-199	200-499	>500
Non-HDL cholesterol	<130	160-189	190-219	>220
Low-density lipoprotein (LDL) Cholesterol	<100	100-129	160-189	>190

Comments: As per Lipid Association of India (LAI), for routine screening, overnight fasting preferred but not mandatory. Indians are at very high risk of developing Atherosclerotic Cardiovascular (ASCVD). Among the various risk factors for ASCVD such as dyslipidemia, Diabetes Mellitus, sedentary lifestyle, Hypertension, smoking etc., dyslipidemia has the highest population attributable risk for MI both because of direct association with disease pathogenesis and very high prevalence in Indian population. Hence monitoring lipid profile regularly for effective management of dyslipidemia remains one of the most important healthcare targets for prevention of ASCVD. In addition, estimation of ASCVD risk is an essential, initial step in the management of individuals requiring primary prevention of ASCVD. In the context of lipid management, such a risk estimate forms the basis for several key therapeutic decisions, such as the need for and aggressiveness of statin therapy.



Printed By

: spectrum

Printed On

: 28 Oct, 2023 05:48 pm



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalu Rase \$60040 +91 77604 97644 | 080 2337 1555 a info@spectrumdiagnostics.org www.spectrumdiagnostics.org







Name : MRS. GEETHALAKSHMI S KEDLAYA Bill Date : 28-Oct-2023 08:21 AM

 Reg. No.
 : 2810230012
 2810230012
 Report Status
 : Final

 C/o
 : Apollo Clinic

Test Name	Result	Unit	Reference Value	Method
Thyroid function tests (TF7 Serum	Γ)-			
Tri-Iodo Thyronine (T3)-Se	erum 0.56	ng/mL	Female: 0.60 - 1.81	Chemiluminescence Immunoassay (CLIA)
Thyroxine (T4)-Serum	8.5	μg/dL	Female: 5.50 - 12.10	Chemiluminescence Immunoassay (CLIA)
Thyroid Stimulating Hormo (TSH)-Serum	one 3.19	μIU/mL	Female: 0.35 - 5.50	Chemiluminescence Immunoassay (CLIA)

Comments: Triiodothyronine (T3) assay is a useful test for hyperthyroidism in patients with low TSH and normal T4 levels. It is also used for the diagnosis of T3 toxicosis. It is not a reliable marker for Hypothyroidism. This test is not recommended for general screening of the population without a clinical suspicion of hyperthyroidism.

Reference range: Cord: (37 Weeks): 0.5-1.41, Children:1-3 Days: 1.0-7.40,1-11 Months: 1.05-2.45,1-5 Years: 1.05-2.69,6-10 Years: 0.94-2.41,11-15

Years: 0.82-2.13, Adolescents (16-20 Years): 0.80-2.10

Reference range: Adults: 20-50 Years: 0.70-2.04, 50-90 Years: 0.40-1.81,

Reference range in Pregnancy: First Trimester: 0.81-1.90, Second Trimester: 1.0-2.60

Increased Levels: Pregnancy, Graves disease, T3 thyrotoxicosis, TSH dependent Hyperthyroidism, increased Thyroid-binding globulin (TBG). Decreased Levels: Nonthyroidal illness, hypothyroidism, nutritional deficiency, systemic illness, decreased Thyroid-binding globulin (TBG).

Comments: Total T4 levels offer a good index of thyroid function when TBG is normal and non-thyroidal illness is not present. This assay is useful for monitoring treatment with synthetic hormones (synthetic T3 will cause low total T4). It also helps to monitor treatment of Hyperthyroidism with Thiouracil or other anti-thyroid drugs.

Reference Range: Males: 4.6-10.5, Females: 5.5-11.0, 60 Years: 5.0-10.70, Cord: 7.40-13.10, Children: 1-3 Days: 11.80-22.60, 1-2 Weeks: 9.90-16.60, 1-4 Months: 7.20-14.40, 1-5 Years: 7.30-15.0, 5-10 Years: 6.4-13.3

1-15 Years: 5.60-11.70, Newborn Screen: 1-5 Days: >7.5,6 Days :>6.5

Increased Levels: Hyperthyroidism, increased TBG, familial dysalbuminemic hyperthyroxinemia, Increased transthyretin, estrogen therapy, pregnancy. Decreased Levels: Primary hypothyroidism, pituitary TSH deficiency, hypothalamic TRH deficiency, non thyroidal illness, decreased TBG.

Comments: TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH is a labile hormone & is secreted in a pulsatile manner throughout the day and is subject to several non-thyroidal pituitary influences. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, caloric intake, medication & circulating antibodies. It is important to confirm any TSH abnormality in a fresh specimen drawn after ~ 3 weeks before assigning a diagnosis, as the cause of an isolated TSH abnormality.

Reference range in Pregnancy: I- trimester:0.1-2.5; II -trimester:0.2-3.0; III- trimester:0.3-3.0

Reference range in Newborns: 0-4 days: 1.0-39.0; 2-20 Weeks:1.7-9.1

Increased Levels: Primary hypothyroidism, Subclinical hypothyroidism, TSH dependent Hyperthyroidism and Thyroid hormone resistance.


Decreased Levels: Graves disease, Autonomous thyroid hormone secretion, TSH deficiency.

Printed By : spectrum

Printed On : 28 Oct, 2023 05:48 pm

Dr. Nithun Reddy C, MD, Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengalu Page \$60000 \$\ +9177604 97644 | 080 2337 1555 \$\ \end{a} \) info@spectrumdiagnostics.org \$\ \end{a} \) www.spectrumdiagnostics.org



Other Branch: #466/A, Ideal Homes Township, 80 Feet Road, Kenchanahalli, Rajarajeshwari Nagar, Bengaluru-560098 🌑+91 6361 253 097 | 080-2991 6944 | 080-49511985





: 28-Oct-2023 08:21 AM

: 28-Oct-2023 04:35 PM

Name : MRS. GEETHALAKSHMI S KEDLAYA

Age / Gender

Ref. By Dr.

: 58 Years / Female UHID : 2810230012

Sample Col. Date: 28-Oct-2023 08:21 AM : Dr. APOLO CLINIC **Result Date**

: Final C/o : Apollo Clinic

Reg. No. : 2810230012 Report Status 2810230012

Test Name	Result	Unit	Reference Value	Method
KFT (Kidney Function Test) Blood Urea Nitrogen (BUN)-	: 9.40	mg/dL	7.0-18.0	GLDH,Kinetic
Serum	2.10	mg az	7.0-10.0	Assay
Creatinine-Serum	0.92	mg/dL	Male: 0.70-1.30 Female: 0.55-1.02	Modified kinetic Jaffe
Uric Acid-Serum	4.83	mg/dL	Male: 3.50-7.20 Female: 2.60-6.00	Uricase PAP
Sodium (Na+)-Serum	138.6	mmol/L	135.0-145.0	Ion-Selective Electrodes (ISE)
Potassium (K+)-Serum	4.43	mmol/L	3.5 to 5.5	Ion-Selective Electrodes (ISE)
Chloride(Cl-)-Serum	104.00	mmol/L	94.0-110.0	Ion-Selective Electrodes (ISE)



Printed By : spectrum

Printed On : 28 Oct, 2023 05:48 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Bill Date

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaltinge-1560040 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org @ www.spectrumdiagnostics.org







: MRS. GEETHALAKSHMI S KEDLAYA Name

: 58 Years / Female : 2810230012

: Dr. APOLO CLINIC

Reg. No. : 2810230012

Age / Gender

Ref. By Dr.

C/o : Apollo Clinic **Bill Date** : 28-Oct-2023 08:21 AM

Sample Col. Date: 28-Oct-2023 08:21 AM

Result Date : 28-Oct-2023 02:35 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Fasting Urine Glucose-Urine	Negative		Negative	Dipstick/Benedicts (Manual)
Post prandial Blood Glucose (PPBS)-Plasma	104	mg/dL	70-140	Hexo Kinase

2810230012

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula C6H12O6. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high.Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying & brisk glucose absorption.

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total Gastrectomy.

Calcium, Total-Serum 9.10 mg/dL 8.50-10.10 Spectrophotometry (O-

Cresolphthalein


complexone)



Printed By : spectrum


Printed On : 28 Oct, 2023 05:48 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist





9+91 77604 97644 | 080 2337 1555







: 58 Years / Female

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 2810230012

Age / Gender

C/o : Apollo Clinic **Bill Date** : 28-Oct-2023 08:21 AM

Sample Col. Date: 28-Oct-2023 08:21 AM

: 28-Oct-2023 05:43 PM **Result Date**

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Post Prandial Urine Sugar	Negative		Negative	Dipstick/Benedicts(Man

2810230012

UHID

: 2810230012



Printed By

: spectrum

Printed On

: 28 Oct, 2023 05:48 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengal Bage-1-560040 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org







: MRS. GEETHALAKSHMI S KEDLAYA Name **Bill Date** : 28-Oct-2023 08:21 AM

Age / Gender : 58 Years / Female UHID : 2810230012 Sample Col. Date: 28-Oct-2023 08:21 AM

Ref. By Dr. : Dr. APOLO CLINIC **Result Date** : 28-Oct-2023 01:19 PM

Reg. No. : 2810230012 **Report Status** 2810230012 : Final C/o : Apollo Clinic

Test Name	Result	Unit	Reference Value	Method
Urine Routine Examinatio	n-Urine			
Physical Examination				
Colour	Pale Yellow		Pale Yellow	Visual
Appearance	Clear		Clear	Visual
Reaction (pH)	5.5		5.0-7.5	Dipstick
Specific Gravity	1.010		1.000-1.030	Dipstick
Biochemical Examination				Terretoria de contra des responses y
Albumin	Negative		Negative	Dipstick/Precipitation
Glucose	Negative		Negative	Dipstick/Benedicts
Bilirubin	Negative		Negative	Dipstick/Fouchets
Ketone Bodies	Negative		Negative	Dipstick/Rotheras
Urobilinogen	Normal		Normal	Dipstick/Ehrlichs
Nitrite	Negative		Negative	Dipstick
Microscopic Examination	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			100 1 A 30000 0000
Pus Cells	2-3	hpf	0.0-5.0	Microscopy
Epithelial Cells	1-2	hpf	0.0-10.0	Microscopy
RBCs	Absent	hpf	Absent	Microscopy
Casts	Absent	•	Absent	Microscopy
Crystals	Absent		Absent	Microscopy
Others	Absent		Absent	Microscopy

Comments: The kidneys help infiltration of the blood by eliminating waste out of the body through urine. They also regulate water in the body by conserving electrolytes, proteins, and other compounds. But due to some conditions and abnormalities in kidney function, the urine may encompass some abnormal constituents, which are not normally present. A complete urine examination helps in detecting such abnormal constituents in urine. Several disorders can be detected by identifying and measuring the levels of such substances. Blood cells, bilirubin, bacteria, pus cells, epithelial cells may be present in urine due to kidney disease or infection. Routine urine examination helps to diagnose kidney diseases, urinary tract infections, diabetes and other metabolic disorders.



Printed By : spectrum

Printed On : 28 Oct, 2023 05:48 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengal Bage-1660 DAO



+91 77604 97644 | 080 2337 1555

