

CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

of S. SOWMYA BRIRATHAN on 22/10/2022

After reviewing the medical history and on clinical examination it has been found that he/she is

	Tick
<ul style="list-style-type: none"> • <input checked="" type="checkbox"/> Medically Fit 	<input checked="" type="checkbox"/>
<ul style="list-style-type: none"> • Fit with restrictions/recommendations <p>Though following restrictions have been revealed, in my opinion, these are not impediments to the job.</p> <p>1.....</p> <p>2.....</p> <p>3.....</p> <p>However the employee should follow the advice/medication that has been communicated to him/her.</p> <p>Review after _____</p>	
<ul style="list-style-type: none"> • Currently Unfit. <p>Review after _____ recommended</p>	
<ul style="list-style-type: none"> • Unfit 	

Dr. M.S. Choudary
Medical Officer
The Apollo Clinic, (Location)

Dr. M.S. CHOUDARY, MBBS, DLO, MS
 Regd. No: 8747 (A.P. Med. Council)
 MAGANTICLINIC DIAGNOSTICS
 D.No: 2, No: 102
 Sri Ranga Nagar, Ground Floor
 Kaleswara Rao Road, Governorpet
 VIJAYAWADA-520 002. Ph: 6664639

This certificate is not meant for medico-legal purposes

a. Rethers,

MER- MEDICAL EXAMINATION REPORT

Date of Examination	22/10/2022		
NAME	S. SOWMYA SRIRATHAN		
AGE	31	Gender	MALE
HEIGHT(cm)	161	WEIGHT (kg)	66
B.P.	120 80		
ECG	(N)		
X Ray	(N)		
Vision Checkup	NORMAL	$\frac{6}{6}$	(N) Color Vision -
Present Ailments	No		
Details of Past ailments (If Any)	NIL		
Comments / Advice : She / He is Physically Fit	FIT		

S. Patil

M.S. Choudary

Signature with Stamp of Medical Examiner

Dr. M.S. CHOUDARY, MBBS, DLO, MS
 Regd. No: 9747 (A.P. Med. Council)
 MAGANTI CLINIC, SPECIAL DIAGNOSTICS
 D.No: 29-3, Dist No: 102
 Sri Ranga Heights, Ground Floor
 Kaleswara Rao Road, Governorpet
 VIJAYAWADA-520 002. Ph: 6664639



భారత ప్రభుత్వం

Unique Identification Authority of India
Government of India


రిజిస్ట్రేషన్/Enrolment No.: 1027/28519/08834

To
సిరిగిబాథిన సామ్య శ్రీరాథన్
Sirigibathina Sowmya Srirathan
S/O: Gowri Shankar
10-12-23
factory road
kovvuru
gowthami nagar
Kovvur
Kovvur
West Godavari Andhra Pradesh - 534350
7416412311

Download Date: 23/09/2019

Generation Date: 03/06/2013

Signature valid



QR Code with Photographs

మీ ఆధార్ సంఖ్య / Your Aadhaar No. :

9342 3295 1387

VID : 9162 4650 4803 3625

నా ఆధార్, నా గుర్తింపు



భారత ప్రభుత్వం
Government of India



సిరిగిబాథిన సామ్య శ్రీరాథన్
Sirigibathina Sowmya Srirathan
పట్టిన తేదీ/DOB: 26/11/1990
పురుషుడు/ MALE

9342 3295 1387

VID : 9162 4650 4803 3625

నా ఆధార్, నా గుర్తింపు

1

Pathay

M. S. Choudary

Dr. M.S. CHOUDARY, MBBS,DLO,MS
Regd. No: 9747 (A.P. Med. Council)
MAGANTICLINIC & DIAGNOSTICS
D.No: 102
Sri Ranganatha Ground Floor
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-S.S.S.RATHAN Age:-31/M

BLOOD EXAMINATION REPORT

FASTING BLOOD SUGAR(FBS):	83 mg%	(N.VALUE:60 – 100 mg%)
POST PRANDRLAL BLOOD SUGAR:	138 mg%	(N.VALUE:60-150 mg%)
S.CHOLESTEROL :	187 mg%	(N.VALUE:130 – 250 mg%)
S.TRIGLY CERIDES :	136 mg%	(N.VALUE:UP TO 175 mg%)
HDL :	44.3 mg%	(N.VALUE:35 – 55 mg%)
V L D L :	25.6mg%	(N.VALUE: UP TO 30 mg%)
LDL :	112.9	(N.VALUE:UP TO 150 mg%)
UREA :	26 mg%	(N.VALUE:10 – 50 mg%)
BUN :	15 mg%	(N.VALUE:08 – 20 mg%)
S.CREATININE :	0.9 mg%	(N.VALUE:0.5 – 1.6 mg%)
S.PROTEINS :	7.2 gms%	(N.VALUE:6.0 – 8.0 gms%)
ALBUMIN :	4.6 gms%	(N.VALUE:3.5 – 5.6 gms%)
GLOBULIN :	2.6 gms%	(N.VALUE:2.0 – 3.6 gms%)
A.G. RATIO :	1.76	
S.URIC ACID :	4.8 mg%	(N.VALUE:2.5 – 7.0 mg%)
S.BILIRUBIN :	0.6 mg%	(N.VALUE: 0.2 – 1.2 mg%)
DIRECT BILIRUBIN :	0.1 mg%	(N.VALUE:0.0 – 0.2 mg%)
INDIRECT BILIRUBIN :	0.5 mg%	
S G O T :	19 IU/ML	(N.VALUE:8 – 35 IU/ML)
S G P T :	22 IU/ML	(N.VALUE:13 – 40 IU/ML)
S.ALKLINE PHOSPHATESE :	8.1 KA UNITES	(N.VALUE:4 – 11 KA UNITES)
GGTP :	13 IU/ML	(N.VALUE:4 – 24 IU/ML)
Hbs Ag :	NEGATIVE(-VE)	

Dated at Vijayawada on the 22ND day of October 2022


(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-S.S.S.RATHAN Age:-31/M

URINE EXAMINATION REPORT

MACROSCOPY

QUANTITY	:	8.5ML
APPEARANCE	:	CLEAR
COLOUR	:	PALE YELLOW
SP GRAVITY	:	1.020
REACTION	:	ACIDIC

CHEMICAL

BILE SALTS	:	NEGATIVE(-VE)
BILE PIGEMENTS	:	NEGATIVE(-VE)
UROBILINOGEN	:	NORMAL
ACETONE	:	NEGATIVE(-VE)
OCCULT BLOOD	:	NEGATIVE(-VE)
ALBUMIN	:	NIL
URINE SUGAR	:	NIL

MICRO

R B C	:	NIL
CAST	:	NIL
PUS CELLS	:	1-2/HPF
E P CELLS	:	NIL
CRYSTALS	:	NIL
BACTERIA	:	NIL

Dated at Vijayawada on the 22ND day of October 2022

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTTER RECORD,
VIJAYAWADA-520 002. Ph: 6664639
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-S.S.S.RATHAN Age:-31/M

BLOOD EXAMINATION REPORT

CBC

TEST	RESULT	NORMAL .RANGE
HAEMOGLOBIN(HGB)	: 14.2 gm%	(12.0 – 16.0 g/100ml)
P C V (HAEMATOCRIT)	: 42.6 gm%	(36 - 48 %)
MCV	: 89.04 CU.MM	(76 - 92 CU MM)
MCH	: 30.06 MM.G	(27 - 32 MM G)
MCHC	: 33.3 %	(30 - 35 %)
RDW	: NORMAL	
M P V	: NORMAL	
INDICES	: NORMAL	
T R B C	: 4.73 mil/cumm	(3.9 – 6.5mil/cumm)
PLATELET COUNT	: 2.1 lakhs/c.mm	(1.5 - 4.0 lakhs/c.mm)
T W B C	: 7,600 cells/cumm	(4,000-10,000cells/cumm)
DIFFERENTIAL COUNT		
NEUTROPHILS	: 68 %	(40 - 74 %)
LYMPHOCYTES	: 27 %	(20 - 45%)
EOSINOPHILS	: 05 %	(2 - 06 %)
MONOCYTES	: ---	(00 - 02 %)
BASOPHILS	: ---	(< 1%)
E S R	: 14 mm/ 1st hour	(02 - 12mm/1 st hour)
GROUP	: "O"	
RH TYPE	: POSITIVE(+VE)	

Dated at Vijayawada on the 22ND day of October 2022

(Pathologist/Dr.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-S.S.S.RATHAN Age:-31/M

BLOOD EXAMINATION REPORT

GLYCOSYLATED HEMOGLOBIN TEST : *HbA1c*
(MEAN BLOOD GLUCOSE LEVEL FOR THE LAST 2 MONTHS)

RESULT : 5.4 %

IMPRESSION : NON DIABETIC

INTERPRETATION OF TEST :

<i>HbA1c</i>		<i>%OF GLUCOSE CONTROL</i>
>10 %	:	POOR
9% - 10 %	:	FAIR
8% - 9%	:	GOOD
7% - 8%	:	CONTROL
6% - 7 %	:	NEAR NORMAL
<6	:	NON DIABETIC

Dated at Vijayawada on the 22ND day of October 2022

(Pathologist/DR.Incharge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:-S.S.S.RATHAN Age:-31/M

BLOOD EXAMINATION REPORT

T3	:	178 ng/dl
(N.VALUE)	:	70 – 204 ng/dl)
T4	:	8.1 ug/dl
(N.VALUE)	:	5.5 -11.0ug/dl)
THYROID STIMULATING HORMONE TSH	:	3.64 uIU/ml
(N.VALUE)	:	0.35-5.50 uIU/ml)

Dated at Vijayawada on the 22ND day of October 2022

Mee

(Pathologist/Dr.Inchrge)

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102
SRI RANGA HEIGHTS, GROUND FLOOR
Kaleswara Rao Road, Governorpet
VIJAYAWADA-520 002. Ph: 6664639



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- S.SOWMYA SRI RATHAN Age:- 31/M

X-RAY CHEST AP VIEW

CARDIAC SIZE IS NORMAL.

LUNG FIELDS ARE CLEAR

BOTH HILA ARE NORMAL

C.P ANGLES ARE CLEAR

NO BONY LESION

IMPRESSION: NORMAL STUDY

Dated at Vijayawada on the 22ND day of OCTOBER 2022

CONSULTANT RADIOLOGIST/Dr.Incharge

DR. G. PRASADA RAO
MBBS, DMRE
Rg. No: 17266
Consulting Radiologist



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

BOB

PATIENT NAME: S.S.S.RATHAN

DATE:22/10/2022

REF. Dr. :

AGE:31 ; SEX:M

ULTRASONOGRAM OF TOTAL ABDOMEN

LIVER : NORMAL IN SIZE WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE. NO MASS OR CYST IN LIVER.NO DILATATION OF INTRA HEPATIC BILIARY RADICLES.

GALL BLADDER : NORMAL. NO CALCULI. NO MASS LESION DISTENDED

PANCREAS : NORMAL. NO CALCULI. NO MASS LESION.

C B D : NORMAL. NO CALCULI.

PORTAL VEIN : NORMAL MEASURES 10 MM.

SPLEEN : NORMAL WITH HOMOGENOUS PARENCHYMAL ECHOTEXTURE MEASURED 98 MM.

DIAPHRAGM : BOTH DOMES MOVING WELL WITH RESPIRATION. NO SUB DIAPHRAGMATIC PATHOLOGY.

RIGHT KIDNEY : SIZE 9.1 X 4.6 CMS. NORMAL IN SIZE AND ECHOPATTERN, C.M.D MAINTAINED. P.C.S.NORMAL, NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.

LEFT KIDNEY : SIZE 9.1X 4.4 CMS. NORMAL IN SIZE AND ECHOPATTERN.C.M.D.MAINTAINED. PCS NORMAL.NO CALCULI NO HYDRONEPHROSIS. URETER NOT DILATED.

URINARY BLADDER : NORMAL .NO CALCULI. NO MASS LESION.
PROSTATE : NORMAL IN SIZE AND ECHOTEXTURE .
OTHERS : NIL.

IMPRESSION : NORMAL STUDY.
TO CORRELATE CLINICALLY.

MG

RADIOLOGIST/Dr.Incharge

ADARSH DIAGNOSTICS

D.No: 29-3-23, Flat No: 102

SRI RANGA HEIGHTS, GROUND FLOOR

Kaleswara Rao Road, Governorpet

VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916

X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTER RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

22-Oct-22 10:23:40 AM

S. SOWMYA SRI RATHAN

Male

Born 26-Nov-90 31 Years

Rate 75 . Sinus rhythm.....normal P axis, V-rate 50- 99
ST elev, probable normal early repol pattern.....ST elevation, age<55

PR 141
QRS 95
QT 356
QTc 398


--AXIS--

P 1
QRS 28
T 1

12 Lead; Standard Placement

- NORMAL ECG -

Requested by: BOB
Unconfirmed Diagnosis



mm

DR. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S; PGDHS; D.C.(CARDIOLOGY)
Regd.No: 14414 (A.P.M.D.COUNCIL)
MAGANTI CLINIC
VIJAYAWADA.

Device: Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV

F 60~ 0.15-100 HZ

PH100B CL? P?

PHILIPS

REORDER M070A



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. ☎ (0866) 6664639, Fax : 2431916

BOB

Name of the life to be Assured:- S.SOWMYA SRI RATHAN Age:- 31/M

ECG REPORT

RATE : 75 bpm
RHYTHM : SINUS
P : NORMAL
P R INTERVAL : 141 ms
Q R S INTERVAL : 95 ms
S T SEGEMENT : ISO ELECTRIC
T WAVES : NORMAL
Q WAVES : NIL
HYPERTRPHY : NO
Q T : 356 ms
Q R S AXIS : 29 Deg
IMPRESSION : NORMAL ECG

Dated at Vijayawada on the 22nd day of octomber 2022

CONSULTANT CARDIOLOGIST

Dr. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S; PGDHS; DC(CARDIOLOGY)
Regd.No:14414 (A.M.C.COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA.



ADARSH DIAGNOSTICS

ISO 9001 : 2015 CERTIFIED

D.No. 29-3-23, Flat No : 102, Opp. I.V. Palace Road, Sri Ranga Heights,
Ground Floor, Kaleswara Rao Road, Governorpet,
VIJAYAWADA - 520 002. © (0866) 6664639, Fax : 2431916


BOB

Name of the life to be Assured: S.S.S.RATHAN Age:-31/M

2 - D ECHOCARDIOGRAPHY

AORTA : 3.0 CM LEFT ATRIUM: 3.6 CMS
LEFT VENTRICLE : 5.0 X 3.1 CM IVS: 1.2 CM LVPW : 1.5 CMS
LVEF: 66%
MITRAL VALVE : NORMAL
AORTIC VALVE : NORMAL
TRICUSPID VALVE : NORMAL
PULMONARY VALVE : NORMAL
RIGHT ATRIUM : NORMAL
RIGHT VENTRICLE : NORMAL
PULMONARY ARTERY : NORMAL
PERICARDIUM : NORMAL
IAS : INTACT
IVS : INTACT
OTHERS : NIL
DOPPLER STUDY : MV : E < A / NO TR
AJV : 1.3M/SEC PJV : 1.4M/SEC
IMPRESSION : NO RWMA
GOOD LV FUNCTION (EF : 66%)
NORMAL SIZED CHAMBERS.

Dated at Vijayawada on the 22th day of OCTOBER 2022


CONSULTANT CARDIOLOGIST
DR. MAGANTI S.V.R.K.V. PRASAD
M.B.B.S; PGDND (CARDIOLOGY)
Regd. No. 1415 (MYSURU COUNCIL)
CONSULTANT CARDIOLOGIST
MAGANTI CLINIC
VIJAYAWADA.


X-RAY, ECG, E.E.G. PATHOLOGICAL, SEROLOGICAL, BIO-CHEMICAL, IMMUNOASSAY, BLOOD BANK,
TREAD- MILL STRESS TEST : ULTRA SOUND SCAN WITH 2-D ECHO CARDIOGRAPHY, HOLTEN RECORD,
AUDIOMETRY AND 24 HOURS AMBULANCE, ENDOSCOPY

SSS.RATHAN,31M,
05-01-01-005103

Philips Healthcare

01/01/2005 PHILIPS
00:55:54

HD



NO PRESET
S4-2
MI 0.6
TIS 1.8

F4 Gn 78

Color
1.9 MHz

PW
1.9 MHz

Gn 50


Angle 0

9.7 cm

16cm

Gate
Size
Position

T
P ▲ R
2.0 4.0



60
40
20
0
-20
-40
-60

SSS.RATHAN,31M,
05-01-01-005103

Philips Healthcare

01/01/2005 PHILIPS
00:55:32

HD



NO PRESET
S4-2
MI 1.6
TIS 0.9

F4 Gn 78

Color
1.9 MHz

Gn 70


G/2/4

M-Mode

9Hz 16cm

Line
Size
Position

T
P ▲ R
2.0 4.0



SSS.RATHAN,31M,
05-01-01-005103

Philips Healthcare

01/01/2005 PHILIPS
00:55:06

HD

NO PRESET
S4-2
MI 1.6
TIS 0.7

F4 Gn 78


232dB/C4

G/2/4

64Hz 16cm

Off
Size

T
P ▲ R
2.0 4.0



SSS.RATHAN,31M,
05-01-01-005103

Philips Healthcare

01/01/2005 PHILIPS
00:53:45



SSS.RATHAN,31M,
05-01-01-005103

Philips Healthcare

01/01/2005 PHILIPS
00:52:55

