

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:44
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000108174	Received	: N/A
Visit ID	: ALDP0335612324	Reported	: 15/Jan/2024 12:24:58
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ECG / EKG *

1	. Machnism, Rhythm	Sinus, Regular	
2	. Atrial Rate	71	/mt
3	. Ventricular Rate	71	/mt
4	. P - Wave	Normal	
5	. P R Interval	Normal	
6	5. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7	. Q T c Interval	Normal	
8	. S - T Segment	Normal	
9 <u>FINAL IMPRESS</u>	. T – Wave <u>ION</u>	Normal	

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically





Mar. 2016

Home Sample Collection

1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:41
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: 14/Jan/2024 11:42:01
UHID/MR NO	: ALDP.0000108174	Received	: 14/Jan/2024 12:28:35
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 19:11:51
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS						
Test Name	Result	Unit	Bio. Ref. Interval	Method		
Blood Group (ABO & Rh typing) * , Bl	ood					
Blood Group	A			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA		
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA		
Complete Blood Count (CBC) * , Whole	e Blood					
Haemoglobin	11.30	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl			
TLC (WBC) <u>DLC</u>	8,800.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE		
Polymorphs (Neutrophils)	63.00	%	55-70	ELECTRONIC IMPEDANCE		
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE		
Monocytes	6.00	%	3-5	ELECTRONIC IMPEDANCE		
Eosinophils	1.00	%	1-6	ELECTRONIC IMPEDANCE		
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE		
ESR						
Observed	24.00	Mm for 1st hr.				
Corrected	, 4 0	Mm for 1st hr.	< 9			
PCV (HCT)	38.00	%	40-54			
Platelet count						
Platelet Count	0.90	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC		
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	15.30	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE		



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:41
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: 14/Jan/2024 11:42:01
UHID/MR NO	: ALDP.0000108174	Received	: 14/Jan/2024 12:28:35
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 19:11:51
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.10	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.72	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	80.60	۶fl	80-100	CALCULATED PARAMETER
MCH	23.90	pg	28-35	CALCULATED PARAMETER
МСНС	29.70	%	30-38	CALCULATED PARAMETER
RDW-CV	18.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	54.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,544.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	88.00	/cu mm	40-440	

AS

Dr.Akanksha Singh (MD Pathology)

Page 3 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:43
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: 14/Jan/2024 11:42:01
UHID/MR NO	: ALDP.0000108174	Received	: 14/Jan/2024 12:28:36
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 13:38:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interv	al Method	
GLUCOSE FASTING * , Plasma					
Glucose Fasting	90.10		< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	
Interpretation: a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions. b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person					

will never get diabetics in future, which is why an Annual Health Check up is essential. c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	201.20	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal		12 10	140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *			
Glycosylated Haemoglobin (HbA1c)	5.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	32.30	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	100	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:43
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: 14/Jan/2024 11:42:01
UHID/MR NO	: ALDP.0000108174	Received	: 14/Jan/2024 12:28:36
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 13:38:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	9.67	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.90	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	3.40	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) * , Serum

150 9001:2015

Page 5 of 11





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:43
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: 14/Jan/2024 11:42:01
UHID/MR NO	: ALDP.0000108174	Received	: 14/Jan/2024 12:28:36
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 13:38:26
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interva	I Method
SGOT / Aspartate Aminotransferase (AST)	19.20	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	25.10	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	34.70	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.10	gm/dl	6.2-8.0	BIURET
Albumin	4.10	gm/dl	3.4-5.4	B.C.G.
Globulin	2.00	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.05		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	95.50	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.00	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.70	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	165.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	59.50	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	82	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	23.02	mg/dl	10-33	CALCULATED
Triglycerides	115.10	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

AS

Dr.Akanksha Singh (MD Pathology)



Home Sample Collection 1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:43
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: 14/Jan/2024 14:16:35
UHID/MR NO	: ALDP.0000108174	Received	: 14/Jan/2024 14:21:49
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 14:30:48
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

JRINE EXAMINATION, ROUTINE * , Urine Color PALE YELLOW Specific Gravity 10.30 Reaction PH Acidic (6.0) DIPSTICK Appearance CLEAR Protein TRACE mg % <10 Absent DIPSTICK 40-200 (++) 200-500 (+++) 500 (+++) 500 (+++) 500 (+++) 500 (+++) 20-500 (+++) 500 (+++) 1-2 (++) 1-2 (++) Bile Salts ABSENT mg/dl 0.1-3.0 BIOCHEMISTF Bile Pigments ABSENT mg/dl 0.1-3.0 BIOCHEMISTF Bile Pigments ABSENT DIPSTICK Urobilinogen(1:20 dilution) ABSENT DIPSTICK Urobilinogen(1:20 dilution) ABSENT DIPSTICK Biod ABSENT DIPSTICK Bilod ABSENT DIPSTICK Bilod ABSENT DIPSTICK Crystais 1-2/h.p.f RECs ABSENT MICROSCOPI EXAMINATIO Cast ABSENT MICROSCOPI CAST ABSENT Crystais ABSENT MICROSCOPI EXAMINATIO Chers ABSENT Urine Microscopy is done on centrifuged urine sediment.	Result Unit Bio. Ref. Interval Method	
ColorPALE YELLOWSpecific Gravity1.030Reaction PHAcidic (6.0)AppearanceCLEARProteinTRACEmg % <10 Absent		
Specific Gravity1.030DIPSTICKReaction PHAcidic (6.0)DIPSTICKAppearanceCLEARmg % <10 Absent	*, Urine	
Reaction PHAcidic (6.0)DIPSTICKAppearanceCLEARmg % <10 Absent	PALE YELLOW	
AppearanceCLEARProteinTRACEmg %<10 Absent	1.030	
Protein TRACE mg % <10 Absent DIPSTICK 10-40 (+) 40-200 (++) 200-500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) >20 (+++) 1-2 (+++) >2 (++) >2 (++) >2 (++) >2 (++) >2 (++) >2 (++) >2 (++) >2 (++) >2 (+) >2 (+)	Acidic (6.0) DIPSTICK	
SugarABSENT10-40 (+) 40-200 (+++) >500 (++++) 500 (++++)SugarABSENTgms%<0.5 (+) 0.5-1.0 (++) 1-2 (+++) >2 (+++)KetoneABSENTmg/dl0.1-3.0Bile SaltsABSENTmg/dl0.1-3.0Bile PigmentsABSENTDIPSTICK DIPSTICKBile PigmentsABSENTDIPSTICK DIPSTICKBilirubinABSENTDIPSTICK DIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICK DIPSTICKNitriteABSENTDIPSTICK DIPSTICKBloodABSENTDIPSTICK DIPSTICKMicroscopic Examination:DIPSTICK EXAMINATIOPus cells1-2/h.p.fMiCROSCOPI EXAMINATIOCastABSENTMiCROSCOPI EXAMINATIOCastABSENTMiCROSCOPI EXAMINATIOChersABSENTMiCROSCOPI EXAMINATIOOthersABSENTMiCROSCOPI EXAMINATIO	CLEAR	
SugarABSENTgms%<0.5 (+) > 500 (+++) > 500 (+++) > 500 (+++) > 20 (-500 (+++)) > 500 (+++) > 20 (-500 (+++)) > 20 (-510 (++)) - 2 (+++) > 2 (++) > 2 (
SugarABSENTgms%200-500 (++++) > 500 (++++) 0.5-1.0 (++) 1-2 (+++) > 2 (++++) > 2 (++++)KetoneABSENTmg/dl0.1-3.0BIOCHEMISTFBile SaltsABSENTaBSENTaBSENTaBSENTBile PigmentsABSENTDIPSTICKDIPSTICKBilirubinABSENTDIPSTICKDIPSTICKLeucocyte EsteraseABSENTDIPSTICKDIPSTICKVorbilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKDIPSTICKBiodABSENTDIPSTICKDIPSTICKMicroscopic Examination:Epithelial cells1-2/h.p.fMicroscopin EXAMINATIOPus cells1-2/h.p.fMicroscopin EXAMINATIOABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin EXAMINATIOCastABSENTMicroscopin		
SugarABSENTgms%>500 (++++) (-5.5 (+) 0.5-1.0 (++) 1-2 (+++) >2 (++++) 2 (+++) 2 (++) 2 (+++) 2 (++) 2 (+) 2 (++) 2 (+) 2 (+) <br< td=""><td></td><td></td></br<>		
SugarABSENTgms%<0.5 (+)DIPSTICK0.5-1.0 (++)1-2 (+++)-2 (++++)-2 (++++)-2 (++++)-2 (++++)-2 (++++)-2 (++++)-2 (++++)-2 (++++)Bile SaltsABSENTmg/dl0.1-3.0BIOCHEMISTFBile PigmentsABSENTDIPSTICKDIPSTICKDIPSTICKBilirubinABSENTDIPSTICKDIPSTICKDIPSTICKLeucocyte EsteraseABSENTDIPSTICKDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKDIPSTICKBloodABSENTDIPSTICKDIPSTICKBloodABSENTDIPSTICKDIPSTICKBloodABSENTDIPSTICKDIPSTICKMicroscopic Examination:TMicroscopic Examination:Microscopic Examination:Pus cells1-2/h.p.fMicroscopic Examination:Microscopic Examination:CastABSENTABSENTMicroscopic Examination:		
Ketone ABSENT ng/dl 0.5-1.0 (++) 1-2 (+++) >2 (++++) >2 (++++) >2 (++++) Bile Salts ABSENT BIOCHEMISTF Bile Pigments ABSENT DIPSTICK Bilirubin ABSENT DIPSTICK Urobilinogen(1:20 dilution) ABSENT DIPSTICK Nitrite ABSENT DIPSTICK Blood ABSENT DIPSTICK Wicroscopic Examination: Epithelial cells 1-2/h.p.f RBCs ABSENT MICROSCOPI Cast ABSENT MICROSCOPI Cast ABSENT MICROSCOPI Cast ABSENT MICROSCOPI Corystals ABSENT MICROSCOPI Others ABSENT MICROSCOPI		
KetoneABSENTng/dl1-2 (+++) > 2 (++++)Bile SaltsABSENTmg/dl0.1-3.0BIOCHEMISTFBile PigmentsABSENTDIPSTICKDIPSTICKBillrubinABSENTDIPSTICKDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:T-2/h.p.fMicroscopic Examination:Pus cells1-2/h.p.fMicroscopic Examination:CastABSENTMicroscopic Examination:CastABSENTMicroscopic Examination:CastABSENTMicroscopic Examination:CorystalsABSENTMicroscopic Ex		
KetoneABSENTmg/dl0.1-3.0BIOCHEMISTRBile SaltsABSENTABSENTDIPSTICKBile PigmentsABSENTDIPSTICKBilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Urobilinogen (1:20 h.p.fPus cells1-2/h.p.fMICROSCOPIRBCsABSENTMICROSCOPICastABSENTMICROSCOPICastABSENTMICROSCOPICastABSENTMICROSCOPICharlesABSENTMICROSCOPIOthersABSENTMICROSCOPI		
KetoneABSENTmg/dl0.1-3.0BIOCHEMISTFBile SaltsABSENTABSENTDIPSTICKBile PigmentsABSENTDIPSTICKBilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:T-2/h.p.fMICROSCOPIEpithelial cells1-2/h.p.fMICROSCOPIRBCsABSENTMICROSCOPICastABSENTMICROSCOPICastABSENTMICROSCOPICrystalsABSENTMICROSCOPIOthersABSENTMICROSCOPI		
Bile Salts ABSENT Bile Pigments ABSENT Bilirubin ABSENT DIPSTICK Leucocyte Esterase ABSENT DIPSTICK Urobilinogen(1:20 dilution) ABSENT Nitrite ABSENT DIPSTICK Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells 1-2/h.p.f MiCROSCOPI EXAMINATIO Pus cells 1-2/h.p.f RBCs ABSENT MICROSCOPI EXAMINATIO Cast ABSENT MICROSCOPI Cast ABSENT MICROSCOPI EXAMINATIO Cast ABSENT MICROSCOPI EXAMINATIO Cothers ABSENT		νc
Bile PigmentsABSENTBilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:TMICROSCOPIEpithelial cells1-2/h.p.fMICROSCOPIPus cells1-2/h.p.fMICROSCOPIRBCsABSENTMICROSCOPICastABSENTMICROSCOPICrystalsABSENTMICROSCOPIOthersABSENTMICROSCOPI	5	XI
BilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:TMICROSCOPIEpithelial cells1-2/h.p.fMICROSCOPIPus cells1-2/h.p.fMICROSCOPIRBCsABSENTMICROSCOPICastABSENTMICROSCOPICrystalsABSENTMICROSCOPIOthersABSENTMICROSCOPI		
Leucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:DIPSTICKEpithelial cells1-2/h.p.fPus cells1-2/h.p.fRBCsABSENTCastABSENTCrystalsABSENTOthersABSENTABSENTMICROSCOPIEXAMINATIOCastABSENTChrystalsABSENTOthersABSENTCastABS		
Urobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Image: State S		
Nitrite ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells 1-2/h.p.f MICROSCOPI EXAMINATIO Pus cells 1-2/h.p.f RBCs ABSENT MICROSCOPI EXAMINATIO Cast ABSENT MICROSCOPI EXAMINATIO Cast ABSENT MICROSCOPI EXAMINATIO		
BloodABSENTDIPSTICKMicroscopic Examination:MICROSCOPIEpithelial cells1-2/h.p.fMICROSCOPIPus cells1-2/h.p.fMICROSCOPIRBCsABSENTMICROSCOPICastABSENTMICROSCOPICastABSENTMICROSCOPIChrystalsABSENTMICROSCOPIOthersABSENTMICROSCOPI		
Microscopic Examination:IEpithelial cells1-2/h.p.fPus cells1-2/h.p.fRBCsABSENTCastABSENTCrystalsABSENTOthersABSENT		
Epithelial cells1-2/h.p.fMICROSCOPI EXAMINATIOPus cells1-2/h.p.fRBCsABSENTMICROSCOPI EXAMINATIOCastABSENTMICROSCOPI EXAMINATIOCastABSENTMICROSCOPI EXAMINATIOOthersABSENTMICROSCOPI EXAMINATIO	ADJENT DIFSTICK	
Pus cells1-2/h.p.fRBCsABSENTMICROSCOPI EXAMINATIOCastABSENTMICROSCOPI EXAMINATIOCastABSENTMICROSCOPI EXAMINATIOOthersABSENTMICROSCOPI EXAMINATIO		0
Pus cells1-2/h.p.fRBCsABSENTMICROSCOPI EXAMINATIOCastABSENTMICROSCOPI EXAMINATIOCrystalsABSENTMICROSCOPI EXAMINATIOOthersABSENTEXAMINATIO		
RBCsABSENTMICROSCOPI EXAMINATIOCastABSENTEXAMINATIOCrystalsABSENTMICROSCOPI EXAMINATIOOthersABSENTEXAMINATIO		IN
Cast ABSENT Crystals ABSENT MICROSCOPI EXAMINATIO Others ABSENT	·	~
Cast ABSENT Crystals ABSENT MICROSCOPI EXAMINATIO		
Crystals ABSENT MICROSCOPI EXAMINATIO		
Others ABSENT EXAMINATIO		C
Others ABSENT		
		'I N

SUGAR, FASTING STAGE * , Urine







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:43
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: 14/Jan/2024 14:16:35
UHID/MR NO	: ALDP.0000108174	Received	: 14/Jan/2024 14:21:49
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 14:30:48
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2		,		
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation:				
(+) < 0.5 gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%		1 1 1		
(++++) > 2 gms%				
			and a start	

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:43
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: 14/Jan/2024 11:42:01
UHID/MR NO	: ALDP.0000108174	Received	: 14/Jan/2024 12:28:36
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 17:13:03
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL * , Serum					
T3, Total (tri-iodothyronine)	91.40	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	6.10	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	1.000	µlU/mL	0.27 - 5.5	CLIA	

Interpretation:

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Page 9 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:44
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000108174	Received	: N/A
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 12:50:15
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Croth

DR K N SINGH (MBBS, DMRE)

Page 10 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ GIRI -172142	Registered On	: 14/Jan/2024 10:33:45
Age/Gender	: 38 Y 8 M 4 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000108174	Received	: N/A
Visit ID	: ALDP0335612324	Reported	: 14/Jan/2024 12:04:42
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - **Enlarged in size** (**15.8 cm**), with normal shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre measuring ~ 6.8 mm at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head measuring ~ 1.89 cm, body measuring ~ 1.82 cm pancreatic duct measuring ~ 0.24 cm , normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size (11.3 cm), shape and echogenicity.

RIGHT KIDNEY: - Normal in size (12.0 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (11.8 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Normal in size, shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION: Mild hepatomegaly.

Please correlate clinically





