Name	MRS.SUJATHA THOKALA	ID	MED112060409	
Age & Gender	38Y/FEMALE	Visit Date	03/02/2024	
Ref Doctor Name	MediWheel			M

## ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation.

Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents.

Gall bladder wall is of normal thickness. CBD is of normal calibre. **PANCREAS** has normal shape, size and uniform echopattern.

No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.4	1.7
Left Kidney	9.6	2.0

URINARY BLADDER show normal shape and wall thickness.

It has clear contents.

**UTERUS** is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness 6.4 mms.

Uterus measures as follows: LS: 8.1cms AP: 4.3cms TS: 5.3cms. **OVARIES** are normal size, shape and echotexture. Right ovary measures: 2.6 x 2.2cms Left ovary measures: 2.4 x 2.2cms

POD & adnexa are free. No evidence of ascites.

### **IMPRESSION:**

## > NO SIGNIFICANT ABNORMALITY DETECTED.

### CONSULTANT RADIOLOGISTS

**DR. ANITHA ADARSH** MB/MS DR. MOHAN B

Name	: Mrs. SUJATHA THOKALA			
PID No.	: MED112060409	Register On	: 03/02/2024 8:59 AM	$\sim$
SID No.	: 712403824	<b>Collection On</b>	: 03/02/2024 10:56 AM	
Age / Sex	: 38 Year(s) / Female	Report On	: 03/02/2024 2:25 PM	medall
Туре	: OP	Printed On	: 05/02/2024 4:03 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

**Observed** 

<u>Value</u>

'B' 'Positive'

Investigation

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination) Remark: Test to be confirmed by gel method.

Mohan Kumar Sr.LabTechnician VERIFIED BY





<u>Unit</u>



Biological Reference Interval

APPROVED BY

Name PID No. SID No. Age / Sex Type Ref. Dr	: Mrs. SUJATHA THOKALA : MED112060409 : 712403824 : 38 Year(s) / Female : OP : MediWheel	Collection On : 03/0 Report On : 03/0 Printed On : 05/0	02/2024 2:25 PM 02/2024 4:03 PM	DIAGNOSTICS
Investiga	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
	IATOLOGY e Blood Count With - ESR			
Haemogl	lobin pod/Spectrophotometry)	13.8	g/dL	12.5 - 16.0
INTERPH				n values may be due to nutritional deficiency, hypoxia etc.
	cked Cell Volume) / Haematoo pod/Derived)	crit 39.0	%	37 - 47
RBC Con (EDTA Blo	unt pod/Automated Blood cell Counter)	4.88	mill/cu.mm	4.2 - 5.4
	lean Corpuscular Volume) ood/Derived from Impedance)	80.0	fL	78 - 100
	<pre>lean Corpuscular Haemoglobin pod/Derived)</pre>	1) 28.3	pg	27 - 32
concentra	Mean Corpuscular Haemoglob ation) pod/Derived)	bin 35.4	g/dL	32 - 36
RDW-C (Derived)	V	13.9	%	11.5 - 16.0
RDW-SI (Derived)	)	38.92	fL	39 - 46
	BC Count (TC) pod/Derived from Impedance)	7690	cells/cu.mm	4000 - 11000
Neutroph (Blood/ <i>Imp</i>	nils pedance Variation & Flow Cytometry,	)	%	40 - 75
Lymphoo (Blood/Imp	cytes bedance Variation & Flow Cytometry	) 31	%	20 - 45







Name	: Mrs. SUJATHA THOKALA			
PID No.	: MED112060409	Register On	: 03/02/2024 8:59 AM	$\mathbf{C}$
SID No.	: 712403824	<b>Collection On</b>	: 03/02/2024 10:56 AM	
Age / Sex	: 38 Year(s) / Female	Report On	: 03/02/2024 2:25 PM	medall
Туре	: OP	Printed On	: 05/02/2024 4:03 PM	DIAGNOSTICS

## Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	02	%	01 - 06
Monocytes (Blood/Impedance Variation & Flow Cytometry)	03	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	00	%	00 - 02
Absolute Neutrophil count (EDTA Blood'Impedance Variation & Flow Cytometry)	4.92	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood'Impedance Variation & Flow Cytometry)	2.38	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood'Impedance Variation & Flow Cytometry)	0.15	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.23	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood'Impedance Variation & Flow Cytometry)	0.00	10^3 / µl	< 0.2
Platelet Count (EDTA Blood'Derived from Impedance)	273	10^3 / µl	150 - 450
MPV (Blood/Derived)	11.0	fL	8.0 - 13.3
PCT	0.30	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Automated ESR analyser)	08	mm/hr	< 20

Mr. S. Mohan Kumar Sr. LabTechnician VERIFIED BY





APPROVED BY

Name	: Mrs. SUJATHA THOKALA			
PID No.	: MED112060409	Register On : 03/	/02/2024 8:59 AM	$\sim$
SID No.	: 712403824	Collection On : 03		
Age / Sex	: 38 Year(s) / Female	Report On : 03	3/02/2024 2:25 PM	medall
Туре	: OP	Printed On : 05	5/02/2024 4:03 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.7	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.50	mg/dL	0.1 - 1.0
Total Protein (Serum/ <i>Biuret</i> )	6.8	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.7	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.10	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	2.24		1.1 - 2.2
INTERPRETATION: Remark : Electrophoresis is the p	preferred method		
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC / Kinetic)	28	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	51	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/PNPP / Kinetic)	45	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	29	U/L	< 38







The results pertain to sample tested.

Name	: Mrs. SUJATHA THOKALA			
PID No.	: MED112060409	Register On	: 03/02/2024 8:59 AM	$\sim$
SID No.	: 712403824	<b>Collection On</b>	: 03/02/2024 10:56 AM	
Age / Sex	: 38 Year(s) / Female	Report On	: 03/02/2024 2:25 PM	medall
Туре	: OP	Printed On	: 05/02/2024 4:03 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	238	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	97	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	31	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/ <i>Calculated</i> )	187.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/ <i>Calculated</i> )	19.4	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	207.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220







APPROVED BY

Name PID No. SID No. Age / Sex Type Ref. Dr	<ul> <li>: Mrs. SUJATHA THOKALA</li> <li>: MED112060409</li> <li>: 712403824</li> <li>: 38 Year(s) / Female</li> <li>: OP</li> <li>: MediWheel</li> </ul>	Register On       : 03/02/2024 8:59 AM         Collection On       : 03/02/2024 10:56 AM         Report On       : 03/02/2024 2:25 PM         Printed On       : 05/02/2024 4:03 PM	DIAGNOSTICS
<u>Investiga</u>	ation	<u>Observed</u> <u>Unit</u> <u>Value</u>	Biological Reference Interval
2.It is the		ol is now proven to be a better cardiovascular ris oteins including LDL, IDL, VLDL and chylomic apy.	
Total Ch (Serum/Ca	olesterol/HDL Cholesterol Rat	io 7.7	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglycer (TG/HD) (Serum/ <i>Ca</i>	· · · · · · · · · · · · · · · · · · ·	3.1	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HD (Serum/Ca	DL Cholesterol Ratio	6.1	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0







Name PID No. SID No. Age / Sex Type Ref. Dr	<ul> <li>: Mrs. SUJATHA THOKALA</li> <li>: MED112060409</li> <li>: 712403824</li> <li>: 38 Year(s) / Female</li> <li>: OP</li> <li>: MediWheel</li> </ul>	Register On Collection On Report On Printed On	: 03/02/202 : 03/02/202 : 03/02/202 : 05/02/202	24 10:56 AM 24 2:25 PM	DIAGNOSTICS
<u>Investiga</u> <u>Glycosyl</u>	ation ated Haemoglobin (HbA1c)		<u>served</u> 'alue	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HbA1C (Whole Blo	bod/HPLC)		5.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
NACODI			<b>D</b> <sup>1</sup> . 1 <b>d</b>		

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose (Whole Blood)

# INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

108.28

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly,Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.





mg/dl



APPROVED BY

Name	: Mrs. SUJATHA THOKALA			
PID No.	: MED112060409	Register On	: 03/02/2024 8:59 AM	$\sim$
SID No.	: 712403824	<b>Collection On</b>	: 03/02/2024 10:56 AM	
Age / Sex	: 38 Year(s) / Female	Report On	: 03/02/2024 2:25 PM	medall
Туре	: OP	Printed On	: 05/02/2024 4:03 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	8.6		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	95	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126
<b>INTERPRETATION:</b> Factors such as type, quantity a blood glucose level.	and time of food intake	, Physical activity,	Psychological stress, and drugs can influence
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	104	mg/dL	70 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

12.3	mg/dL	7.0 - 21
0.7	mg/dL	0.6 - 1.1

### (Serum/Jaffe Kinetic)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	4.0
(Serum/Uricase/Peroxidase)	





mg/dL



2.6 - 6.0

APPROVED BY

Name PID No. SID No. Age / Sex Type Ref. Dr	<ul> <li>: Mrs. SUJATHA THOKALA</li> <li>: MED112060409</li> <li>: 712403824</li> <li>: 38 Year(s) / Female</li> <li>: OP</li> <li>: MediWheel</li> </ul>	Collection On         :         03/02/           Report On         :         03/02/	2024 8:59 AM 2024 10:56 AM 2024 2:25 PM 2024 4:03 PM	DIAGNOSTICS
	ation JNOASSAY ID PROFILE / TFT	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
(Serum/Ch (CLIA)) INTERPI Comment Total T3 v		1.00 n like pregnancy, drugs, nepł	ng/ml nrosis etc. In such ca	0.7 - 2.04 uses, Free T3 is recommended as it is
T4 (Thyr (Serum/ <i>Ch</i> ( <i>CLIA</i> )) <b>INTERPI</b> Comment Total T4 v	roxine) - Total emiluminescent Immunometric Assay RETATION:	9.92 n like pregnancy, drugs, nepł	Microg/dl nrosis etc. In such ca	4.2 - 12.0 ases, Free T4 is recommended as it is
TSH (Th (Serum/Ch (CLIA)) INTERPI Reference 1 st trimes 2 nd trimes 3 rd trimes (Indian Th Comment 1.TSH refe	yroid Stimulating Hormone) emiluminescent Immunometric Assay <b>RETATION:</b> range for cord blood - upto 20 ter: 0.1-2.5 ster 0.2-3.0 ster : 0.3-3.0 syroid Society Guidelines) t: erence range during pregnancy depen			0.35 - 5.50

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3.Values&amplt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.







APPROVED BY

Name	: Mrs. SUJATHA THOKALA		
PID No.	: MED112060409	Register On : 03/02/2024 8:59 AM	$\sim$
SID No.	: 712403824	Collection On : 03/02/2024 10:56 AM	
Age / Sex	: 38 Year(s) / Female	Report On : 03/02/2024 2:25 PM	medall
Туре	: OP	Printed On : 05/02/2024 4:03 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>CLINICAL PATHOLOGY</b>			
PHYSICAL EXAMINATION			
Colour (Urine/Physical examination)	Pale Yellow		Yellow to Amber
Volume (Urine/Physical examination)	30		ml
Appearance (Urine)	Clear		
CHEMICAL EXAMINATION			
pH (Urine)	6.5		4.5 - 8.0
Specific Gravity (Urine/Dip Stick o''Reagent strip method)	1.010		1.002 - 1.035
Protein (Urine/Dip Stick ó"Reagent strip method)	Negative		Negative
Glucose (Urine)	Nil		Nil
Ketone (Urine/Dip Stick ó"Reagent strip method)	Nil		Nil
Leukocytes (Urine)	Negative	leuco/uL	Negative
Nitrite (Urine/Dip Stick ó"Reagent strip method)	Nil		Nil
Bilirubin (Urine)	Negative	mg/dL	Negative
Blood (Urine)	Nil		Nil







Name	: Mrs. SUJATHA THOKALA	
PID No.	: MED112060409	Register On : 03/02/2024 8:59 AM
SID No.	: 712403824	Collection On : 03/02/2024 10:56 AM
Age / Sex	: 38 Year(s) / Female	Report On : 03/02/2024 2:25 PM medall
Туре	: OP	Printed On : 05/02/2024 4:03 PM DIAGNOSTICS
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Urobilinogen (Urine/Dip Stick ó"Reagent strip method)	Normal		Within normal limits
<u>Urine Microscopy Pictures</u>			
RBCs (Urine/ <i>Microscopy</i> )	Nil	/hpf	NIL
Pus Cells (Urine/ <i>Microscopy</i> )	2-3	/hpf	< 5
Epithelial Cells (Urine/ <i>Microscopy</i> )	2-3	/hpf	No ranges
Others (Urine)	Nil		Nil







-- End of Report --

Name	MRS.SUJATHA THOKALA	ID	MED112060409	
Age & Gender	38Y/FEMALE	Visit Date	03/02/2024	
Ref Doctor Name	MediWheel			MEDALL

# **<u>2 D ECHOCARDIOGRAPHIC STUDY</u>**

# M mode measurement:

AORTA			:	3.0cms
LEFT ATRIUM			:	3.0cms
LEFT VENTRICLE	(DIASTOLE	)	:	4.6cms
(SYS	STOLE)	:	2.8cm	18
VENTRICULAR SEPTUM	(DIASTOLE)	)	:	0.8cms
(SYS	STOLE)	:	1.1cm	18
POSTERIOR WALL	(DIASTOLE)	)	:	0.8cms
(SYS	TOLE)	:	1.1cm	18
EDV			:	73ml
ESV			:	29ml
FRACTIONAL SHORTEN	:	36%		
EJECTION FRACTION			:	63%
RVID			:	1.5cms

## **DOPPLER MEASUREMENTS:**

MITRAL VALVE	: E' -	0.87m/s	A' - 0.27m/s	NO MR
AORTIC VALVE	:	0.99m/s		NO AR
TRICUSPID VALVE	: E' -	0.71m/s	A' - 0.30m/s	NO TR
PULMONARY VALVE	:	0.75m/s		NO PR

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Name	MRS.SUJATHA THOKALA	ID	MED112060409	
Age & Gender	38Y/FEMALE	Visit Date	03/02/2024	
Ref Doctor Name	MediWheel			Me



Left ventricle	: Normal size, Normal systolic function.
No regional wall motion abnormalit	ies.

Left Atrium	: Normal.	
Right Ventricle	: Normal.	
Right Atrium	: Normal.	
Mitral valve	: Normal, No mitral valve prolapse.	
Aortic valve	: Normal, Trileaflet.	
Tricuspid valve	: Normal.	
Tricuspid valve Pulmonary valve	: Normal. : Normal.	
-		
Pulmonary valve	: Normal.	
Pulmonary valve	: Normal. : Intact.	

## **IMPRESSION**:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 63 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.

DR. NIKHIL B INTERVENTIONAL CARDIOLOGIST NB/mm



Name	Mrs. SUJATHA THOKALA	ID	MED112060409
Age & Gender	38Y/F	Visit Date	Feb 3 2024 8:59AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

*<u>Impression</u>*: No significant abnormality detected.

DR. MOHAN. B (DMRD, DNB, EDIR, FELLOW IN CARDIAC MRI) CONSULTANT RADIOLOGIST