PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

Investigation  HAEMATOLOGY	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	13.1	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	38.8	%	42 - 52
RBC Count (EDTA Blood)	3.51	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	110.4	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	37.3	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	33.7	g/dL	32 - 36
RDW-CV	15.9	%	11.5 - 16.0
RDW-SD	61.44	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	5500	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	60.2	%	40 - 75
Lymphocytes (Blood)	19.1	%	20 - 45
Eosinophils (Blood)	15.8	%	01 - 06
Monocytes (Blood)	4.6	%	01 - 10



 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	0.3	%	00 - 02
<b>INTERPRETATION:</b> Tests done on Automated Five Pa	art cell counter. All	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	3.31	$10^3 / \mu l$	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.05	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.87	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.25	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.02	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	268	10^3 / μl	150 - 450
MPV (Blood)	7.9	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.21	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	8	mm/hr	< 15



 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.70	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.23	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.47	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	12.53	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	8.80	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	17.27	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	72.3	U/L	53 - 128
Total Protein (Serum/Biuret)	7.32	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.51	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.81	gm/dL	2.3 - 3.6
A: GRATIO (Serum/Derived)	1.60		1.1 - 2.2



 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	146.29	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	102.31	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

part of the day.			
HDL Cholesterol (Serum/Immunoinhibition)	30.33	mg/dL	Optimal(Negative Risk Factor): >= 60  Borderline: 40 - 59  High Risk: < 40
LDL Cholesterol (Serum/Calculated)	95.5	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	20.5	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	116.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219



Very High: >= 220

 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u> <u>Value</u> <u>Reference Interval</u>

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio 4.8 Optimal: < 3.3 (Serum/Calculated) Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1

Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio 3.4 Optimal: < 2.5

(TG/HDL) Mild to moderate risk: 2.5 - 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 3.1 Optimal: 0.5 - 3.0

(Serum/Calculated)
Borderline: 3.1 - 6.0
High Risk: > 6.0

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674

 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.5	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 111.15 mg/dL

(Whole Blood)

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.

Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
<u>Value</u> <u>Reference Interval</u>

## **IMMUNOASSAY**

#### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.14 ng/ml 0.7 - 2.04

(Serum/ECLIA)

### INTERPRETATION:

#### **Comment:**

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 13.11  $\mu g/dl$  4.2 - 12.0

(Serum/ECLIA)

#### INTERPRETATION:

#### **Comment:**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 3.98 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

#### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

#### **Comment:**

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
<u>Value</u> <u>Reference Interval</u>

# **CLINICAL PATHOLOGY**

# PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Yellow Yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 20

(Urine)

# CHEMICAL EXAMINATION (URINE

**COMPLETE**)

pH 5.5 4.5 - 8.0

(Urine)

Specific Gravity 1.014 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

(Urine)

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)  MICROSCOPIC EXAMINATION (URINE COMPLETE)	Negative		
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others	NIL		

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



PID No. Register On : 17/11/2022 8:22 AM : MED121486329 : 522228652 SID No. Collection On : 17/11/2022 8:53 AM Age / Sex : 44 Year(s) / Male Report On : 17/11/2022 4:18 PM : OP **Type** 

Ref. Dr : MediWheel

**Investigation** <u>Observed</u> <u>Unit</u> **Biological** <u>Value</u> Reference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING 'B' 'Negative'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

**Printed On** 

Sr.Consultant Pathologist Reg No: 100674

: 18/11/2022 12:54 PM

 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM

 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	95.96	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	90.19	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			

## INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours)	Negative		Negative	
(Urine - PP)	( 0	c / JT	7.0 21	
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	6.8	mg/dL	7.0 - 21	
Creatinine	0.72	mg/dL	0.9 - 1.3	
(Serum/Modified Jaffe)				

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine

Uric Acid 4.72 mg/dL 3.5 - 7.2 (Serum/Enzymatic)

Dr Anusha,K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

 PID No.
 : MED121486329
 Register On
 : 17/11/2022 8:22 AM

 SID No.
 : 522228652
 Collection On
 : 17/11/2022 8:53 AM

 Age / Sex
 : 44 Year(s) / Male
 Report On
 : 17/11/2022 4:18 PM


 Type
 : OP
 Printed On
 : 18/11/2022 12:54 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>IMMUNOASSAY</u>			
Prostate specific antigen - Total(PSA) (Serum/Manometric method)	0.578	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0



-- End of Report --



Name	MR.R VISHWANATH M	ID	MED121486329
Age & Gender	44Y/MALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

# ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (13.6 cm) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** is partially distended. Few mobile calculi ranging in size from 5 to 8 mm are noted. No pericholecystic fluid. No wall thickening. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size (11.5 cm) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

#### **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

•	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	9.9	1.9
Left Kidney	10.1	1.7

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern. It measures 3.1 x 2.5 x 4.1 cm, volume: 16.5cc.

No evidence of ascites.

## **IMPRESSION:**

- Cholelithiasis.
- No other significant abnormality detected.

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/mj

Name	MR.R VISHWANATH M	ID	MED121486329
Age & Gender	44Y/MALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

## 2D ECHOCARDIOGRAPHIC STUDY

## **M-mode measurement:**

**AORTA** 2.66 cms. LEFT ATRIUM : 2.82 cms. AVS 1.47 cms. LEFT VENTRICLE (DIASTOLE) 4.51 cms. (SYSTOLE) 2.86 cms. **VENTRICULAR SEPTUM** (DIASTOLE) 0.93 cms. (SYSTOLE) 1.12 cms. **POSTERIOR WALL** (DIASTOLE) 1.00 cms. (SYSTOLE) 1.12 cms. **EDV** 93 ml. **ESV** 31 ml. FRACTIONAL SHORTENING 36 % **EJECTION FRACTION** 60 % : **EPSS** cms. **RVID** 1.80 cms.

## **DOPPLER MEASUREMENTS:**

MITRAL VALVE: E - 0.9 m/s A - 0.5 m/s NO MR.

AORTIC VALVE: 0.9 m/s NO AR.

TRICUSPID VALVE: E - 0.5 m/s A - 0.2 m/s NO TR.

PULMONARY VALVE: 0.5 m/s NO PR.

Name	MR.R VISHWANATH M	ID	MED121486329
Age & Gender	44Y/MALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle : Normal size, Normal systolic function.

: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal.Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

## **IMPRESSION:**

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

Name	MR.R VISHWANATH M	ID	MED121486329
Age & Gender	44Y/MALE	Visit Date	17 Nov 2022
Ref Doctor Name	MediWheel		

# DR. YASHODA RAVI

# CONSULTANT CARDIOLOGIST

Yr/Ls

Name	R VISHWANATH M	Customer ID	MED121486329
Age & Gender	44Y/M	Visit Date	Nov 17 2022 8:17AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Patient rotation is noted.

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

# **IMPRESSION:**

• No significant abnormality detected.

DR.HEMANANDHINI CONSULTANT RADIOLOGIST