PID No. Register On : 11/02/2023 9:30 AM : MED111492196 : 80067261 SID No. Collection On : 11/02/2023 10:03 AM Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 2:10 PM

Type : OP **Printed On** : 21/02/2023 1:18 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING	'O' 'Positive'		
(Blood/Agglutination)			
Complete Blood Count With - ESR			
Haemoglobin (Blood/Spectrophotometry)	14.3	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Numeric Integration of MCV)	42.8	%	42 - 52
RBC Count (Blood/Electrical Impedance)	4.87	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (Blood/Calculated)	87.9	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/Calculated)	29.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/Calculated)	33.6	g/dL	32 - 36
RDW-CV (Calculated)	14.0	%	11.5 - 16.0
RDW-SD (Calculated)	43.07	fL	39 - 46
Total Leukocyte Count (TC) (Blood/Electrical Impedance)	7030	cells/cu.mm	4000 - 11000
Neutrophils (Blood/ <i>Impedance and absorbance</i>)	65.85	%	40 - 75
Lymphocytes (Blood/ <i>Impedance and absorbance</i>)	22.14	%	20 - 45
Eosinophils (Blood/Impedance and absorbance)	2.37	%	01 - 06
Monocytes (Blood/Impedance and absorbance)	9.33	%	01 - 10







PID No. Register On : 11/02/2023 9:30 AM : MED111492196 : 80067261 SID No. Collection On : 11/02/2023 10:03 AM Age / Sex : 37 Year(s) / Male Report On : 11/02/2023 2:10 PM **Type** : OP

Printed On



Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood/Impedance and absorbance)	0.31	%	00 - 02
INTERPRETATION: Tests done on Automated	Five Part cell count	er. All abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (Blood/Impedance and absorbance)	4.63	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance)	1.56	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/Impedance)	0.17	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance)	0.66	10^3 / μl	< 1.0
Absolute Basophil count (Blood/Impedance)	0.02	10^3 / μl	< 0.2
Platelet Count (Blood/Impedance)	2.36	lakh/cu.mm	1.4 - 4.5
INTERPRETATION: Platelet count less than 1.5	lakhs will be confi	rmed microscopically.	
MPV (Blood/Derived from Impedance)	7.08	fL	7.9 - 13.7
PCT (Calculated)	0.17	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	08	mm/hr	< 15
BUN / Creatinine Ratio	8.2		
Glucose Fasting (FBS) (Plasma - F/Glucose oxidase/Peroxidase)	90	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

: 21/02/2023 1:18 PM

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	120	mg/dL	70 - 140
(Dlacma DD/COD DOD)			







 PID No.
 : MED111492196
 Register On
 : 11/02/2023 9:30 AM

 SID No.
 : 80067261
 Collection On
 : 11/02/2023 10:03 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 11/02/2023 2:10 PM

Printed On



Ref. Dr : MediWheel

: OP

Type

Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
---------------	---	--

: 21/02/2023 1:18 PM

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative	,	Negative
Blood Urea Nitrogen (BUN) (Serum/Calculated)	7.4	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe ⁻ Alkaline Picrate)	1	mg/dL	0.9 - 1.3
Uric Acid (Serum/Uricase/Peroxidase)	4.9	mg/dL	3.5 - 7.2
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulphanilic acid)	0.7	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulphanilic acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Calculated)	0.50	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC without P-5-P)	19	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC without P-5-P)	17	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer)	67	U/L	53 - 128
Total Protein (Serum/Biuret)	7.0	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.2	gm/dl	3.5 - 5.2
Globulin (Serum/Calculated)	2.80	gm/dL	2.3 - 3.6







 PID No.
 : MED111492196
 Register On
 : 11/02/2023 9:30 AM

 SID No.
 : 80067261
 Collection On
 : 11/02/2023 10:03 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 11/02/2023 2:10 PM

Type : OP Printed On : 21/02/2023 1:18 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
A : G RATIO (Serum/Calculated)	1.50		1.1 - 2.2
INTERPRETATION: Enclosure: Graph			
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	23	U/L	< 55
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	155	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	81	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	37	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	101.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	16.2	mg/dL	< 30







 PID No.
 : MED111492196
 Register On
 : 11/02/2023 9:30 AM

 SID No.
 : 80067261
 Collection On
 : 11/02/2023 10:03 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 11/02/2023 2:10 PM

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Non HDL Cholesterol (Serum/Calculated)	118.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.2	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2.2	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.8	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Mean Blood Glucose 119.76 mg/dl

(Whole Blood)







Type : OP Printed On : 21/02/2023 1:18 PM

Ref. Dr : MediWheel



<u>Investigation</u>	Observed Unit	<u>Biological</u>
_	<u>Value</u>	Reference Interval

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 0.96 ng/ml 0.7 - 2.04

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total $10.62 \, \mu \text{g/dl}$ 4.2 - 12.0

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 4.12 µIU/mL 0.35 - 5.50

(Serum/Chemiluminescence)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine







APPROVED BY

The results pertain to sample tested.

Page 6 of 7

 PID No.
 : MED111492196
 Register On
 : 11/02/2023 9:30 AM

 SID No.
 : 80067261
 Collection On
 : 11/02/2023 10:03 AM

 Age / Sex
 : 37 Year(s) / Male
 Report On
 : 11/02/2023 2:10 PM

 Type
 : OP
 Printed On
 : 21/02/2023 1:18 PM

Ref. Dr : MediWheel



Ref. Dr : MediWheel		
Investigation	<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> Reference Interval
Others	NIL	
(Urine/Microscopy)		
INTERPRETATION: Note: Done with	Automated Urine Analyser & microscopy	
Physical Examination(Urine Rout	ine)	
Colour (Urine/Physical examination)	Pale yellow	Yellow to Amber
Appearance (Urine/Physical examination)	Clear	Clear
Chemical Examination(Urine Rou	<u>utine)</u>	
Protein	Negative	Negative

Glucose
(Urine/Dip Stick Method / Glucose Oxidase -
Peroxidase / Benedict s semi quantitative
method)

(Urine/Dipstick-Error of indicator/ Sulphosalicylic acid method)

<u>Microscopic Examination(Urine</u> <u>Routine)</u>

Pus Cells (Urine/Microscopy exam of urine sediment)	2-4	/hpf	0 - 5
Epithelial Cells (Urine/Microscopy exam of urine sediment)	1-2	/hpf	NIL
RBCs (Urine/Microscopy exam of urine sediment)	NIL	/hpf	0 - 5

Negative







Negative

APPROVED BY

-- End of Report --



Name	BAYYA PAVAN SUNDAR	ID	MED111492196
Age & Gender	37Y/M	Visit Date	Feb 11 2023 9:29AM
Ref Doctor	MediWheel		

ULTRASOUND WHOLE ABDOMEN

Liver : Normal in size (13.3 cm) with regular outlines and normal

echopattern.

There is no evidence of IHBR / EHBR dilatation seen.

No focal space occupying lesions seen.

CBD is normal. PV normal.

Gall Bladder : Normal in volume and wall thickness.

No e/o intraluminal calculi seen.

Pancreas : Head, body and tail are identified with normal echopattern and

smooth outlines.

Spleen : Measured 9.9 cm, in size with normal echotexture.

Right kidney : Measured 9.9 x 4.2 cm in size.

Left kidney : Measured 9.2 x 4.4 cm in size.

Both kidneys are normal in size, position, with well preserved

cortico medullary differentiation and normal pelvicalyceal

anatomy.

No e/o calculi / space occupying lesion seen. No e/o suprarenal / retroperitoneal masses noted.

Urinary : Normal in volume and wall thickness. bladder No e/o intraluminal calculi / masses seen.

Prostate : Measured 2.7 x 3.0 x 2.6 cm in size (Vol : 11.7 cc) with normal

echotexture.

No e/o ascites / pleural effusion seen. No e/o detectable bowel pathology seen.

IMPRESSION:

- Essentially normal study.
- For clinical correlation.



Name	BAYYA PAVAN SUNDAR	ID	MED111492196
Age & Gender	37Y/M	Visit Date	Feb 11 2023 9:29AM
Ref Doctor	MediWheel		

Dr.Jahn av i Barla ,MD (RD)

Consultant Radiologist