



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On : 22/Sep/2024 09:15:14 Collected Age/Gender : 32 Y 1 M 23 D /F : 2024-09-22 09:52:17 UHID/MR NO : ALDP.0000149779 Received : 2024-09-22 09:52:17 Visit ID : ALDP0228112425 Reported : 23/Sep/2024 11:59:13

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD -

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ECG / EKG

1. Machnism, Rhythm Sinus, Regular

2. Atrial Rate 51 /mt

3. Ventricular Rate **51** /mt

4. P - Wave Normal

5. P R Interval Normal

6. Q R S

Axis: Normal R/S Ratio: Normal **Configuration:** Normal

7. Q T c Interval Normal

8. S - T Segment Normal

9. T - Wave Normal

FINAL IMPRESSION

Abnormal: Sinus Bradycardia. Please correlate clinically.















Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

: 22/Sep/2024 09:15:12 Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On Age/Gender Collected : 22/Sep/2024 09:41:20 : 32 Y 1 M 23 D /F UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 11:15:29 Visit ID : ALDP0228112425 Reported : 22/Sep/2024 13:31:22

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) , Whole Blood				
Haemoglobin	11.90	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	4,100.00	/Cu mm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	61.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	33.00	%	20-40	FLOW CYTOMETRY
Monocytes	5.00	%	2-10	FLOW CYTOMETRY
Eosinophils	1.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	18.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On : 22/Sep/2024 09:15:12 Age/Gender Collected : 32 Y 1 M 23 D /F : 22/Sep/2024 09:41:20 UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 11:15:29 Visit ID Reported : 22/Sep/2024 13:31:22 : ALDP0228112425

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	-	Mm for 1st hr.		
PCV (HCT)	36.00	%	40-54	
Platelet count				
Platelet Count	1.62	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.10	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.24	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.13	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	89.30	fl	80-100	CALCULATED PARAMETER
MCH	28.90	pg	27-32	CALCULATED PARAMETER
MCHC	32.30	%	30-38	CALCULATED PARAMETER
RDW-CV	13.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,501.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	41.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)







Page 3 of 13





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

: Mrs.KOMAL DWIVEDI-111154 : 22/Sep/2024 09:15:13 Patient Name Registered On Age/Gender : 32 Y 1 M 23 D /F Collected : 22/Sep/2024 09:41:20 UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 11:15:29 Visit ID : ALDP0228112425 Reported : 22/Sep/2024 13:24:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING, Plasma

Glucose Fasting 86.10 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	31.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	96	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*













CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 : 22/Sep/2024 09:15:13 Registered On Age/Gender : 32 Y 1 M 23 D /F Collected : 22/Sep/2024 09:41:20 UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 11:15:29 Visit ID : ALDP0228112425 Reported : 22/Sep/2024 13:24:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit Bio. I	Ref. Interval Metho	d
7 0	53.0 -63.9	154-183	Fair Control	I
7-8 < 7	<63.9	<154 <154	Goal**	
6-7	42.1 -63.9	126-154	Near-normal glycemi	ia
< 6%	<42.1	<126	Non-diabetic level	

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)
Sample:Serum

14.99

mg/dL 7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Low-protein diet, overhydration, Liver disease.





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On : 22/Sep/2024 09:15:13 Age/Gender : 32 Y 1 M 23 D /F Collected : 22/Sep/2024 09:41:20 UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 11:15:29 Visit ID : ALDP0228112425 Reported : 22/Sep/2024 13:24:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Creatinine Sample:Serum	0.86	mg/dl 0.5-1	.20 MC	DDIFIED JAFFES

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid3.93mg/dl2.5-6.0URICASE

Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGPT / Alanine Aminotransferase (ALT) 10.20 U/L < 40		SGOT / Aspartate Aminotransferase (AST)	17.20	U/L	< 35	IFCC WITHOUT P5P
Protein 6.62 gm/dl 6.2-8.0 BIURET Albumin 4.03 gm/dl 3.4-5.4 B.C.G. Globulin 2.59 gm/dl 1.8-3.6 CALCULATED A:G Ratio 1.56 1.1-2.0 CALCULATED Alkaline Phosphatase (Total) 106.00 U/L 42.0-165.0 PNP/AMP KINETIC Bilirubin (Total) 0.65 mg/dl 0.3-1.2 JENDRASSIK & GROF Bilirubin (Direct) 0.23 mg/dl <0.30		SGPT / Alanine Aminotransferase (ALT)	10.20	U/L	< 40	IFCC WITHOUT P5P
Albumin 4.03 gm/dl 3.4-5.4 B.C.G. Globulin 2.59 gm/dl 1.8-3.6 CALCULATED A:G Ratio 1.56 1.1-2.0 CALCULATED Alkaline Phosphatase (Total) 106.00 U/L 42.0-165.0 PNP/AMP KINETIC Bilirubin (Total) 0.65 mg/dl 0.3-1.2 JENDRASSIK & GROF Bilirubin (Direct) 0.23 mg/dl < 0.30 JENDRASSIK & GROF Bilirubin (Indirect) 0.42 mg/dl < 0.8 JENDRASSIK & GROF LIPID PROFILE (MINI), Serum Cholesterol (Total) 182.00 mg/dl <200 Desirable CHOD-PAP 200-239 Borderline High > 240 High		Gamma GT (GGT)	13.30	IU/L	11-50	OPTIMIZED SZAZING
Globulin 2.59 gm/dl 1.8-3.6 CALCULATED A:G Ratio 1.56 1.1-2.0 CALCULATED Alkaline Phosphatase (Total) 106.00 U/L 42.0-165.0 PNP/AMP KINETIC Bilirubin (Total) 0.65 mg/dl 0.3-1.2 JENDRASSIK & GROF Bilirubin (Direct) 0.23 mg/dl < 0.30 JENDRASSIK & GROF Bilirubin (Indirect) 0.42 mg/dl < 0.8 JENDRASSIK & GROF LIPID PROFILE (MINI), Serum Cholesterol (Total) 182.00 mg/dl <200 Desirable CHOD-PAP 200-239 Borderline High > 240 High		Protein	6.62	gm/dl	6.2-8.0	BIURET
A:G Ratio Alkaline Phosphatase (Total) Alkaline Phosphatase (Total) 106.00 U/L 42.0-165.0 PNP/AMP KINETIC Bilirubin (Total) 0.65 mg/dl 0.3-1.2 JENDRASSIK & GROF Bilirubin (Direct) 0.23 mg/dl <0.30 JENDRASSIK & GROF Bilirubin (Indirect) LIPID PROFILE (MINI), Serum Cholesterol (Total) 182.00 mg/dl <0.200 Desirable 200-239 Borderline High > 240 High		Albumin	4.03	gm/dl	3.4-5.4	B.C.G.
Alkaline Phosphatase (Total) 106.00 U/L 42.0-165.0 PNP/AMP KINETIC Bilirubin (Total) 0.65 mg/dl 0.3-1.2 JENDRASSIK & GROF Bilirubin (Indirect) 0.23 mg/dl 0.30 JENDRASSIK & GROF Bilirubin (Indirect) 0.42 mg/dl 0.8 LIPID PROFILE (MINI), Serum Cholesterol (Total) 182.00 mg/dl 200-239 Borderline High 200-239 Borderline High 240 High		Globulin	2.59	gm/dl	1.8-3.6	CALCULATED
Bilirubin (Total) 0.65 mg/dl 0.3-1.2 JENDRASSIK & GROF Bilirubin (Direct) 0.23 mg/dl < 0.30 JENDRASSIK & GROF Bilirubin (Indirect) 0.42 mg/dl < 0.8 JENDRASSIK & GROF CHOD-PAP 200-239 Borderline High > 240 High		A:G Ratio	1.56		1.1-2.0	CALCULATED
Bilirubin (Direct) Bilirubin (Indirect) 0.23 mg/dl < 0.30 JENDRASSIK & GROF mg/dl < 0.8 LIPID PROFILE (MINI) , Serum Cholesterol (Total) 182.00 mg/dl < 200 Desirable CHOD-PAP 200-239 Borderline High > 240 High		Alkaline Phosphatase (Total)	106.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Indirect) 0.42 mg/dl < 0.8 JENDRASSIK & GROF LIPID PROFILE (MINI) , Serum Cholesterol (Total) 182.00 mg/dl < 200 Desirable CHOD-PAP 200-239 Borderline High > 240 High		Bilirubin (Total)	0.65	mg/dl	0.3-1.2	JENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum Cholesterol (Total) 182.00 mg/dl <200 Desirable CHOD-PAP 200-239 Borderline High > 240 High		Bilirubin (Direct)	0.23	mg/dl	< 0.30	JENDRASSIK & GROF
Cholesterol (Total) 182.00 mg/dl <200 Desirable CHOD-PAP 200-239 Borderline High > 240 High		Bilirubin (Indirect)	0.42	mg/dl	< 0.8	JENDRASSIK & GROF
200-239 Borderline High > 240 High	L	IPID PROFILE (MINI) , Serum				
HDL Cholesterol (Good Cholesterol) 59.80 mg/dl 30-70 DIRECT ENZYMATIC		Cholesterol (Total)	182.00	mg/dl	200-239 Borderline High	
		HDL Cholesterol (Good Cholesterol)	59.80	mg/dl	30-70	DIRECT ENZYMATIC







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On : 22/Sep/2024 09:15:13 Age/Gender Collected : 22/Sep/2024 09:41:20 : 32 Y 1 M 23 D /F UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 11:15:29 Visit ID : ALDP0228112425 Reported : 22/Sep/2024 13:24:09

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Ur	nit Bio. Ref. Int	terval	Method
LDL Cholesterol (Bad Cholesterol)	103	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Op 130-159 Borderline 160-189 High > 190 Very High	timal	JLATED
VLDL	18.78	mg/dl	10-33	CALCU	JLATED
Triglycerides	93.90	mg/dl	< 150 Normal 150-199 Borderline 200-499 High >500 Very High	GPO-l High	PAP

AS-

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On : 22/Sep/2024 09:15:13 Collected Age/Gender : 32 Y 1 M 23 D /F : 22/Sep/2024 11:28:18 UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 12:33:02 Visit ID : 22/Sep/2024 14:28:05 : ALDP0228112425 Reported

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 VRS

	IVIEDITY HEEL BANK OF BARODA FEIVIALE ABOVE 40 YRS						
Test Name	Result	Unit	Bio. Ref. Interval	Method			
URINE EXAMINATION, RO	OUTINE , Urine						
Color	LIGHT YELLOW						
Specific Gravity	1.015						
Reaction PH	Acidic (5.0)			DIPSTICK			
Appearance	CLEAR						
Protein	ABSENT	mg %	< 10 Absent 10-40 (+)	DIPSTICK			
			40-200 (++) 200-500 (+++) > 500 (++++)				
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK			

Ketone ABSENT mg/dl Serum-0.1-3.0 BIOCHEMISTRY Urine-0.0-14.0

Bile Salts ABSENT

Bile Pigments ABSENT

Bilirubin ABSENT DIPSTICK
Leucocyte Esterase ABSENT DIPSTICK
Urobilinogen(1:20 dilution) ABSENT

Nitrite ABSENT DIPSTICK
Blood ABSENT DIPSTICK

Microscopic Examination:

Epithelial cells0-2/h.p.fMICROSCOPICEXAMINATION

Pus cells1-2/h.p.fRBCsABSENTMICROSCOPIC
EXAMINATIONCastABSENT

Crystals ABSENT MICROSCOPIC EXAMINATION

Others ABSENT

Urine Microscopy is done on centrifuged urine sediment.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On : 22/Sep/2024 09:15:13 Age/Gender Collected : 32 Y 1 M 23 D /F : 22/Sep/2024 11:28:18 UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 12:33:02 Reported Visit ID : 22/Sep/2024 14:28:05 : ALDP0228112425

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, FASTING STAGE, Urine

Sugar, Fasting stage ABSENT gms%

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

Dr.Akanksha Singh (MD Pathology)













Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 : 22/Sep/2024 09:15:13 Registered On Age/Gender : 32 Y 1 M 23 D /F Collected : 22/Sep/2024 09:41:20 UHID/MR NO : ALDP.0000149779 Received : 22/Sep/2024 11:15:29 Visit ID : ALDP0228112425 Reported : 22/Sep/2024 14:51:25

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit B	io. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine)	135.00	ng/dl 84	4.61–201.7	CLIA
T4, Total (Thyroxine)	9.33	ug/dl 3	.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.280	μIU/mL 0	.27 - 5.5	CLIA
Interpretation:				
-		0.3-4.5 μIU/mL	First Trimester	
		0.5 - 4.6 μ IU/mL	Second Trimester	
		0.8-5.2 µIU/mL	Third Trimester	
		$0.5-8.9 \mu IU/mL$		37 Years
		$0.7-27$ μ IU/mL		-36 Week
		2.3-13.2 μIU/mL		37Week
		0.7-64 μIU/mL	,	<i>'</i>
		1-39 μIU/mI 1.7-9.1 μIU/mL		Days Week
		1./-9.1 μIU/mL	Ciliu 2-20	WEEK

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On : 22/Sep/2024 09:15:14 : 2024-09-22 10:06:06 Age/Gender Collected : 32 Y 1 M 23 D /F UHID/MR NO : ALDP.0000149779 Received : 2024-09-22 10:06:06 Visit ID : ALDP0228112425 Reported : 23/Sep/2024 10:15:33

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis









Page 11 of 13





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 Registered On : 22/Sep/2024 09:15:14 Age/Gender : 32 Y 1 M 23 D /F Collected : 2024-09-22 13:38:38 UHID/MR NO : ALDP.0000149779 Received : 2024-09-22 13:38:38 Visit ID : ALDP0228112425 Reported : 22/Sep/2024 13:52:49

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

Technical limitations due to patient body habitus.

LIVER: - Enlaregd in size (15.9 cm), with normal shape and shows diffusely raised echotexture. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER: Well distended. Normal wall thickness is seen. Multiple calculi average size 7-8 mm are seen in the gall bladder lumen. No evidence of focal mass lesion/pericholecystic fluid is seen.

CBD:- Normal in calibre measuring ~ 4.5 mm at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (10.2 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS :- Is normal in size (8.8 x 4.0 cm). No focal myometrial lesion is seen. Endometrium is normal in thickness 5.0 mm.

OVARIES:- Bilateral ovaries are normal in size, shape and echogenicity. Right ovary - 22 x 10 mm, Left ovary - 26 x 8.6 mm.

ADNEXA:- No obvious adnexal pathology is seen.

HIGH RESOLUTION:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Mild hepatomegaly with grade I fatty changes.
- Cholelithiasis.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name : Mrs.KOMAL DWIVEDI-111154 : 22/Sep/2024 09:15:14 Registered On Age/Gender : 32 Y 1 M 23 D /F Collected : 2024-09-22 13:38:38 UHID/MR NO : ALDP.0000149779 Received : 2024-09-22 13:38:38 Visit ID : ALDP0228112425 Reported : 22/Sep/2024 13:52:49

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Please correlate clinically.

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION





Dr. Aishwarya Neha (MD Radiodiagnosis

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location

Page 13 of 13







