
SUBURBAN DIAGNOSTICS - KANDIVALI EAST



Patient Name: LOKESH KUMAR PAWAR

Date and Time: 19th Feb 22 12:14 PM

Patient ID: 2205030324



Age 29 7 30 years months days

Gender Male

Heart Rate 93 bpm

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QSRD: 86 ms
QT: 358 ms
QTc: 445 ms
PR: 152 ms
P-R-T: 73° 51° 11°

Sinus Rhythm, Normal Axis, Nonspecific T wave Abnormality. Please correlate clinically.

REPORTED BY

DR AKHIL PARULEKAR MBBS.MD. MEDICINE, DNB Cardiology Cardiologist

2012082483

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : Mr LOKESH KUMAR PAWAR

Age / Sex : 29 Years/Male

Ref. Dr :

Reg. Location : Kandivali East Main Centre



 \mathbf{E}

R

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 19-Feb-2022 / 16:23

Reported : 19-Feb-2022 / 16:29

USG WHOLE ABDOMEN

Reg. Date

LIVER:

The liver is normal in size (11.0 cm), shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size, shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures 10.5 x 4.9 cm. Left kidney measures 10.3 x 5.3 cm.

SPLEEN:

The spleen is normal in size and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size and volume is 13 cc.

IMPRESSION:

No significant abnormality is seen.

Suggestion: Clinicopathological correlation.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the centre for rectification. Please interpret accordingly. All safety precautions were taken before, during and after the USG examination in view of the ongoing Covid 19 pandemic.

-----End of Report-----

This report is prepared and physically checked by Dr Vivek Singh before dispatch.

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022021909133494

Page 1of 2

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : Mr LOKESH KUMAR PAWAR

Age / Sex : 29 Years/Male

Ref. Dr :

Reg. Location: Kandivali East Main Centre

Authenticity Check

R

E

R

T

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 19-Feb-2022 / 16:23

Reported : 19-Feb-2022 / 16:29

Dr.Vivek Singh MD Radiodiagnosis

Reg No: 2013/03/0388

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022021909133494

Page 2of 2



Name : Mr LOKESH KUMAR PAWAR

Age / Sex : 29 Years/Male

Ref. Dr :

Reg. Location : Kandivali East Main Centre

 \mathbf{E}

R

T

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 19-Feb-2022 / 10:18

: 19-Feb-2022 / 14:46

X-RAY CHEST PA VIEW

Reg. Date

Reported

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

End of Report

This report is prepared and physically checked by DR. FAIZUR KHILJI before dispatch.

KLIM FRA

Dr.FAIZUR KHILJI MBBS,RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022021909133501

Page 1of



Name : MR.LOKESH KUMAR PAWAR

Age / Gender : 29 Years / Male

Consulting Dr.

Reg. Location : Kandivali East (Main Centre)



Use a OR Code Scanner

Collected

Reported

Application To Scan the Code

:19-Feb-2022 / 09:25 :19-Feb-2022 / 12:18

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	15.0	13.0-17.0 g/dL	Spectrophotometric	
RBC	4.51	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	42.8	40-50 %	Measured	
MCV	95	80-100 fl	Calculated	
MCH	33.2	27-32 pg	Calculated	
MCHC	34.9	31.5-34.5 g/dL	Calculated	
RDW	12.0	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	4100	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS			
Lymphocytes	39.8	20-40 %		
Absolute Lymphocytes	1631.8	1000-3000 /cmm	Calculated	
Monocytes	6.0	2-10 %		
Absolute Monocytes	246.0	200-1000 /cmm	Calculated	
Neutrophils	49.0	40-80 %		
Absolute Neutrophils	2009.0	2000-7000 /cmm	Calculated	
Eosinophils	5.1	1-6 %		
Absolute Eosinophils	209.1	20-500 /cmm	Calculated	
Basophils	0.1	0.1-2 %		
Absolute Basophils	4.1	20-100 /cmm	Calculated	

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	301000	150000-400000 /cmm	Elect. Impedance
MPV	8.7	6-11 fl	Calculated
PDW	15.0	11-18 %	Calculated

RBC MORPHOLOGY

Immature Leukocytes

Hypochromia Microcytosis

Page 1 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.LOKESH KUMAR PAWAR

: 29 Years / Male Age / Gender

Consulting Dr. Collected : 19-Feb-2022 / 09:25

Reported :19-Feb-2022 / 12:03 : Kandivali East (Main Centre) Reg. Location

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***









Page 2 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



Name : MR.LOKESH KUMAR PAWAR

Age / Gender : 29 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected: 19-Feb-2022 / 09:25

Reported :19-Feb-2022 / 12:21

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	83.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	94.6	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	1.05	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.40	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.65	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	15.5	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	12.0	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	15.3	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	83.8	40-130 U/L	Colorimetric
BLOOD UREA, Serum	31.3	12.8-42.8 mg/dl	Kinetic
BUN, Serum	14.6	6-20 mg/dl	Calculated
CREATININE, Serum	0.67	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	149	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	5.6	3.5-7.2 mg/dl	Enzymatic

Page 3 of 10



Name : MR.LOKESH KUMAR PAWAR

: 29 Years / Male Age / Gender

Consulting Dr.

Reg. Location : Kandivali East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 19-Feb-2022 / 13:43

Reported :19-Feb-2022 / 19:38

Collected

Urine Sugar (Fasting) Absent **Absent** Urine Ketones (Fasting) Absent

Result rechecked.

Kindly correlate clinically.

Urine Sugar (PP) Absent Absent Urine Ketones (PP) **Absent Absent**

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







Anafa **Dr.ANUPA DIXIT** M.D.(PATH) Consultant Pathologist & Lab Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 10



Name : MR.LOKESH KUMAR PAWAR

Age / Gender : 29 Years / Male

Consulting Dr. Collected : 19-Feb-2022 / 09:25

Reported :19-Feb-2022 / 19:04 Reg. Location : Kandivali East (Main Centre)

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin **HPLC** 4.8 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

91.1 Estimated Average Glucose mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr. VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Page 5 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



Name : MR.LOKESH KUMAR PAWAR

: 29 Years / Male Age / Gender

Consulting Dr. Collected

:19-Feb-2022 / 15:44 : Kandivali East (Main Centre) Reported Reg. Location



Use a OR Code Scanner

Application To Scan the Code

: 19-Feb-2022 / 09:25

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE EXAMINATION OF FAECES

BIOLOGICAL REF RANGE RESULTS PARAMETER

PHYSICAL EXAMINATION

Colour Brown Brown Form and Consistency Semi Solid Semi Solid Mucus Absent Absent Blood Absent Absent

CHEMICAL EXAMINATION

Reaction (pH) Acidic (5.0)

Occult Blood Absent Absent

MICROSCOPIC EXAMINATION

Protozoa Absent Absent Flagellates **Absent** Absent Ciliates Absent Absent **Parasites** Absent Absent Macrophages Absent Absent Mucus Strands Absent Absent Fat Globules Absent Absent RBC/hpf Absent Absent WBC/hpf Absent Absent Yeast Cells Absent **Absent Undigested Particles** Present + Concentration Method (for ova) No ova detected Absent Reducing Substances Absent







Bmhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Name : MR.LOKESH KUMAR PAWAR

: 29 Years / Male Age / Gender

Consulting Dr. Collected : 19-Feb-2022 / 09:25

Reported Reg. Location : Kandivali East (Main Centre)



Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

:19-Feb-2022 / 12:18

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIRINF FXAMINATION REPORT

OKINE EXAMINATION REPORT				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
PHYSICAL EXAMINATION				
Color	Pale yellow	Pale Yellow	-	
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator	
Specific Gravity	1.020	1.001-1.030	Chemical Indicator	
Transparency	Clear	Clear	-	
Volume (ml)	30	-	-	
CHEMICAL EXAMINATION				
Proteins	Absent	Absent	pH Indicator	
Glucose	Absent	Absent	GOD-POD	
Ketones	3+	Absent	Legals Test	
Blood	Absent	Absent	Peroxidase	
Bilirubin	Absent	Absent	Diazonium Salt	
Urobilinogen	Normal	Normal	Diazonium Salt	
Nitrite	Absent	Absent	Griess Test	
MICROSCOPIC EXAMINATION				
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf		

Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 4-5 Less than 20/hpf

Others









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **



Name : MR.LOKESH KUMAR PAWAR

Age / Gender : 29 Years / Male

Consulting Dr. Collected Reported

Reg. Location : Kandivali East (Main Centre)



Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

: 19-Feb-2022 / 09:25 :19-Feb-2022 / 14:11

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING **POSITIVE**

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **







Dr.ANUPA DIXIT M.D.(PATH) **Pathologist**

Page 8 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.LOKESH KUMAR PAWAR

: 29 Years / Male Age / Gender

Consulting Dr. Collected Reported

Reg. Location : Kandivali East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:19-Feb-2022 / 09:25 :19-Feb-2022 / 12:22

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	161.4	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	70.3	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	37.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	123.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	110.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	13.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.3	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.9	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
**** End Of Report ****









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.LOKESH KUMAR PAWAR

Age / Gender : 29 Years / Male

Consulting Dr. Collected : 19-Feb-2022 / 09:25

: Kandivali East (Main Centre) Reported :19-Feb-2022 / 12:06 Reg. Location

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHO</u>
Free T3, Serum	5.3	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	18.2	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	0.894	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







Annha **Dr.ANUPA DIXIT** M.D.(PATH) **Consultant Pathologist & Lab** Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 10 of 10