TEST REPORT

Reg. No : 2402100517

Name : VAIBHAV RAJ CHOUHAN

Age/Sex : 28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date

: 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:26

Printed On : 15-Feb-2024 16:33

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval
	KIDNEY FUNCT	TON TEST	
UREA (Urease & glutamate dehydrogenase)	19	mg/dL	10 - 50
Creatinine (Jaffe method)	0.57	mg/dL	0.5 - 1.4
Uric Acid (Enzymatic colorimetric)	4.2	mg/dL	2.5 - 7.0

----- End Of Report -----

Reg. No : 2402100517

Name : VAIBHAV RAJ CHOUHAN

Age/Sex : 28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date : 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:27

Printed On : 15-Feb-2024 16:33

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval	
	COMPLETE	BLOOD COUN	T (CBC)	

<u>r arameter</u>	<u>iveanr</u>	<u>OIIIL</u>	ixererence interval			
COMPLETE BLOOD COUNT (CBC) SPECIMEN: EDTA BLOOD						
Hemoglobin	12.9	g/dL	13.0 - 17.0			
RBC Count	4.55	million/cmm	4.5 - 5.5			
Hematrocrit (PCV)	38.4	%	40 - 54			
MCH	28.4	Pg	27 - 32			
MCV	84.4	fL	83 - 101			
MCHC	33.6	%	31.5 - 34.5			
RDW	12.8	%	11.5 - 14.5			
WBC Count	8740	/cmm	4000 - 11000			
DIFFERENTIAL WBC COUNT (Flow	cytometry)					
Neutrophils (%)	76	%	38 - 70			
Lymphocytes (%)	20	%	20 - 40			
Monocytes (%)	03	%	2 - 8			
Eosinophils (%)	01	%	0 - 6			
Basophils (%)	0	%	0 - 2			
Neutrophils	6642	/cmm				
Lymphocytes	1748	/cmm				
Monocytes	262	/cmm				
Eosinophils	87	/cmm				
Basophils	0	/cmm				
Platelet Count (Flow cytometry)	187000	/cmm	150000 - 450000			
MPV	8.6	fL	7.5 - 11.5			
ERYTHROCYTE SEDIMENTATION F	RATE					
ESR (After 1 hour)	11	mm/hr	0 - 14			
Modified Westergren Method						

----- End Of Report -----

Page 2 of 12

DR PS RAO MD Pathologist

		TEST REPORT		
Reg. No	: 2402100517		Reg. Date	: 15-Feb-2024
Name	: VAIBHAV RAJ CHOUHAN		Collected On	: 15-Feb-2024 16:23
Age/Sex	: 28 Years / Male		Approved On	: 15-Feb-2024 16:31
Ref. By	:		Printed On	: 15-Feb-2024 16:33
Client	: MEDIWHEEL WELLNESS			
Paramet	<u>er</u>	Result		
	Specimen	BLOOD GROUP & RH :: EDTA and Serum; Method: Haemagg	utination	
ABO		'A'		
Rh (D)		Positive		
		End Of Report		



: 2402100517 Reg. No

Name : VAIBHAV RAJ CHOUHAN

Age/Sex 28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date

: 15-Feb-2024

Collected On : 15-Feb-2024 16:23

: 15-Feb-2024 16:26

Approved On Printed On

: 15-Feb-2024 16:33

Reference Interval **Parameter** Result <u>Unit</u>

PLASMA GLUCOSE

Fasting Blood Sugar (FBS) 87.9 mg/dL 70 - 110

Hexokinase Method

101.3 70 - 140 Post Prandial Blood Sugar (PPBS) mg/dL

Hexokinase Method

Criteria for the diagnosis of diabetes1. HbA1c >/= 6.5 *

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report -----



Reg. No : 2402100517

Name : VAIBHAV RAJ CHOUHAN

Age/Sex : 28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS

Reg. Date : 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:26

Printed On : 15-Feb-2024 16:33

		Reference Interval
LIF	PID PROFILE	
189.6	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0
201.4	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0
40.28	mg/dL	15 - 35
105.02	mg/dL	Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: >190.0
44.3	mg/dL	30 - 70
ric		
4.28		0 - 5.0
2.37		0 - 3.5
	201.4 40.28 105.02 44.3 4.28	201.4 mg/dL 40.28 mg/dL 105.02 mg/dL 44.3 mg/dL 44.3 mg/dL 44.3

This is an electronically authenticated report.



2402100517 Reg. No

Name VAIBHAV RAJ CHOUHAN

Age/Sex 28 Years / Male

Ref. By

Client MEDIWHEEL WELLNESS Reg. Date : 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:26

Printed On : 15-Feb-2024 16:33

Parameter Result <u>Unit</u> Reference Interval

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemasmicrosoft-com:office:office" />

> LDL CHOLESTEROL **CHOLESTEROL HDL CHOLESTEROL TRIGLYCERIDES**

> Optimal<100 Desirable<200 Low<40 Normal<150 Near Optimal 100-129 Border Line 200-239 High >60 Border High 150-199 Borderline 130-159 High >240

High 200-499 High 160-189

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment
- For LDL Cholesterol level Please consider direct LDL value

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

. All other responsibility will be of referring Laboratory.

----- End Of Report -----

Page 6 of 12

DR PS RAO

MD Pathologist

This is an electronically authenticated report.



Reg. No : 2402100517

Name : VAIBHAV RAJ CHOUHAN

Age/Sex : 28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date : 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:26

Printed On : 15-Feb-2024 16:33

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval	
	LIVE	R FUNCTION TES	ST	
Total Bilirubin	0.36	mg/dL	0.10 - 1.0	
Colorimetric diazo method				
Conjugated Bilirubin	0.11	mg/dL	0.0 - 0.3	
Sulph acid dpl/caff-benz				
Unconjugated Bilirubin	0.25	mg/dL	0.0 - 1.1	
Sulph acid dpl/caff-benz				
SGOT	25.1	U/L	0 - 37	
(Enzymatic)				
SGPT	17.4	U/L	0 - 40	
(Enzymatic)				
Alakaline Phosphatase	78.4	U/L	53 - 130	
(Colorimetric standardized metho	d)			
Protien with ratio				
Total Protein	7.1	g/dL	6.5 - 8.7	
(Colorimetric standardized metho	d)			
Albumin	4.3	mg/dL	3.5 - 5.3	
(Colorimetric standardized metho	d)			
Globulin	2.80	g/dL	2.3 - 3.5	
Calculated				
A/G Ratio	1.54		0.8 - 2.0	
Calculated				

----- End Of Report -----

This is an electronically authenticated report.

TEST REPORT

: 2402100517 Reg. No

: VAIBHAV RAJ CHOUHAN Name

Age/Sex 28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS

Boronate Affinity with Fluorescent Quenching

Reg. Date

: 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:26

Printed On : 15-Feb-2024 16:33

Parameter Result Unit Reference Interval

HEMOGLOBIN A1 C ESTIMATION

Specimen: Blood EDTA

Hb A1C

5.6

% of Total Hb

Poor Control: > 7.0 % Good Control: 6.2-7.0 % Non-diabetic Level: 4.3-6.2 %

Mean Blood Glucose

122.06

mg/dL

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- * Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days. HbA1c has been accepted as a measurnment which eflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

Page 8 of 12

This is an electronically authenticated report.

DR PS RAO Approved by: MD Pathologist

TEST REPORT

Reg. No : 2402100517

Name : VAIBHAV RAJ CHOUHAN

Age/Sex : 28 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date : 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:26

Printed On : 15-Feb-2024 16:33

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval			
BUN	8.88	mg/dL	5 - 24			
GGT	22.1	U/L	11 - 49			
(Enzymatic colorimetric)						
	End Of Report					



Reg. Date

: 2402100517 Reg. No

: 15-Feb-2024 Name VAIBHAV RAJ CHOUHAN Collected On : 15-Feb-2024 16:23 Age/Sex : 28 Years / Male Approved On : 15-Feb-2024 16:27 Printed On : 15-Feb-2024 16:33

Ref. By

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval		
THYROID FUNCTION TEST					
T3 (Triiodothyronine)	1.02	ng/mL	0.87 - 1.81		
Chemiluminescence					
T4 (Thyroxine)	11.3	μg/dL	5.89 - 14.9		
Chemiluminescence					
TSH (ultra sensitive)	3.225	μIU/ml	0.34 - 5.6		

Chemiluminescence

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report -----

TEST REPORT

Reg. No : 2402100517

Name : VAIBHAV RAJ CHOUHAN

Age/Sex : 28 Years / Male

Ref. By

<u>Parameter</u>

Client : MEDIWHEEL WELLNESS

Reg. Date : 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:27

Printed On : 15-Feb-2024 16:33

Result Unit Reference Interval

PROSTATE SPECIFIC ANTIGEN

PSA 0.269 ng/mL 0 - 4

Chemiluminescence

----- End Of Report -----

This is an electronically authenticated report.

Approved by: DR PS RAO MD Pathologist

TEST REPORT

Reg. No : 2402100517

Name : VAIBHAV RAJ CHOUHAN

Age/Sex : 28 Years / Male

Ref. By

Parameter

Client : MEDIWHEEL WELLNESS

Reg. Date : 15-Feb-2024

Collected On : 15-Feb-2024 16:23

Approved On : 15-Feb-2024 16:26

Printed On : 15-Feb-2024 16:33

Result Unit Reference Interval

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Quantity 20 cc

Colour Pale Yellow

Appearance Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC METHOD)

pH 6.0 5.0 - 8.0 Sp. Gravity 1.010 1.002 - 1.03

Nil Protein Glucose Nil Ketone Bodies Nil Urine Bile salt and Bile Pigment Nil Urine Bilirubin Nil Nitrite Nil Leucocytes Nil Blood Nil

MICROSCOPIC EXAMINATION (MANUAL BY MCIROSCOPY)

Leucocytes (Pus Cells)

Erythrocytes (Red Cells)

Nil

Epithelial Cells

Amorphous Material

Casts

Nil

Crystals

Nil

Nil

Bacteria Nil Monilia Nil

----- End Of Report -----

MD Pathologist