

PHYSICAL EXAMINATION REPORT

R E

R

Patient Name	VINOD KUMAR	Sex/Age	m/56	
Date	091-312024		Thane Ghodbundar road	
		Location	Thane Ghoubundar road	

	NI
	EXAMINATION FINDINGS:
	Height (cms): 62 Temp (0c):
	Weight (kg): 7 6 Skin:
	Blood Pressure 8 0 10 Nails:
	Pulse / min Lymph Node:
S	ystems:
C	ardievascular:
R	espiratory:
G	enitourinary:
G	I System:
C	NS:
In	npression: Huigh B.P., Need Spectes Too Distant Vision
BS	npression: Huigh B.P., Need Spectes For Distant Vision, L. (PP (Impaired), 1 Chot, & NonHOL, PLDL 61 J. TSH (8'62), 1 & BIL BU Rougheure, Eatty Ivice: Physicians Const builder R. V. 12 Renal
	Lye check-up. Trish Bips 1 17 Reval
-	Low Fat, Low sugar Diet. Physicians Reg. Exercuse Consultation Repeat sugar Profile, Lipid Profile Consultation Repeat sugar Profile, Lipid Profile Consultation

WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com




1)	U	1
	Hypertension:	
2)	IHD	
3)	Arrhythmia	
4)	Diabetes Mellitus	
5)	Tuberculosis	
6)	Asthama	
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	
10)	GI system	100
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptoms	
13)	Blood disease or disorder	[. [][.]
4)	Cancer/lump growth/cyst	PI
5)	Congenital disease	
6)	Surgeries	
7)	Musculoskeletal System	

PERSONAL HISTORY:

1)	Alcohol
2)	Smoking

3) Diet

4) Medication



R

E

P

0

R

T

Dr. Manasee Kulkarni 2005/09/3439



E P 0

R

Date:- 8 13/24 CID: 2006 8 22.004
Name:- Vivod Uvul Sex/Age: 49-56.

EYE CHECK UP

Chief complaints: 2 CU

Systemic Diseases:

Past history:

Unaided Vision:

132 5/86 HIVEL 436

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Vear								

Remark: Wermal / Abnormal Race here!

Remark: Spoular of P



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr. Reg. Location

Hypochromia Microcytosis : -

: G B Road, Thane West (Main Centre)

Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:04 :09-Mar-2024 / 12:52 R

E

0

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

	CBC (Complet	e Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	13.0	13.0-17.0 g/dL	Spectrophotometric
RBC	4.46	4.5-5.5 mil/cmm	Elect. Impedance
PCV	44.1	40-50 %	Measured
MCV	98.9	80-100 fl	Calculated
MCH	29.2	27-32 pg	Calculated
MCHC	29.5	31.5-34.5 g/dL	Calculated
RDW	16.4	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4770	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	ABSOLUTE COUNTS		Licet. Impedance
Lymphocytes	35.6	20-40 %	
Absolute Lymphocytes	1698.1	1000-3000 /cmm	Calculated
Monocytes	4.7	2-10 %	carcatated
Absolute Monocytes	224.2	200-1000 /cmm	Calculated
Neutrophils	55.3	40-80 %	- amounted
Absolute Neutrophils	2637.8	2000-7000 /cmm	Calculated
Eosinophils	4.4	1-6 %	
Absolute Eosinophils	209.9	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes			
WBC Differential Count by Abso	rbance & Impedance method	//Microscopy.	
PLATELET PARAMETERS			
Platelet Count	221000	150000-400000 /cmm	Float Impadance
MPV	10.2	6-11 fl	Elect. Impedance Calculated
PDW	16.5	11-18 %	Calculated
RBC MORPHOLOGY			Calculated



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Use a QR Code Scanner Application To Scan the Code

:09-Mar-2024 / 09:04

R

E

Collected Reported

:09-Mar-2024 / 10:36

Authenticity Check

Macrocytosis

Anisocytosis

Mild

Poikilocytosis

Mild

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Elliptocytes-occasional

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

30

2-20 mm at 1 hr.

Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West ** End Of Report **

> Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Mujawan

Page 2 of 13



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

:56 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:04 :09-Mar-2024 / 12:36

Hexokinase

Hexokinase

R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

109.0

Non-Diabetic: < 100 mg/dl

Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 157.6

Plasma PP/R

Non-Diabetic: < 140 mg/dl

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting)
Urine Ketones (Fasting)

Absent Absent Absent

Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 3 of 13



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:04 :09-Mar-2024 / 11:20 R

E

P

0

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE METHOD	
BLOOD UREA, Serum	22.8	12.8-42.8 mg/dl	DH
BUN, Serum	10.6	6-20 mg/dl Calculated	
CREATININE, Serum	0.95	0.67-1.17 mg/dl Enzymatic	
eGFR, Serum	94	(ml/min/1.73sqm) Calculated Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease: 30 -44 Severe decrease: 15-29 Kidney failure:<15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	3.6	3.5-7.2 mg/dl	Uricase
PHOSPHORUS, Serum	3.3	2.7-4.5 mg/dl	Ammonium molybdate
CALCIUM, Serum	9.3	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	140	135-148 mmol/l	ISE
POTASSIUM, Serum	4.2	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	100	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 4 of 13



: 2406922000

Name

: MR.KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Use a QR Code Scanner Application To Scan the Code : 09-Mar-2024 / 09:04

Authenticity Check

R

Collected

Reported

:09-Mar-2024 / 11:20

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

(eAG), EDTA WB - CC

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % HPLC

Estimated Average Glucose

116.9

Diabetic Level: >/= 6.5 % mg/dl

Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **

> Dr.IMRAN MUJAWAR M.D (Path) Pathologist

> > Page 5 of 13



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr. Reg. Location

. .

: -

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:04

R

:09-Mar-2024 / 12:32

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

TOTAL PSA, Serum

0.487

<4.0 ng/ml

CLIA

Kindly note change in platform w.e.f. 24-01-2024



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr.

. .

Reg. Location : G B Road, Thane West (Main Centre)

Collected

:09-Mar-2024 / 09:04

Reported

:09-Mar-2024 / 12:32

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

E

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- · Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH
 than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the
 differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α -reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing
 immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- · Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Note: The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

Reference:

- · Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab





Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Page 7 of 13



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr. Reg. Location

: -

: G B Road, Thane West (Main Centre)

Authenticity Check

E

Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:04 :09-Mar-2024 / 13:17

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

	OINITE ENT	MINATION ILLI OILI	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30		
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	N		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others		2000 than 207 tipi	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Frotein (1+ = 25 mg/dl, 2+ =75 mg/dl, 3+ = 150 mg/dl, 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Mujawar

Page 8 of 13



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

Collected

Reported

: 09-Mar-2024 / 09:04 : 09-Mar-2024 / 14:37 R

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP

0

Rh TYPING

Positive

10310

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note: This Sample has also been tested for Bombay group/Bombay phenotype /Oh using anti H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4
 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype
 that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

"Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 9 of 13



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 09-Mar-2024 / 09:04 : 09-Mar-2024 / 11:20 R

E

0

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	219.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	130.8	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	48.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	170.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	145.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	25.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO,	4.5	0-4.5 Ratio	Calculated
Serum		- III	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.0	0-3.5 Ratio	Calculated
Joinin			

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 10 of 13



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:09-Mar-2024 / 09:04

R

E

P

0

R

Reported : 09-N

:09-Mar-2024 / 11:20

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	3.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	11.1	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	8.62	0.35-5.5 microIU/ml	ECLIA



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Collected

: 09-Mar-2024 / 09:04

Use a QR Code Scanner Application To Scan the Code

R

Reported

:09-Mar-2024 / 11:20

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc

TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies,

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **

> Mujawar Dr.IMRAN MUJAWAR M.D (Path) **Pathologist**

> > Page 12 of 13



: 2406922000

Name

: MR. KUMAR VINOD

Age / Gender

: 56 Years / Male

Consulting Dr.

. .

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:04 :09-Mar-2024 / 10:36 R

E

0

R

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.74	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.22	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.52	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	22.4	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	26.5	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	16.5	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	69.5	· 40-130 U/L	PNPP

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 13 of 13


SUBURBAN DE TI CS

Patient ID:

2406922000

Patient Name: KUMAR VINOD SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Date and Time: 9th Mar 24 10:51 AM



Disclaimer: 1) Analysis in this report is based on PCG alone and should be used as an adjuphysicism. 2) Pattern vitals are as entered by the elimeran and not denoted from the ECG

> DR SHAILAJA PILLAI MBBS, MD Physican MD Physican 49972



: 2406922000

Name

: Mr KUMAR VINOD

Age / Sex

: 56 Years/Male

Ref. Dr

:

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

R

E

0

R

: 09-Mar-2024

: 09-Mar-2024 / 14:30

X-RAY CHEST PA VIEW

Rotation +

There is evidence of mildly increased bilateral bronchovascular prominence.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The aorta shows normal radiological features.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

Suggest clinico pathological co-relation.

---End of Report-----

Dr Gauri Varma Consultant Radiologist

MBBS / DMRE MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?

Acces

sionNo=2024030908551343

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388

WEST REFERENCE LARGEATORY: Short No. 2, 101 at 105 St. Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053



Reg. No. : 2406922000	Sex : MALE
Name: MR. KUMAR VINOD	Age: 56 YRS
Ref. By :	Date: 09.03.2024

R

E

0

R

Т

USG ABDOMEN AND PELVIS

<u>LIVER:</u> Liver appears normal in size and **shows increased echoreflectivity.** There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

<u>GALL BLADDER:</u>Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS</u>: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

<u>KIDNEYS</u>: Right kidney measures 10.7 x 4.7 cm. Left kidney measures 10.1 x 4.8 cm. A simple cortical cyst measuring 2.0 x 1.9 cm noted at upper pole in left kidney. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

<u>URINARY BLADDER:</u> Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture and measures $3.0 \times 3.9 \times 2.8$ cm in dimension and 18.1 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.



Sex : MALE
Age: 56 YRS
Date: 09.03.2024

R

E

P

0

R

IMPRESSION:

Ref. By : ----

Reg. No.: 2406922000

Name: MR. KUMAR VINOD

- LEFT RENAL SIMPLE CORTICAL CYST.
- GRADE I FATTY INFILTRATION OF LIVER.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

DR. GAURAV FARTADE

DMRE

(CONSULTANT RADIOLOGIST)

TRifarsade



REG NO: 2406921672	SEX : MALE	
NAME : MR. KUMAR VINOD	AGE: 46 YRS	
REF BY DR:	DATE:09.03.2024	

R

E

0

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS:

LVIDD	43	mm
LVIDS	24	mm
LVEF	60	%
IVS	13	mm
PW	6	mm
AO	19	mm
LA	34	mm

2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- · Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- · Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion . No intracardiac clots or vegetation.



PATIENT NAME: MR. KUMAR VINOD

COLOR DOPPLER:

R

E

0

R

- Mitral valve doppler E- 0.8 m/s, A 0.9 m/s.
- · Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.4 m/s, PG 8.5 mmHg
- No significant gradient across aortic valve.
- Grade I diastolic dysfunction.

IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of the Report-----

DR.YOGESH KHARCHE
DNB(MEDICINE) DNB (CARDIOLOGY)
CONSULTANAT INTERVENTIONAL CARDIOLOGIST.