

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:14
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000131984	Received	: N/A
Visit ID	: ALDP0302222324	Reported	: 10/Dec/2023 10:30:47
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### ECG / EKG \*

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	62	/mt
3. Ventricular Rate	62	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave <u>FINAL IMPRESSION</u>	Normal	

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.





Mar. 2016

**Home Sample Collection** 

1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:11
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: 09/Dec/2023 10:10:37
UHID/MR NO	: ALDP.0000131984	Received	: 09/Dec/2023 10:54:12
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 13:11:08
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS					
Test Name	EL BAINK OF BAROL Result	JA IVIALE & FE Unit	Bio. Ref. Interval	Method	
	Kesuit	Unit	DIO. REI. IIILEI VAI	Method	
Blood Group (ABO & Rh typing) * , /	Pland				
Blood Group	A			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA	
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA	
Complete Blood Count (CBC) * , Who	ble Blood				
Haemoglobin	13.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl		
TLC (WBC) <u>DLC</u>	6,200.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE	
Polymorphs (Neutrophils )	60.00	%	55-70	ELECTRONIC IMPEDANCE	
Lymphocytes	27.00	%	25-40	ELECTRONIC IMPEDANCE	
Monocytes	7.00	%	3-5	ELECTRONIC IMPEDANCE	
Eosinophils	6.00	%	1-6	ELECTRONIC IMPEDANCE	
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE	
ESR					
Observed	4.00	Mm for 1st hr.			
Corrected	, 40 -	Mm for 1st hr.			
PCV (HCT) Platelet count	41.00	%	40-54		
Platelet Count	2.08	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC	
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE	
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE	







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:11
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: 09/Dec/2023 10:10:37
UHID/MR NO	: ALDP.0000131984	Received	: 09/Dec/2023 10:54:12
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 13:11:08
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF HAEMATOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.25	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.72	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	87.10	۶fl	80-100	CALCULATED PARAMETER
MCH	28.70	pg	28-35	CALCULATED PARAMETER
MCHC	32.90	%	30-38	CALCULATED PARAMETER
RDW-CV	14.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	47.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,720.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	372.00	/cu mm	40-440	

AS

Dr.Akanksha Singh (MD Pathology)

Page 3 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:13
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: 09/Dec/2023 10:10:37
UHID/MR NO	: ALDP.0000131984	Received	: 09/Dec/2023 10:54:12
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 12:40:57
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING * , Plasma Glucose Fasting	145.60		0 Normal ( 125 Pre-diabetes	GOD POD
		≥ 12	6 Diabetes	
<b>Interpretation:</b> a) Kindly correlate clinically with intake of hype b) A negative test result only shows that the per will never get diabetics in future, which is why a c) I.G.T = Impared Glucose Tolerance.	son does not have di	abetes at the time of	•	
Glucose PP * Sample:Plasma After Meal	192.20		) Normal ( 199 Pre-diabetes	GOD POD

>200 Diabetes

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *	, EDTA BLOOD		
Glycosylated Haemoglobin (HbA1c)	5.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	35.60	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	108	mg/dl	

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:13
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: 09/Dec/2023 10:10:37
UHID/MR NO	: ALDP.0000131984	Received	: 09/Dec/2023 10:54:12
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 12:40:57
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	12.47	mg/dL	7.0-23.0	CALCULATED
<b>Creatinine *</b> Sample:Serum	1.35	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	6.31	mg/dl	3.4-7.0	URICASE

#### LFT (WITH GAMMA GT) \* , Serum

150 9001:2015

Page 5 of 11





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:13
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: 09/Dec/2023 10:10:37
UHID/MR NO	: ALDP.0000131984	Received	: 09/Dec/2023 10:54:12
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 12:40:57
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	al Method
SGOT / Aspartate Aminotransferase (AST)	43.60	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	97.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	50.10	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.80	gm/dl	6.2-8.0	BIURET
Albumin	4.60	gm/dl	3.4-5.4	B.C.G.
Globulin	2.20	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.09		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	61.10	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE ( MINI ) * , Serum				
Cholesterol (Total)	118.00	mg/dl	<200 Desirable 200-239 Borderline Higl > 240 High	CHOD-PAP n
HDL Cholesterol (Good Cholesterol)	37.40	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	62	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Higl 160-189 High > 190 Very High	
v VLDL	18.78	mg/dl	10-33	CALCULATED
Triglycerides	93.90	mg/dl	< 150 Normal 150-199 Borderline Higl 200-499 High >500 Very High	GPO-PAP n

Result Rechecked

AS

Dr.Akanksha Singh (MD Pathology)



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:12
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: 09/Dec/2023 14:56:35
UHID/MR NO	: ALDP.0000131984	Received	: 09/Dec/2023 15:11:14
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 19:03:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE *	, Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	<sup>′</sup> mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
	a filler and the second	(September)	> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	my/u	0.1-3.0	DIOCHLIVIISTICI
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and a second	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DII STICK
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:	ADJLINI			DIFSTICK
	1.0 // 6			
Epithelial cells	1-3/h.p.f			MICROSCOPIC
Pus cells	0.2/b.n.f			EXAMINATION
	0-2/h.p.f			MICDOCCODIC
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			LANIMATION
Crystals	ABSENT			MICROSCOPIC
UI YSTAIS	ADJENT			EXAMINATION
Others	ABSENT			

### SUGAR, FASTING STAGE \* , Urine

Sugar, Fasting stage	ABSENT	gms%	

Page 7 of 11





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:12
Age/Gender	: 35 Y O M 26 D /M	Collected	: 09/Dec/2023 14:56:35
UHID/MR NO	: ALDP.0000131984	Received	: 09/Dec/2023 15:11:14
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 19:03:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Intermetation				
Interpretation: (+) < 0.5 gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%		1 1 × 4		
(++++) > 2 gms%				
			and the second second	

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 11







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:13
Age/Gender	: 35 Y O M 26 D /M	Collected	: 09/Dec/2023 10:10:37
UHID/MR NO	: ALDP.0000131984	Received	: 09/Dec/2023 10:54:12
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 15:19:29
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL * , Serum					
T3, Total (tri-iodothyronine)	108.00	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	8.20	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	2.300	µlU/mL	0.27 - 5.5	CLIA	
Traterranetation					

### Interpretation:

Since 1991

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:14
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000131984	Received	: N/A
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 15:09:35
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF X-RAY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### X-RAY DIGITAL CHEST PA \*

### <u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Croth

DR K N SINGH (MBBS, DMRE)

Page 10 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAVI KUMAR NISHAD - 103483	Registered On	: 09/Dec/2023 09:47:14
Age/Gender	: 35 Y 0 M 26 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000131984	Received	: N/A
Visit ID	: ALDP0302222324	Reported	: 09/Dec/2023 12:23:42
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF ULTRASOUND

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

**LIVER**: - Normal in size (14.8 cm), shape and **shows diffuse increase in the liver parenchymal echogenicity with patchy attenuation of portal venous walls, suggestive of grade II fatty changes**. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

**GALL BLADDER** :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

**CBD** :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size (9.3 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (9.4 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus. Pre void - 199.7 cc, Post void - 63.9 cc


**PROSTATE :-** Normal in size (3.0 x 3.3 x 2.7 cm vol - 14.8 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

#### **IMPRESSION**:

- Grade II fatty liver.
- Significant post void residual.



Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location

Page 11 of 11

