

Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

Collected

: 15-Jun-2024 / 09:12

Reported :15-Jun-2024 / 15:21

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

CBC (Complete Blood Count), Blood							
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>				
RBC PARAMETERS							
Haemoglobin	15.7	13.0-17.0 g/dL	Spectrophotometric				
RBC	5.49	4.5-5.5 mil/cmm	Elect. Impedance				
PCV	45.6	40-50 %	Measured				
MCV	83.1	80-100 fl	Calculated				
MCH	28.5	27-32 pg	Calculated				
MCHC	34.3	31.5-34.5 g/dL	Calculated				
RDW	13.9	11.6-14.0 %	Calculated				
WBC PARAMETERS							
WBC Total Count	7570	4000-10000 /cmm	Elect. Impedance				
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS						
Lymphocytes	30.5	20-40 %					
Absolute Lymphocytes	2308.8	1000-3000 /cmm	Calculated				
Monocytes	8.5	2-10 %					
Absolute Monocytes	643.5	200-1000 /cmm	Calculated				
Neutrophils	58.4	40-80 %					
Absolute Neutrophils	4420.9	2000-7000 /cmm	Calculated				
Eosinophils	2.3	1-6 %					
Absolute Eosinophils	174.1	20-500 /cmm	Calculated				
Basophils	0.3	0.1-2 %					
Absolute Basophils	22.7	20-100 /cmm	Calculated				

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Immature Leukocytes

Platelet Count	364000	150000-400000 /cmm	Elect. Impedance
MPV	9.0	6-11 fl	Calculated
PDW	16.2	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia -Microcytosis -

Page 1 of 16



Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. :
Reg. Legation : Kandivali Fast (Main Contro)

Reg. Location: Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 15-Jun-2024 / 09:12

:15-Jun-2024 / 13:56

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 28 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 2 of 16



CID : 2416720347

Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr.

Reg. Location

: Kandivali East (Main Centre)

Collected Reported

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:15-Jun-2024 / 12:07 :15-Jun-2024 / 17:15

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting

362.7

Non-Diabetic: < 100 mg/dl

Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Hexokinase

Hexokinase

Result rechecked. Kindly correlate clinically.

GLUCOSE (SUGAR) PP, Fluoride 467.6

Plasma PP

Non-Diabetic: < 140 mg/dl

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







Page 3 of 16



Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -

Reg. Location: Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 15-Jun-2024 / 09:12

:15-Jun-2024 / 16:27

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	17.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.0	6-20 mg/dl	Calculated
CREATININE, Serum	0.97	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	101	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure:<15	Calculated


Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation

	,		
TOTAL PROTEINS, Serum	8.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	4.7	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	4.0	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	10.5	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	136	135-148 mmol/l	ISE
POTASSIUM, Serum	5.3	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	99	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -

Reg. Location: Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:15-Jun-2024 / 09:12

:15-Jun-2024 / 13:34

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin 11.6 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Collected

Reported

Estimated Average Glucose 286.2 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- · In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 5 of 16



Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -

TOTAL PSA, Serum

Reg. Location

: Kandivali East (Main Centre)

0.949

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

CLIA

Collected: 15-Jur

Reported

<4.0 ng/ml

: 15-Jun-2024 / 09:12 :15-Jun-2024 / 13:54

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER RESULTS

BIOLOGICAL REF RANGE METHOD

Kindly note change in platform w.e.f. 24-01-2024

Page 6 of 16



Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : - Collected : 15-Jun-2024 / 09:12

Reg. Location : Kandivali East (Main Centre) Reported :15-Jun-2024 / 13:54

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH
 than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the
 differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing
 immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Note: The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

Reference:

- Wallach's Interpretation of diagnostic tests
- · Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 7 of 16



CID : 2416720347

Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 15-Jun-2024 / 09:12

:15-Jun-2024 / 14:16


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **EXAMINATION OF FAECES**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
CHEMICAL EXAMINATION			
Reaction (pH)	Acidic (6.0)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present +	-	-
Concentration Method (for eye)	No ava datastad	Abaant	
Concentration Method (for ova)	No ova detected	Absent	- Donodista
Reducing Substances	-	Absent	Benedicts

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **









CID : 2416720347

Name : MR.JIGNESH CHUDASAMA

: 40 Years / Male Age / Gender

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 15-Jun-2024 / 09:12

:15-Jun-2024 / 13:53

R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **URINE EXAMINATION REPORT**

<u>PARAMETER</u>	AMETER RESULTS BIOLOGICAL REF RANGE		<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	5-8	pH Indicator
Specific Gravity	1.020	1.002-1.035	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	15	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	Protein error principle
Glucose	3+	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Pus cells / hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	3-4	0-5/hpf	
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	0-20/hpf	
Others	-		

Kindly correlate clinically.



Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. :-

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 15-Jun-2024 / 09:12

:15-Jun-2024 / 13:53

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 10 of 16



Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -

Reg. Location: Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 15-Jun-2024 / 09:12

Reported :15-Jun-2024 / 14:17

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Page 11 of 16



CID : 2416720347

Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr.

: Kandivali East (Main Centre) Reg. Location



Use a QR Code Scanner Application To Scan the Code

: 15-Jun-2024 / 09:12

Collected Reported :15-Jun-2024 / 15:19

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	292.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	603.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	31.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	260.6	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	155.5	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	105.1	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	9.2	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	4.9	0-3.5 Ratio	Calculated

Sample is highly lipemic.

Note: LDL test is performed by direct measurement.

Result rechecked.

Kindly correlate clinically.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 12 of 16



Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 15-Jun-2024 / 09:12

Reported :15-Jun-2024 / 15:38

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT THYROID FUNCTION TESTS

PARAMETER RESULTS Free T3, Serum 4.8 Free T4, Serum 17.7 sonsitive TSH Serum 3.45	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u> <u>A</u>						
Free T3, Serum	4.8	3.5-6.5 pmol/L	ECLIA					
Free T4, Serum	17.7	11.5-22.7 pmol/L	ECLIA					
sensitiveTSH, Serum	2.45	0.35-5.5 microIU/ml microU/ml	ECLIA					



CID : 2416720347

Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -Collected : 15-Jun-2024 / 09:12 Reported :15-Jun-2024 / 15:38

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Reg. Location

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

: Kandivali East (Main Centre)

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET. Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**



Name : MR.JIGNESH CHUDASAMA

Age / Gender : 40 Years / Male

Consulting Dr. : -

Reg. Location

: Kandivali East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 15-Jun-2024 / 09:12

Reported :15-Jun-2024 / 13:53

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT LIVER FUNCTION TESTS

PARAMETER RESULTS BILIRUBIN (TOTAL), Serum 0.46 BILIRUBIN (DIRECT), Serum 0.18 BILIRUBIN (INDIRECT), Serum 0.28 TOTAL PROTEINS, Serum 8.3	BIOLOGICAL REF RANGE	<u>METHOD</u>	
BILIRUBIN (TOTAL), Serum	0.46	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.18	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.28	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	8.3	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.2	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	79.8	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	112.5	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	126.5	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	151.4	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 15 of 16



CID : 2416720347

Name : MR.JIGNESH CHUDASAMA

: 40 Years / Male Age / Gender

Consulting Dr. : -

Reg. Location : Kandivali East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 15-Jun-2024 / 09:12 :15-Jun-2024 / 14:21


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **FUS and KETONES**

BIOLOGICAL REF RANGE METHOD **PARAMETER RESULTS**

Urine Sugar (Fasting) +++ Urine Ketones (Fasting) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





Page 16 of 16



CID

: 2416720347

Name

: Mr JIGNESH CHUDASAMA

Age / Sex

: 40 Years/Male

Ref. Dr

Reg. Location

: Kandivali East Main Centre

Authenticity Check

Use a QR Code Scanner

R

Application To Scan the Code

: 15-Jun-2024

Reg. Date

Reported

: 15-Jun-2024 / 13:03

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR. Akash Chhari MBBS, MD, Radio-Diagnosis Mumbai MMC REG NO - 2011/08/2862

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2024061509083687

Page no 1 of 1

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE; wo



Authenticity Check <<QRCode>>

CID

: 2416720347

Name

: Mr JIGNESH CHUDASAMA

Age / Sex

Reg. Location

: 40 Years/Male

Use a OR Code Scanner Application To Scan the Code

Ref. Dr

Reg. Date

: 15-Jun-2024

: Kandivali East Main Centre

Reported

: 15-Jun-2024 / 9:30

USG WHOLE ABDOMEN

LIVER:

The liver is enlarged in size (16.5 cm), normal in shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein (10 mm) and CBD (2.7 mm) appears normal.

GALL BLADDER: The gall bladder appears normal. No evidence of gall stones or mass lesions seen

PANCREAS: The pancreas appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Right kidney measures 10.1 x 5.0 cm. Left kidney measures 11.0 x 5.4 cm. Both the kidneys are normal in size shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen.

SPLEEN:

The spleen is normal in size (10.7 cm) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER: The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE: The prostate is normal in size and measures 3.2 x 2.7 x 3.1 cm and volume is 15 cc.

IMPRESSION:

HEPATOMEGALY WITH GRADE II FATTY LIVER.

-----End of Report-----

DR. Akash Chhari

MBBS. MD. Radio-Diagnosis Mumbai

MMC REG NO - 2011/08/2862



Date: - 15/6/24

CID: 24167203470

R

Sex/Age: 40 M

Name: - Tignesh chudasama

EYE CHECK UP

Chief complaints:

NIO

Systemic Diseases:

10

Past history:

NO

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye) (Left Eye)

							-,-,			
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn		
Distance	-	1	1	616	1	1	1	0/6		
Near	_			NIC	-	-		NIC		

Colour Vision: Normal/Abnormal

Remark: No

Normal

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.

Row House No. 3, Aangan,
Thakur Village, Kandivali (eass),
Mumbal - 400101.


Tel: 61700000

SUBURBAN PRECISE TESTING . HEALTHIER LIVING

> Patient ID: Patient Name: JIGNESH CHUDASAMA 2416720347

> > Date and Time: 15th Jun 24 9:54 AM

40 NA NA years months days



NA 165 cm 72 kg 130/80 mmHg

X

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.



-3° 48° 16°

134ms

415ms 406ms

76ms

DR AKHIL PARULEKAR MBBS MD. MEDICINE, DNB Cardiology Cardiologist 2012082483

REPOR-



EMail:

3658 / JIGNESH CHUDASAMA / 41 Yrs / M / 165 Cms / 72 Kg Date: 15 / 06 / 2024 10:35:11 AM Refd By : MEDIWHEEL

DISCLAIMER Negative stress test does not rule out coronary artery diseas. Positive stress test is suggestive but not confirmatory of coronary artery disease. Hence clinical corellation FINAL IMPRESSION CHRONOTHOPIC RESPONSE EXERCISE TOLERANCE EXERCISE INDUCED ARRYTHMIAS HAEMODYNAMIC RESPONSE REASON FOR TERMINATION MEDICATION RISK FACTOR ACTIVITY TEST OBJECTIVE Systolic BP 160 0 mmHg Diastolic BP 90.0 mmHg
Exercise Time 06.54 Mins. Ectopic Beats 0.0 METS 8.0Test End Reason . Heart Rate Achieved Target Heart Rate 87% of 179 Heart Rate 156.0 ppm DISEASE FOR GIVEN DURATION OF EXERCISE STRESS TEST IS NEGATIVE FOR EXERCISE INDUCED ISCHAEMIC HEART NO SIGNIFICANT ST T CHANGES NOTED NORMAL GOOD NONE O NONE HEART RATE ACHIEVED MODERATE ACTIVE ROUTINE CHECK UP S. TALINA (VIOLITIES III SOUTH IN SURE AREA Taxu: Village, Kandwall (case, Rew House No. 2 Jungan. Mumbai - 400101 Akan P. Paruskar. DNB Cardiology

Tel: 61700000

Reg. No. 2012032483

Doctor: DR.AKHIL PARULEKAR



Date: 15/06/2024 10:35:11 AM Refd By : MEDIWHEEL Examined By: DR AKHIL PARULEKAR 3658 (2416720347) / JIGNESH CHUDASAMA / 41 Yrs / M / 165 Cms / 72 Kg

Exercise Time Initial HR (ExStrt) Initial BP (ExStrt) Max WorkLoad Attained Duke Treadmill Score Test End Reasons	FINDINGS:	Recovery	Recovery	Реактх	D JE SIBIS Z	BRUCE Stage 1	Exolar		oranging oranging	Cthord a	0
e Strt) Strt) ad Attained ill Score		09:13	08:54	07:54	07:00	04:00	01.00	00 38	00.31	00 08	0 0
: 06:54 : 94 bpi : 130/8 : 8 Fair : 05:5			1:00	0.54	3.00	300	0.22	0:07	0.23	80.0	0 000
. 06:54 . 94 bpm 53% of Target 179 . 130/80 (mm/Hg) . 8 Fair response to induced stress . 05:5			00.0	05.5	04.0	02.7	00.0	00.0	00.0	00.0	opeed(Kmpi
get 179 induced stres			00.00	14.0	12.0	10.0	00.0	00.0	00.0	00.0	Speed(Kmph) Elevation
8		00.0	01.1	08.0	07.1	04.7	01.0	010	010	01.0	METS
Max HR Att		000	091	156	140	121	094	078	084	080	Rate
Attained 156 bpm 87% of Attained 170/90 (mm/Hg)		0%	51%	87 %	78 %	68 %	53 %	44 %	47 %	45 %	%THR
Attained 156 bpm 87% of Target 179 Attained 170/90 (mm/Hg)		+	170/90	160/80	150/80	130/80	130/80	130/80	130/80	130/80	BP
		000	154	249	210	157	122	101	109	104	RPP
	1	8 1	8	8	00	00	00	00	8	00	PVC
											Comments

SUBURBAL DIACNOSTICS (FIDIA) PVI LTO. Thakus Village, Kandivali (cast) Tel: 61700050

We to Medicine Und Cardiology

Doctor : DR.AKHIL PARULEKAR

SUPINE (00:08)

3658 (2416720347) / JIGNESH CHUDASAMA / 41 Vrs / M / 165 Cms / 72 Kg / HR : 84

DESERVE OF 4× Date 15/06/2024 10:3511 AM 0,8 evA 80 mS Post BVL ov-≤ Y2 న VA METS 1.0/ 84 bpm 47% of THR BP 130/80 mmHg Raw ECG/ BLC 0n/ Notch On/ HF 0.05 Hz/LF 35 Hz 5 8 \$12 00 av 0.2 0.8 0.3 104 avR WE 000 825 2025 0.4 0.2 005 185 ¥5 V3 1 2 S 25 mm/Sec 1.0 Cm/mV ExTime: 00:00 0.0 Kmph, 0.0%



STANDING (00:23)

REMARKS 0.8 <2 Date 15 / 06 / 2024 10:35 11 AM 80 mS Post J ave ≤ ₹2 S <4 METS: 1.0/,78 bpm 44% of THR BP 130/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz 5 94 sm. 0.4 srs 1.0 00 avf 0.7 0.7 03 07 051≡ avf ave avR Ξ 288 0.7 0.7 0.2 002≤ 0.25 -88 00× 8 5 V4 ₹3 S 25 mm/Sec 1:0 Cm/mV ExTime: 00:00 0.0 Kmph, 0.0%


SUBURBAN DIAGNOSTICS KANDIVALI EAST

3658 (2416720347) / JIGNESH CHUDASAMA / 41 Yrs / M / 165 Cms / 72 Kg / HR : 78


HV (00:07)

3658 (2416720347) / JIGNESH CHUDASAMA / 41 Yrs / M / 165 Cms / 72 Kg / HR : 94

ExStrt



3658 (2416720347) / JIGNESH CHUDASAMA / 41 Yrs / M / 165 Cms / 72 Kg / HR : 121






BRUCE: Stage 1 (03:00)

3658 (2416720347) / JIGNESH CHUDASAMA / 41 Yrs / M / 165 Cms / 72 Kg / HR : 140

Date: 15 / 06 / 2024 10:35 11 AM





BRUCE : Stage 2 (03:00)

3658 (2416720231) (|| 1729021) (|| 17420231 PG) 8536

PeakEx


3658 (2416720347) / JIGNESH CHUDASAMA / 41 VIS / M / 165 Cms / 72 Kg / HR : 156

4× Date: 15/06/2024 10:35:11 AM 0.2 20 mS Pod J ave ≤ **∑**3 METS 80/156 bpm 87% of THR BP 160/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz 5 1.7 1.7 25 mm/Sec 1.0 Cm/mV ExTime: 06:54 5.5 Kmph, 14,0%

REMARKS

3658 (2416720347) / JIGNESH CHUDASAMA / 41 Vis / M / 165 Cms / 72 Kg / HR : 81


Date 15/06/2024 10:3511 AM





Recovery: (01:00)

3658 (2416720347) / JIGNESH CHUDASAMA / 41 Yrs / M / 165 Cms / 72 Kg / HR 106





Recovery: (01:19)