Examined by:			UHID : MHN1.000013		
Package : MediWl	neel Full Body Health Checkup	Female Below 40 Package	AHC No : NSKAH32484		
		Diet	- Vegetarian		
	LAINTS	Alcohol	- does not consume alcohol		
For corporate health che	eckup	Smoking	- No		
lo specific complaints	, end p	Chews tobacco	- No		
		Physical activity	- Active		
PRESENT KNOWN			- yoga		
lo history of	- Diabetes mellitus, Hypertension, Thyroid	+			
	disorder, Heart disease,	Family history			
	Stroke, Asthma, COPD,	Family history	- Nil significant		
	Cancer	Coronary artery	- none		
*		disease	Neze		
DRUG ALLER	GY	Cancer	- None		
NO KNOWN ALLERGY	:25/02/2023	PHYSICAL EXAMINATION			
	EVIEW	📥 General			
		General appearance	- normal		
Cardiovascular system		Build	- normal		
Nil Significant		Height	- 157		
		Weight	- 52.2		
Past medical hist	-	BMI	- 21.18		
Do you have any	- No	Pallor Oedema	- No - no		
allergies?	No	Temperature	- 97.2		
Do you have any drug allergies?	- No	SpO2	- 98		
Past medical history	- nil significant				
Covid 19	- Yes	Cardiovascular s	ystem		
lospitalization for	- No	Heart rate (Per minute)	- 68		
Covid 19		Rhythm	- Regular		
Dxygen support	- No		- B.P. Supine		
		Systolic(mm of Hg)	- 100		
Surgical history		Diastolic(mm of Hg)	- 70		
Appendicectomy	- done	Heart sounds	- S1S2+		
mmunization history		Respiratory system			
mmunization history	- Covid Dose1,Covid Dose2	Breath sounds	- Normal vesicular breath sounds		
Personal history		Abdomen			
Marital status	- Married	Organomegaly	- No		
No. of children	- 01	Tenderness	- No		

Date

: 25/02/2023

: Mrs. REVATI BHASKAR JADHAV (31 /F)

Name

Date : 25/02/2023

Package : MediWheel Full Body Health Checkup Female Below 40 Package

AHC No : NSKAH32484

Printed By : Shweta Sharad Shardul

: 25/02/2023

Package : MediWheel Full Body Health Checkup Female Below 40 Package

AHC No : NSKAH32484

Date

E) Decult	115:4	1	Dance	Monocytes	05	%		1-10
Result	Unit	Level	Range	Basophils	00	%	•	0-1
PALE YELLOW		1.010-1.020	ERYTHROCYTE	07	mm/1st ● hr		0-20	
-								
			7.2-7.8			•		
						Unit	Level	Range
Nil				·				
6.0		•	4.6-8	Rh (D) Type:	POSITI	VE		
Negative	9			LIVER FUNCTION TE	ST (PAC	KAGE))	
Negative	9			Test Name	Result	Unit	Level	Range
Negative	9			ALT(SGPT) - SERUM /	17 *	U/L	•	30-65
Negative	;			PLASMA				
Normal				ALBUMIN - SERUM	4 0	a/dl	•	3.5-5
Negative)					0		1.8-3.0
00	/hpf	•	0-2	(Calculated)	0.0	9,42	-	1.0-0.
0-2	/hpf			ALBUMIN:GLOBULIN -	1.1			1.1-1.
1-2	/hpf			SERUM(RATIO) (Calculated)				
					60	U/L		0-100
ΟΜΑΤΙΟ)N + S	IANU	ARD	ALKALINE PHOSPHATASE -	63	0,1		0 100
COMATIC Result			Range		63	0,1		0 100
				PHOSPHATASE - SERUM/PLASMA	o <i>3</i> 13 *	U/L	•	15-37
Result	Unit		Range	PHOSPHATASE -			•	
Result 13.3	Unit g/dl	Level	Range 11.0-16.0	PHOSPHATASE - SERUM/PLASMA			•	
Result 13.3 36.9	Unit g/dl % Million	Level	Range 11.0-16.0 34.0-48.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM	13 * 0.9	U/L mg/dL	•	15-37
Result 13.3 36.9 3.37 *	Unit g/dl % Million, ul	Level	Range 11.0-16.0 34.0-48.0 3.7-5.6	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST	13 * 0.9 (PACKA	U/L mg/dL \GE)		15-37 0.0-1.0
Result 13.3 36.9 3.37 * 95.1 *	Unit g/dl % Million, ul fl	Level	Range 11.0-16.0 34.0-48.0 3.7-5.6 75.0-95.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name	13 * 0.9 (PACKA Result	U/L mg/dL AGE) Unit	Level	15-37 0.0-1.0 Range
Result 13.3 36.9 3.37 * 95.1 * 39.6 *	Unit g/dl % Million, ul fl pg	Level	Range 11.0-16.0 34.0-48.0 3.7-5.6 75.0-95.0 26.0-32.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol	13 * 0.9 (PACKA Result 207 *	U/L mg/dL AGE) Unit mg/dL	Level	15-37 0.0-1.0 Range
Result 13.3 36.9 3.37 * 95.1 * 39.6 * 36.0	Unit g/dl % Million, ul fl pg g/dl % 10 ³ /m	Level	Range 11.0-16.0 34.0-48.0 3.7-5.6 75.0-95.0 26.0-32.0 31.0-36.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM	13 * 0.9 (PACKA Result 207 *	U/L mg/dL AGE) Unit mg/dL	Level	15-37 0.0-1.0 Range 0-200
Result 13.3 36.9 3.37 * 95.1 * 39.6 * 36.0 15.2	Unit g/dl % Million, ul fl pg g/dl %	Level	Range 11.0-16.0 34.0-48.0 3.7-5.6 75.0-95.0 26.0-32.0 31.0-36.0 11-16	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM Test Name	13 * 0.9 (PACKA Result 207 * M / PLAS Result	U/L mg/dL AGE) Unit mg/dL SMA Unit	Level Level	15-37 0.0-1. Range 0-200 Range
Result 13.3 36.9 3.37 * 95.1 * 39.6 * 36.0 15.2	Unit g/dl % Million, ul fl pg g/dl % 10 ³ /m	Level	Range 11.0-16.0 34.0-48.0 3.7-5.6 75.0-95.0 26.0-32.0 31.0-36.0 11-16	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM	13 * 0.9 (PACKA Result 207 *	U/L mg/dL AGE) Unit mg/dL	Level Level	15-37
Result 13.3 36.9 3.37 * 95.1 * 39.6 * 36.0 15.2 307 5.6	Unit g/dl % Million, ul fl pg g/dl % 10 ³ /m m ³	Level	Range 11.0-16.0 34.0-48.0 3.7-5.6 75.0-95.0 26.0-32.0 31.0-36.0 11-16 140-440 4.0-11.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM Test Name CREATININE - SERUM	13 * 0.9 (PACKA Result 207 * / / PLAS Result 0.6	U/L mg/dL AGE) Unit mg/dL SMA Unit mg/dL	Level Level	15-37 0.0-1.0 Range 0-200 Range
Result 13.3 36.9 3.37 * 95.1 * 39.6 * 36.0 15.2 307	Unit g/dl % Million, ul fl pg g/dl % 10 ³ /m m ³	Level	Range 11.0-16.0 34.0-48.0 3.7-5.6 75.0-95.0 26.0-32.0 31.0-36.0 11-16 140-440	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM Test Name CREATININE - SERUM / PLASMA	13 * 0.9 (PACKA Result 207 * M / PLAS Result 0.6 ST (PAC	U/L mg/dL AGE) Unit mg/dL SMA Unit mg/dL	Level Level	15-37 0.0-1.1 Range 0-200 Range 0.6-1.1
	Clear Acidic Nil Nil 6.0 Negative Negative Negative Normal Negative 00	PALE YELLOW Clear Acidic Nil Nil 6.0 Negative Negative Negative Negative Negative Negative Negative Normal Normal Nogative	PALE YELLOW Clear Acidic Nil Nil 6.0 4 Negative Negative Negative Negative Negative Negative Negative Normal Normal Normal 00 /hpf ●	PALE YELLOWClear7.2-7.8Acidic7.2-7.8Nil7.2-7.8Nil4.6-86.0•Acidic•Acidic•Segative•Negative·Negative·Negative·Negative·Negative·Negative·Normal·Negative·O0/hpf•0.2/hpf	1.005 * 1.016-1.026 PALE YELLOW ERYTHROCYTE Clear 7.2-7.8 Acidic 7.2-7.8 Nil Test Name Nil ABO Group: 6.0 4.6-8 Negative Rh (D) Type: Negative LIVER FUNCTION TEST Negative ALT(SGPT) - SERUM / PLASMA Normal ALBUMIN - SERUM Negative 00 /hpf 0-2 /hpf 0-2 /hpf 0-2 /hpf ALBUMIN:GLOBULIN - SERUM(RATIO)	1.005 * 1.016-1.026 ERYTHROCYTE SEDIMENTATION RATE (ESR) 07 Acidic 7.2-7.8 BLOOD GROUPING AND TYP Nil 7.2-7.8 BLOOD GROUPING AND TYP Nil Aesolution Aesolution Nil 7.2-7.8 BLOOD GROUPING AND TYP Nil Aesolution Aesolution Nil Aesolution Aesolution Negative 4.6-8 Rh (D) Type: POSITION Negative Aesolution Aesolution Aesolution Negative Aesolution Aesolution Aesolution Negative Aesolution Aesolution Aesolution Negative Aesolution Aesolution Aesolution Normal Aesolution Aesolution Aesolution Negative 0-2 Aesolution 3.5 00 /hpf 0-2 Aesolution 1.1 1-2 /hpf Aesolution 1.1	1.005 * 1.016-1.026 ERYTHROCYTE SEDIMENTATION RATE (ESR) 07 mm/11 hr PALE YELLOW SEDIMENTATION RATE (ESR) 07 mm/11 hr Acidic 7.2-7.8 BLOOD GROUPING AND TYPING (A Nil Test Name Result Unit Nil ABO Group: A 4 6.0 4.6-8 Rh (D) Type: POSITIVE Negative ALT(SGPT) - SERUM / PLASMA 17 * U/L Negative ALBUMIN - SERUM / PLASMA 17 * U/L Normal ALBUMIN - SERUM: 3.5 g/dL 00 /hpf 0-2 (Calculated) 3.5 g/dL 0.2 /hpf ALBUMIN:GLOBULIN - SERUM: 1.1 1.1 1.1	1.005 * 1.016-1.026 PALE YELLOW 1.016-1.026 PALE YELLOW 1.016-1.026 Clear 7.2-7.8 Acidic 7.2-7.8 BLOOD GROUPING AND TYPING (ABO at Nither the term of the term of

Page 3 of 7

UHID : MHN1.0000138388

: 25/02/2023

Package : MediWheel Full Body Health Checkup Female Below 40 Package

AHC No : NSKAH32484

Date

GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	16	U/L	•	0-50	TOTAL T3: TRI IODOTHYRONINE - SERUM	113	ng/dL	•	Healthy Adults: 69 - 215 Pregnant Women:
GLUCOSE - SERUM /	PLASM	A (FAS	STING)					1st Trimester:121-
Test Name	Result	Unit	Level	Range					308
Glucose - Plasma (Fasting)	84	mg/d		70-100					2nd & 3rd Trimesters:152- 362
URINE	Nil								302
GLUCOSE(FASTING): (Strip Method)					TOTAL T4: THYROXINE - SERUM	6.9	µg/dL	•	Healthy Adults: 5.2 - 12.7
GLUCOSE - SERUM /	PLASM	A (PO	ST						
RANDIAL)									Pregnancy:1stT rimester:7.8 -
Test Name	Result	Unit	Level	Range					16.2
Glucose - Plasma (POST PRANDIAL)	95	mg/d		70-140					2nd & 3rd Trimesters: 9.1 - 18.3
SLYCOSYLATED HEN	IOGLOE	BIN (H	bA1C)	-					
VHOLE BLOOD					LIPID PROFILE TEST	•		Laval	Damas
Test Name	Result		_	Range	Test Name	Result			Range
Glycosylated Hemoglobin (HbA1c)	5.7	%	•	0.0-6.0	Triglycerides - Serum THYROID PROFILE - I	96 (T2 T4 /			0-150
Mean Plasma Glucose	125.62	mg/d	L		Test Name	Result			Range
(MPG) Estimate:					TSH: THYROID	1.6	ulU/m		Euthyroid: 0.3 -
IPID PROFILE TEST	(PACKA	GE)			STIMULATING	1.0	ulo/ill	_	4.5
Test Name	Result	Unit	Level	Range	HORMONE - SERUM				Hypothyroid:
HDL CHOLESTEROL - SERUM / PLASMA	46	mg/d	L •	40-60					7.1 - >75.0 Pregnancy(All Trimesters):0.2
TOTAL	4.5		•	0.0-4.5					-3.5
CHOLESTEROL/HDL CHOLESTEROL					UREA - SERUM / PLA	SMA			
RATIO(Calculated)					Test Name	Result	Unit	Level	Range
LDL Cholesterol (Direct	107	mg/d	L		UREA - SERUM / PLASMA	15	mg/dL		15-38
LDL)					UREA NITROGEN SERUM/PLASMA:	7	mg/dL	•	7-18
	•		,	_	(Calculated)				
	Result		Level	Range	URIC ACID - SERUM				
PROTEIN, TOTAL - SERUM / PLASMA	7.5	g/dL	-	6.4-8.2	Test Name	Result	Unit	ا وبرما	Range
PROTEIN, TOTAL -	7.5	g/dL		6.4-8.2	URIC ACID - SERUM	4.0	mg/dL	_	2.6-6.0
SERUM / PLASMA		<u>.</u>		5.1 0.2					
			0 11\		LIVER FUNCTION TES	ST (PAC	KAGE)		
HYROID PROFILE -	• •			Dames	Test Name	Result	Unit	Level	Range
Test Name	Result	Unit	Level	Range					
🔵 v	Vithin Nor	mal Ra	nge	e Bord	erline High/Low 🛛 🔴 Out	of Range	•		
•			U =						

UHID : MHN1.0000138388

Date : 25/02/2023

Package : MediWheel Full Body Health Checkup Female Below 40 Package

AHC No : NSKAH32484

BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.2	mg/dL	0.0-0.3
BILIRUBIN UNCONJUGATED - SERUM(Calculated)	0.7	mg/dL 🔍	0.0-0.7

CERVICAL/VAGINAL SMEAR II SLIDE

Brief Clinical History: last menstrual period-27/1/2023 SOURCE OF SPECIMEN : **Cervical Smear-Conventional** I. Specimen Adequacy Satisfactory for evaluation II. General Categorization : Negative for intraepithelial lesion or malignancy Other non neoplastic findings: Smears show Intermediate and few parabasal squamous cells.Mild neutrophilic infiltrate is seen. There is no evidence of dysplasia or malignancy. There is no evidence of candida or trichomonas.Negative for intraepithelial lesion or malignancy suggests benign cellular changes of inflammation. Epithelial abnormalities: Absent

CARDIAC STRESS TEST - (TMT)

ECG

ULTRASOUND - WHOLE ABDOMEN

No significant abnormality is detected.

X-RAY CHEST PA

No significant abnormality is detected.

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB, RADIOLOGY & CARDIOLOGY)

Haematology

STOOL ROUTINE





Date : 25/02/2023

Package : MediWheel Full Body Health Checkup Female Below 40 Package

AHC No : NSKAH32484

Printed By :

AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

Date : 25/02/2023

Package : MediWheel Full Body Health Checkup Female Below 40 Package

AHC No : NSKAH32484

AICVD RISK SCORE REPORT							
RISK STATUS	YOUR SCORE	ACCEPTABLE SCORE					
Low Risk	1	2					

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence -based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding follow up tests, consults and annual health assessment

DISCLAIMER

- 1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
- 2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
- 3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
- 4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
- 5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515