

CID	: 2309300328
Name	: MR.AJAY BARMA
Age / Gender	:40 Years / Male
Consulting Dr. Reg. Location	: - : Kandivali East (Main Centre)



E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code d :03-Apr-2023 /

Collected Reported :03-Apr-2023 / 08:28 :03-Apr-2023 / 11:21

## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	<u>CBC (Complet</u>	<u>e Blood Count), Blood</u>	
PARAMETER	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	14.3	13.0-17.0 g/dL	Spectrophotometric
RBC	4.76	4.5-5.5 mil/cmm	Elect. Impedance
PCV	44.9	40-50 %	Measured
MCV	94	80-100 fl	Calculated
МСН	30.0	27-32 pg	Calculated
MCHC	31.7	31.5-34.5 g/dL	Calculated
RDW	13.6	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6380	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	35.5	20-40 %	
Absolute Lymphocytes	2264.9	1000-3000 /cmm	Calculated
Monocytes	10.3	2-10 %	
Absolute Monocytes	657.1	200-1000 /cmm	Calculated
Neutrophils	51.0	40-80 %	
Absolute Neutrophils	3253.8	2000-7000 /cmm	Calculated
Eosinophils	2.2	1-6 %	
Absolute Eosinophils	140.4	20-500 /cmm	Calculated
Basophils	1.0	0.1-2 %	
Absolute Basophils	63.8	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

## PLATELET PARAMETERS

Platelet Count	195000	150000-400000 /cmm	Elect. Impedance
MPV	10.9	6-11 fl	Calculated
PDW	22.4	11-18 %	Calculated
RBC MORPHOLOGY			

Page 1 of 12

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbal - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



**Basophilic Stippling** 

WBC MORPHOLOGY

Specimen: EDTA Whole Blood

PLATELET MORPHOLOGY

Normoblasts

COMMENT

Others

SUBURBA					
DIAGNOSTI	C S *****				E
RECISE TESTING - HEAT	CTHIER CIVING				P
CID	: 230930032	8			0
Name	: MR.AJAY B	ARMA		前、新新来会生	R
Age / Gender	:40 Years /	Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -		Collected	:03-Apr-2023 / 08:28	
Reg. Location	: Kandivali E	East (Main Centre)	Reported	:03-Apr-2023 / 11:38	
Hypochr	omia				
Microcyt	tosis	-			
Macrocy	/tosis	-			
Anisocy	tosis	-			
Poikilocy	ytosis	-			
Polychro	omasia	-			
Target C	Cells	-			

ESR, EDTA WB-ESR 9 2-15 mm at 1 hr.

Normocytic, Normochromic

Sedimentation

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Binhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

R

Page 2 of 12



Authenticity Check

R

E

P

0

R

т

CID : 2309300328 Name : MR.AJAY BARMA Age / Gender : 40 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code

Collected Reported :03-Apr-2023 / 08:28 :03-Apr-2023 / 11:27

		LOW 40 MALE/FEMALE	-
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	101.0	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	102.7	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.71	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.34	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.37	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
SGOT (AST), Serum	53.8	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	31.9	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	11.1	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	61.5	40-130 U/L	Colorimetric
BLOOD UREA, Serum	21.9	12.8-42.8 mg/dl	Kinetic
BUN, Serum	10.2	6-20 mg/dl	Calculated
CREATININE, Serum	0.87	0.67-1.17 mg/dl	Enzymatic

Page 3 of 12



CID Name Age / Gender Consulting Dr. Reg. Location	: 2309300328 : MR.AJAY BARM : 40 Years / Mal : - : Kandivali East	e	Collected Reported	Use a QR Code Scanner Application To Scan the Code : 03-Apr-2023 / 08:28 : 03-Apr-2023 / 18:37	E P O R T
eGFR, Se	erum	103	>60 ml/min/1.73	3sqm Calculated	
URIC AC	ID, Serum	6.3	3.5-7.2 mg/dl	Enzymatic	
Urine Sug	gar (Fasting)	Absent	Absent		
Urine Ket	ones (Fasting)	Absent	Absent		
Urine Sug	gar (PP)	Absent	Absent		

Urine Ketones (PP) Absent Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*





**Dr.KETAKI MHASKAR** M.D. (PATH) Pathologist

Authenticity Check

R

Page 4 of 12



CID	: 2309300328
Name	: MR.AJAY BARMA
Age / Gender	: 40 Years / Male
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)



Е

Collected Reported :03-Apr-2023 / 08:28 :03-Apr-2023 / 12:16

#### AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c) **BIOLOGICAL REF RANGE** PARAMETER RESULTS METHOD HPLC Glycosylated Hemoglobin 5.8 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 % Estimated Average Glucose 119.8 mg/dl Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

**Clinical Significance:** 

(eAG), EDTA WB - CC

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

#### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

**Increased in:** High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

**Decreased in:** Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 5 of 12



CID	: 2309300328
Name	: MR.AJAY BARMA
Age / Gender	:40 Years / Male
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)

Authenticity Check

ode Scanner

R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

BIOLOGICAL REF RANGE METHOD

Collected Reported :03-Apr-2023 / 08:28 :03-Apr-2023 / 18:37

## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

RESULTS

## PARAMETER

Pale yellow	Pale Yellow	-
7.0	4.5 - 8.0	Chemical Indicator
1.005	1.001-1.030	Chemical Indicator
Clear	Clear	-
40	-	-
Absent	Absent	pH Indicator
Absent	Absent	GOD-POD
Absent	Absent	Legals Test
Trace	Absent	Peroxidase
Absent	Absent	Diazonium Salt
Normal	Normal	Diazonium Salt
Absent	Absent	Griess Test
1-2	0-5/hpf	
Occasional	0-2/hpf	
0-1		
Absent	Absent	
Absent	Absent	
Absent	Absent	
2-3	Less than 20/hpf	
-		
	1.005 Clear 40 Absent Absent Trace Absent Normal Absent 1-2 Occasional 0-1 Absent Absent Absent Absent Absent	7.04.5 - 8.01.0051.001-1.030ClearClear40-AbsentAbsentAbsentAbsentAbsentAbsentAbsentAbsentAbsentAbsentNormalNormalAbsentAbsent1-20-5/hpfOccasional0-2/hpf0-1AbsentAbsentAbsentAbsentAbsent

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

• Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)

• Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)

• Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

## Reference: Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West





NGJOIL

Dr.VIPUL JAIN M.D. (PATH) Pathologist

Page 6 of 12



CID	: 2309300328
Name	: MR.AJAY BARMA
Age / Gender	:40 Years / Male
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code Collected : Reported :

Authenticity Check

R

E

P

0

R

т

\*\*\* End Of Report \*\*\*

Page 7 of 12



CID : 2309300328 Name : MR.AJAY BARMA Age / Gender : 40 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)



## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

## PARAMETER

## <u>RESULTS</u>

ABO GROUP

Positive

А

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

## Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

\*\*\* End Of Report \*\*



( solu	
Y C	

Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

Page 8 of 12



CID	: 2309300328
Name	: MR.AJAY BARMA
Age / Gender	:40 Years / Male
Consulting Dr. Reg. Location	: - : Kandivali East (Main Centre)



E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :03-Apr-2023 / 08:28 :03-Apr-2023 / 11:27

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE	

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	137.7	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	102.6	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	38.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	99.6	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	79.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	20.6	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.6	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.1	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Binhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 9 of 12



CID	: 2309300328
Name	: MR.AJAY BARMA
Age / Gender	:40 Years / Male
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)



E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code • 03- Apr-2023 /

Collected Reported :03-Apr-2023 / 08:28 :03-Apr-2023 / 11:40

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

	11200210	<u>BIOLOGICAL INEL INTIGE</u>	<u>/// = / / / (</u>
Free T3, Serum	5.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.1	11.5-22.7 pmol/L	ECLIA
sensitiveTSH. Serum	2.02	0.35-5.5 microIU/ml	ECLIA

Page 10 of 12



#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### **Clinical Significance:**

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections.liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

#### Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

#### Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3.Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Bmhaskar

**Dr.KETAKI MHASKAR** M.D. (PATH) **Pathologist** 

Authenticity Check

R

Page 11 of 12


REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbal - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



CID	: 2309300328
Name	: MR.AJAY BARMA
Age / Gender	:40 Years / Male
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)





Page 12 of 12