Name	MAYA MOHINI	ID	MED111867272
Age & Gender	41-Female	Visit Date	9/28/2023 12:38:55 PM
Ref Doctor Name	MediWheel		



# ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern.

No evidence of focal lesion or intrahepatic biliary ductal dilatation.

Hepatic and portal vein radicals are normal.

**GALL BLADDER** not visualized -? Post cholecystectomy status.

**PANCREAS** has normal shape, size and uniform echopattern.

No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size and echopattern.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern.

Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.3	1.6
Left Kidney	11.2	1.7

URINARY BLADDER show normal shape and wall thickness.

It has clear contents. No evidence of diverticula.

UTERUS is anteverted and has normal shape and size. It has uniform myometrial echopattern.

Endometrial echo is of normal thickness 9.5 mms.

Uterus measures as follows: LS: 8.4cms AP: 4.2cms TS: 5.4cms.

**OVARIES** are normal size, shape and echotexture.

Right ovary measures: 3.1x2.5cms

Left ovary measures: 2.8x2.6cms

POD & adnexa are free. No evidence of ascites.

### **IMPRESSION:**

### > NO SIGNIFICANT ABNORMALITY DETECTED.

# **CONSULTANT RADIOLOGISTS**

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	MAYA MOHINI	ID	MED111867272
Age & Gender	41-Female	Visit Date	9/28/2023 12:38:55 PM
Ref Doctor Name	MediWheel		



# DR. ANITHA ADARSH

DR. MOHAN B

MB/mm

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

 PID No.
 : MED111867272
 Register On
 : 28/09/2023 8:47 AM

 SID No.
 : 712333245
 Collection On
 : 28/09/2023 9:37 AM

 Age / Sex
 : 41 Year(s) / Female
 Report On
 : 28/09/2023 4:48 PM

Type : OP Printed On : 02/11/2023 5:35 PM

Ref. Dr : MediWheel



Investigation	Observed <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING	'B' 'Positive'	

TTTING

(Derived)

Total WBC Count (TC)

(EDTA Blood/Agglutination)

**Remark:** Test to be confirmed by Gel method <u>Complete Blood Count With - ESR</u>

Haemoglobin 11.9 g/dL 12.5 - 16.0

(EDTA Blood/Spectrophotometry)

**INTERPRETATION:** Haemoglobin values vary in Men, Women & Children. Low haemoglobin values may be due to nutritional deficiency, blood loss, renal failure etc. Higher values are often due to dehydration, smoking, high altitudes, hypoxia etc.

Remark: Kindly correlate clinically			
PCV (Packed Cell Volume) /	36.2	%	37 - 47
Haematocrit			
(EDTA Blood/Derived)			
RBC Count	4.45	mill/cu.mm	4.2 - 5.4
(EDTA Blood/Automated Blood cell Counter)			

(EDTA BIOOGAMomatea Biooa cen Counter)			
MCV (Mean Corpuscular Volume) (EDTA Blood/Derived from Impedance)	81.0	fL	78 - 100
MCH (Mean Corpuscular Haemoglobin) (EDTA Blood/Derived)	26.8	pg	27 - 32
MCHC (Mean Corpuscular Haemoglobin concentration) (EDTA Blood/Derived)	32.9	g/dL	32 - 36
RDW-CV	15.6	%	11.5 - 16.0
(Derived)			
RDW-SD	44.23	fL	39 - 46

(EDTA Blood/Derived from Impedance) m
Neutrophils 56 % 40 - 75

9920

 $(Blood/Impedance\ Variation\ \&\ Flow\ Cytometry)$ 





4000 - 11000

APPROVED BY

cells/cu.m

 PID No.
 : MED111867272
 Register On
 : 28/09/2023 8:47 AM

 SID No.
 : 712333245
 Collection On
 : 28/09/2023 9:37 AM

**Age / Sex** : 41 Year(s) / Female **Report On** : 28/09/2023 4:48 PM

**Printed On** 

Type : OP

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Lymphocytes (Blood/ <i>Impedance Variation &amp; Flow Cytometry</i> )	30	%	20 - 45
Eosinophils Blood/ <i>Impedance Variation &amp; Flow Cytometry</i> )	09	%	01 - 06
Remark: Kindly correlate clinically			
Monocytes Blood/Impedance Variation & Flow Cytometry)	05	%	01 - 10
Basophils Blood/Impedance Variation & Flow Cytometry)	00	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	5.56	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count EDTA Blood/Impedance Variation & Flow Cytometry)	2.98	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) EDTA Blood/Impedance Variation & Flow Cytometry)	0.89	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count EDTA Blood/Impedance Variation & Flow Cytometry)	0.50	10^3 / μl	< 1.0
Absolute Basophil count EDTA Blood/Impedance Variation & Flow Cytometry)	0.00	10^3 / μl	< 0.2
Platelet Count EDTA Blood/Derived from Impedance)	199	10^3 / μl	150 - 450
MPV Blood/ <i>Derived</i> )	15.0	fL	8.0 - 13.3
PCT	0.30	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Automated ESR analyser)	85	mm/hr	< 20

: 02/11/2023 5:35 PM





PID No. Register On : MED111867272 : 28/09/2023 8:47 AM : 712333245 SID No. Collection On : 28/09/2023 9:37 AM Age / Sex : 41 Year(s) / Female

Report On 28/09/2023 4:48 PM

**Printed On** : 02/11/2023 5:35 PM

Ref. Dr : MediWheel

: OP

**Type** 



Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Remark: Kindly correlate clinically			
BUN / Creatinine Ratio	9.7		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	101	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Urine sugar, Fasting	Nil		Nil
(Urine - F)  Chappe Postanon diel (PPPS)	101	m a /dI	70 - 140
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	101	mg/dL	/0 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Sugar (PP-2 hours) (Urine - PP)	Nil		Negative
Blood Urea Nitrogen (BUN) (Serum/ <i>Urease UV / derived</i> )	9.7	mg/dL	7.0 - 21
Creatinine (Sorum/Laffa Kinatia)	1.0	mg/dL	0.6 - 1.1

(Serum/Jaffe Kinetic)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists, N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	3.5	mg/dL	2.6 - 6.0
(Serum/Uricase/Peroxidase)			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	1.2	mg/dL	0.1 - 1.2





**APPROVED BY** 

The results pertain to sample tested.

Page 3 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #NEW KANTHA RAJ URS ROAD, KRISHNAMURTHY PURAM, MYSORE, KARNATAKA, INDIA,.

 PID No.
 : MED111867272
 Register On
 : 28/09/2023 8:47 AM

 SID No.
 : 712333245
 Collection On
 : 28/09/2023 9:37 AM

 Age / Sex
 : 41 Year(s) / Female
 Report On
 : 28/09/2023 4:48 PM

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.90	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.4	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.1	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.30	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.24		1.1 - 2.2
INTERPRETATION: Remark: Electrophoresis is	the preferred method		
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC / Kinetic)	18	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	20	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/PNPP / Kinetic)	95	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	21	U/L	< 38
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	167	mg/dL	Optimal: < 200 Borderline: 200 - 239





High Risk:  $\geq 240$ 

Age / Sex : 41 Year(s) / Female

 PID No.
 : MED111867272
 Register On
 : 28/09/2023 8:47 AM

 SID No.
 : 712333245
 Collection On
 : 28/09/2023 9:37 AM

**Report On** : 28/09/2023 4:48 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	103	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

r			
HDL Cholesterol (Serum/Immunoinhibition)	56	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	90.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	20.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	111.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219

Very High: >= 220

**INTERPRETATION:** 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





PID No. : MED111867272 Register On : 28/09/2023 8:47 AM : 712333245 SID No. Collection On : 28/09/2023 9:37 AM

Age / Sex : 41 Year(s) / Female Report On : 28/09/2023 4:48 PM

**Printed On** 

**Type** 

Ref. Dr : MediWheel

: OP



<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> Reference Interval
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	1.8		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	1.6		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/ <i>HPLC</i> )	6.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

: 02/11/2023 5:35 PM

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 142.72 mg/dl

(Whole Blood)

# **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

### THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 0.96 ng/ml 0.7 - 2.04

(Serum/Chemiluminescent Immunometric Assay (CLIA))





**APPROVED BY** 

The results pertain to sample tested.

Page 6 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #NEW KANTHA RAJ URS ROAD, KRISHNAMURTHY PURAM, MYSORE, KARNATAKA, INDIA,.

Ref. Dr : MediWheel



Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	<u>Value</u>		Reference Interval

#### INTERPRETATION:

#### **Comment:**

PID No.

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total 9.78 Microg/dl 4.2 - 12.0

(Serum/Chemiluminescent Immunometric Assay

(CLIA))

#### **INTERPRETATION:**

#### **Comment:**

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 5.72 µIU/mL 0.35 - 5.50

 $(Serum/{\it Chemiluminescent\ Immunometric\ Assay}$ 

(CLIA))

### INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

#### **Comment:**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values&amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Remark: Kindly correlate clinically

### **URINE ROUTINE**

# **PHYSICAL EXAMINATION**

Colour	pale yellow	Yellow to Amber
(Urine/Physical examination)		
Volume	20	ml
(Urine/Physical examination)		
Appearance	clear	
(Urine)		





APPROVED BY

The results pertain to sample tested.

Page 7 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #NEW KANTHA RAJ URS ROAD, KRISHNAMURTHY PURAM, MYSORE, KARNATAKA, INDIA,.

 PID No.
 : MED111867272
 Register On
 : 28/09/2023 8:47 AM

 SID No.
 : 712333245
 Collection On
 : 28/09/2023 9:37 AM

 Age / Sex
 : 41 Year(s) / Female
 Report On
 : 28/09/2023 4:48 PM

Ref. Dr : MediWheel



Investigation	Observed Unit Value		<u>Biological</u> Reference Interval
CHEMICAL EXAMINATION			
pH (Urine)	5.0	4.5 - 8.0	
Specific Gravity (Urine/Dip Stick - Reagent strip method)	1.010		1.002 - 1.035
Protein (Urine/Dip Stick - Reagent strip method)	Negative		Negative
Glucose (Urine)	Nil		Nil
Ketone (Urine/Dip Stick - Reagent strip method)	Nil		Nil
Leukocytes (Urine)	Negative	leuco/uL	Negative
Nitrite (Urine/Dip Stick - Reagent strip method)	Nil		Nil
Bilirubin (Urine)	Negative	mg/dL	Negative
Blood (Urine)	Nil		Nil
Urobilinogen (Urine/Dip Stick - Reagent strip method)	Normal		Within normal limits
<u>Urine Microscopy Pictures</u>			
RBCs (Urine/Microscopy)	Nil	/hpf	NIL
Pus Cells (Urine/Microscopy)	2-4	/hpf	< 5
Epithelial Cells (Urine/Microscopy)	1-2	/hpf	No ranges





**PID No.** : MED111867272

**SID No.** : 712333245

Age / Sex : 41 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

**Register On** : 28/09/2023 8:47 AM

Collection On : 28/09/2023 9:37 AM

**Report On** : 28/09/2023 4:48 PM

**Printed On** : 02/11/2023 5:35 PM



InvestigationObserved ValueUnit ValueBiological Reference IntervalOthersNilNil(Urine)Nil





-- End of Report --

Name	MAYA MOHINI	ID	MED111867272
Age & Gender	41-Female	Visit Date	9/28/2023 6:00:54 PM
Ref Doctor Name	MediWheel		



# **2 D ECHOCARDIOGRAPHIC STUDY**

### M mode measurement:

AORTA : 2.6cms

LEFT ATRIUM : 2.8cms

LEFT VENTRICLE (DIASTOLE) : 4.4cms

(SYSTOLE) : 3.2cms

VENTRICULAR SEPTUM (DIASTOLE) : 1.0cms

(SYSTOLE) : 1.2cms

POSTERIOR WALL (DIASTOLE) : 0.8cms

(SYSTOLE) : 1.2cms

EDV: 75ml

ESV : 30ml

FRACTIONAL SHORTENING : 36%

EJECTION FRACTION : 60%

RVID : 1.5cms

### **DOPPLER MEASUREMENTS:**

MITRAL VALVE : E' - 0.95m/s A' - 0.69m/s NO MR

AORTIC VALVE : 1.05m/s NO AR

TRICUSPID VALVE : E' - 0.80m/s A' - 0.30m/s NO TR

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	MAYA MOHINI	ID	MED111867272
Age & Gender	41-Female	Visit Date	9/28/2023 6:00:54 PM
Ref Doctor Name	MediWheel		



PULMONARY VALVE : 0.76m/s NO PR

### 2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapse.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

### **IMPRESSION:**

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 60%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.

- 1.This is only a radiological imperssion.Like other investigations, radiological investication also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- O.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false oninion
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	MAYA MOHINI	ID	MED111867272
Age & Gender	41-Female		9/28/2023 6:00:54 PM
Ref Doctor Name	MediWheel		



### > NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.



DR. NIKHIL B
INTERVENTIONAL CARDIOLOGIST
NB/mm

- 1.This is only a radiological imperssion.Like other investigations, radiological investication also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3. Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- $11. Disputes, if any\ , with regard\ to\ the\ report\ findings\ are\ subject\ to\ the\ exclusive\ jurisdiction\ of\ the\ competent\ courts\ chennai\ only.$



Name	Mrs. MAYA MOHINI	ID	MED111867272
Age & Gender	41Y/F	Visit Date	Sep 28 2023 8:47AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

DR. MOHAN. B

(DMRD, DNB, EDIR, FELLOW IN CARDIAC

MRI)

CONSULTANT RADIOLOGIST