



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:48
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 2024-10-26 15:54:01
UHID/MR NO	: ALDP.0000152995	Received	: 2024-10-26 15:54:01
Visit ID	: ALDP0284072425	Reported	: 27/Oct/2024 10:08:47
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA FEM ALE ABOVE 40 YRS

ECG/EKG

	1. Machnism, R	Rhythm	Sinus, Regular	
	2. Atrial Rate		84	/mt
	3. Ventricular l	Rate	84	/mt
	4. P - Wave		Normal	
	5. P R Interval		Normal	
]	Axis : R/S Ratio : Configuration :	Normal Normal Normal	
	7. Q T c Interva	al	Normal	
	8. S - T Segmer	nt	Normal	
FINAL IMPRE		(//4L	Normal	1 4 1

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.





View Reports on







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:47
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 26/Oct/2024 12:49:18
UHID/MR NO	: ALDP.0000152995	Received	: 26/Oct/2024 14:05:47
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 15:35:51
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
res, name	nesuit	Unit	Dio. Her. Interval	methoa
Blood Group (ABO & Rh typing), Blood				
Blood Group	В			ERYTHROCYTE MAGNETIZED TEOHNOLOGY/ TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY/ TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	10.00	g/ dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRICMETHOD (CYANIDE-FREE REAGENT)
TLC (WBC) <u>DLC</u>	7,700.00	/Qumm	4000-10000	IMPEDANCE METHOD
Polymorphs (Neutrophils)	72.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	22.00	%	20-40	FLOW CYTOMETRY
Monocytes	4.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	<1-2	FLOW CYTOMETRY
Observed	30.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	



Page 2 of 13







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:47
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 26/Oct/2024 12:49:18
UHID/MR NO	: ALDP.0000152995	Received	: 26/Oct/2024 14:05:47
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 15:35:51
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	-	Mm for 1st hr.		
PCV (HCT)	32.00	%	40-54	
Platelet count				
Platelet Count	1.5	LACS' cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LOR (Platelet Large Cell Patio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.15	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBCCount				
RBC Count	4.11	Mill./cumm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	77.90	fl	80-100	CALCULATED PARAMETER
MCH	24.20	pg	27-32	CALCULATED PARAMETER
МОНС	31.10	%	30-38	CALCULATED PARAMETER
RDW-CV	16.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	52.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,544.00	/cumm	3000-7000	
Absolute Eosinophils Count (AEC)	154.00	/cumm	40-440	

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Poad, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:47
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 26/Oct/2024 12:49:17
UHID/MR NO	: ALDP.0000152995	Received	: 26/Oct/2024 14:05:48
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 16:24:58
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
GLUCOSE FASTING, Plasma Glucose Fasting	84.30		< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	99.60	mg/ dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEM OGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.30	%NGSP	HF
Glycosylated Haemoglobin (HbA1c)	34.60	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	106	mg/dl	

Interpretation:

NOTE:-

• eAG is directly related to A1c.







Page 4 of 13





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:47
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 26/Oct/2024 12:49:17
UHID/MR NO	: ALDP.0000152995	Received	: 26/Oct/2024 14:05:48
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 16:24:58
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN ((Blood	Urea	Nitrogen)
Sampl	e:Serum	1	

7.47

mg/dL 7.0-23.0

CALCULATED



Page 5 of 13

View Reports on







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH		Registere		: 26/Oct/2024 1	2:22:47
Age/Gender	: 35 Y 0 M 19 D / F		Collected		: 26/Oct/2024 1	
UHID/MR NO	: ALDP.0000152995		Received		: 26/Oct/2024 1	
Visit ID	: ALDP0284072425 : Dr. MEDIWHEEL-ARCOFE		Reported		: 26/Oct/2024 1	6:24:58
Ref Doctor	CARE LTD -		Status		: Final Report	
	D	EPARTM EN	IT OF BIOC	HEMIS	TRY	
	MEDIWHEE	BANK OF E	BARODA FI	MALE	ABOVE 40 YRS	
Test Name		Result		Unit	Bio. Ref. Interva	I Method
Interpretation: Note: Elevated B	UN levels can be seen in the f	ollowing:				
High-protein diet, I	Dehydration, Aging, Certain medi	ications, Burns,	, Gastrointest	imal (GI)) bleeding.	
Low BUN levels	can be seen in the following:					
	overhydration, Liver disease.					
Creatinine Sample:Serum		0.77	mg/dl	0.5-1	1.20	MODIFIED JAFFES
mass will have a hi absolute creatinine	single creatinine value must be ir gher creatinine concentration. The concentration. Serum creatinine hildly and may result in anomalou	e trend of serur concentrations	n creatinine c may increase	oncentra when ar	tions over time is mon ACE inhibitor (AC	re important than E) is taken. The assay
Jric Acid Cample:Serum		3.62	mg/dl	2.5-6	5.0	URICASE
Interpretation: Note:- Elevated uric acid levels can be seen in the following:						
Drugs, Diet (high-p	protein diet, alcohol), Chronic kid	lney disease, H	lypertension,	Obesity.		
JFT (WITH GAM M	IAGT), Serum					
SGOT / Aspartate	Aminotransferase (AST)	13.80	U/L	<35		IFCC WITHOUT P5P
	ninotransferase (ALT)	2.50	U/L	<40		IFCC WITHOUT P5P
Gamma GT (GGT)		7.00	IU/L	11-5		OPTIMIZED SZAZING
Protein		6.78	gm/dl	6.2-8		BIURET
Albumin		4.19 2.50	gm/dl	3.4-		B.C.G.
Globulin A:G Patio		2.59 1.62	gm/dl	1.8-3 1.1-2		CALCULATED
		1.02		1.1-2	2.0	









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:47
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 26/Oct/2024 12:49:17
UHID/MR NO	: ALDP.0000152995	Received	: 26/Oct/2024 14:05:48
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 16:24:58
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inter	rval Method
Alkaline Phosphatase (Total)	97.00	U/L	42.0-165.0	PNP/ AMP KINETIC
Bilirubin (Total)	0.39	mg/ dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.13	mg/ dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.26	mg/ dl	<0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	159.00	mg/ dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP igh
HDL Cholesterol (Good Cholesterol)	47.10	mg/ dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	96	mg/ dl	< 100 Optimal 100-129 Nr. Optimal/ Above Optir 130-159 Borderline Hi 160-189 High > 190 Very High	
VLDL	15.58	mg/ dl	10-33	CALCULATED
Triglycerides	77.90	mg/ dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP igh

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:47
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 26/Oct/2024 17:12:35
UHID/MR NO	: ALDP.0000152995	Received	: 26/Oct/2024 17:36:35
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 19:13:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEM ALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urin	ne			
Color	PALEYELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	<10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) >500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	<0.5 (+) 0.5-1.0 (++) 1-2 (+++) >2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial œlls	1-2/h.p.f			MICROSCOPIC EXAMINATION
Puscells	1-2/h.p.f			
RBCs	OCCASIONAL			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.



View Reports on







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:47
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 26/Oct/2024 17:12:35
UHID/MR NO	: ALDP.0000152995	Received	: 26/Oct/2024 17:36:35
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 19:13:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation: (+) < 0.5 (++) 0.5-1.0 (+++) 1-2 (++++) > 2				
SUGAR, PP STAGE, Urine				
Sugar, PP Stage	ABSENT			
Interpretation: (+) < 0.5 gms%				

AS

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:47
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 26/Oct/2024 12:49:17
UHID/MR NO	: ALDP.0000152995	Received	: 26/Oct/2024 14:05:48
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 15:44:05
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL, Serum				
T3, Total (tri-iodothyronine)	128.00	ng/ dl	84.61–201.7	ALD
T4, Total (Thyroxine)	7.64	ug/ dl	3.2-12.6	ALD
TSH (Thyroid Simulating Hormone)	3.530	μIU/mL	0.27 - 5.5	ALD
Interpretation:				
-		0.3-4.5 μIU/m	nL First Trimeste	r
		0.5-4.6 μIU/m	nL Second Trime	ster
		0.8-5.2 μIU/m	nL Third Trimeste	er
		0.5-8.9 μIU/m	nL Adults	55-87 Years
		0.7-27 μIU/m		28-36 Week
		2.3-13.2 μIU/m		> 37Week
		0.7-64 μIU/m		,
		1-39 μIU/		0-4 Days
		1.7-9.1 μIU/m	nL Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Poad, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:48
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 2024-10-26 12:51:05
UHID/MR NO	: ALDP.0000152995	Received	: 2024-10-26 12:51:05
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 15:50:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEM ALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:48
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 2024-10-26 13:49:05
UHID/MR NO	: ALDP.0000152995	Received	: 2024-10-26 13:49:05
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 14:46:12
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER)

LIVER: - Normal in size (14.6 cm), shape and **shows diffusely raised echotexture**. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER :- Well distended. Normal wall thickness is seen. Few calculi are seen in the gall bladder lumen largest mesuring ~ 13.9 mm in size. No evidence of focal mass lesion/pericholecystic fluid is seen.

CBD :- Normal in calibre measuring ~ 2.3 mm at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (11.7 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS :- Is normal in size (8.9 x 3.4 cm). **An ill defined Iso-hypoechoic lesion with serpentine internal vascularity showing a low resistance high velocity (RI 0.2- 0.31) flow pattern on colour doppler is seen in the endometrium and adjacent posterior myometrium. Few tiny nabothian cysts are seen in the cervix largest measuring ~ 3.6 x 4.4 mm in size.**

OVARIES :- Left ovary is normal in size 2.5 x 2.2 x 2.6 cm vol - 7.8 cc. Left ovary show multiple tiny follicles arranged peripherally with central echogenic stroma suggestive of polycystic ovarian morphology. Right ovary is bulky in size 49 x 33 mm. A well defined cystic lesion with internal septations (Fishnet appearance) measuring ~ 2.4 x 2.9 x 2.4 cm is seen in the right ovary.

ADNEXA :- No obvious adnexal pathology is seen.

HIGH RESOLUTION :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

• An ill defined Iso-hypoechoic lesion with serpentine internal vascularity showing a low resistance

Page 12 of 13









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965.0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SWATI SINGH	Registered On	: 26/Oct/2024 12:22:48
Age/Gender	: 35 Y 0 M 19 D / F	Collected	: 2024-10-26 13:49:05
UHID/MR NO	: ALDP.0000152995	Received	: 2024-10-26 13:49:05
Visit ID	: ALDP0284072425	Reported	: 26/Oct/2024 14:46:12
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

high velocity (RI 0.2-0.31) flow pattern on colour doppler is seen in the endometrium and adjacent posterior myometrium, suggestive of uterine arteriovenous malformation.

- Bulky right ovary with hemorrhagic cyst.
- Poly cystic ovarian morphology in left ovary.
- Grade I fatty changes.
- Cholelithiasis.

ADV :- MRI Pelvis for further evaluation.

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION





Dr. Aishwarya Neha (MD Radiodiagnosis

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: MRI, CT scan, DR X-ray, Ultrasound, Sonomammography, Digital Mammography, ECG (Bedside also), 2D Echo, TMT, Holter, OPG, EEG, NCV, EMG & BERA, Audiometry, BMD, PFT, Fibroscan, Bronchoscopy, Colonoscopy and Endoscopy, Allergy Testing, Biochemistry & Immunoassay, Hematology, Microbiology & Serology, Histopathology & Immunohistochemistry, Cytogenetics and Molecular Diagnostics and Health Checkups 365 Days Open

*Facilities Available at Select Location Page 13 of 13







