


Name : Mr. JAGANATHAN N
PID No. : MED110703997 **Register On** : 13/11/2021 9:51 AM
SID No. : 2322117117 **Collection On** : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male **Report On** : 13/11/2021 10:16 PM
Type : OP **Printed On** : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

HAEMATOLOGY


Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Electrical Impedance)	16.5	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	49.0	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	5.47	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	90.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	30.1	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.6	g/dL	32 - 36
RDW-CV (Derived from Impedance)	13.6	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	42.84	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	8230	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	45.81	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	41.96	%	20 - 45


DR SRIJANA RAO S P
M D Pathology
Consultant Pathologist
KMC No :104646
APPROVED BY

Name : Mr. JAGANATHAN N
PID No. : MED110703997 Register On : 13/11/2021 9:51 AM
SID No. : 2322117117 Collection On : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male Report On : 13/11/2021 10:16 PM
Type : OP Printed On : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	4.48	%	01 - 06
Monocytes (Blood/Impedance Variation & Flow Cytometry)	7.25	%	02 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.50	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.77	10 ³ / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.45	10 ³ / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.37	10 ³ / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.60	10 ³ / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10 ³ / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	238.9	10 ³ / µl	150 - 450
MPV (Blood/Derived from Impedance)	8.53	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citratd Blood/Manual Westergren Method)	4	mm/hr	0 - 20


DR SRIJANA RAO S P
MD Pathology
Consultant Pathologist
KMC No : 104646
APPROVED BY


Name : Mr. JAGANATHAN N
PID No. : MED110703997 **Register On** : 13/11/2021 9:51 AM
SID No. : 2322117117 **Collection On** : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male **Report On** : 13/11/2021 10:16 PM
Type : OP **Printed On** : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

Liver Function Test

Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.5	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.20	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.9	g/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.2	g/dL	3.5 - 5.0
Globulin (Serum/Derived)	3.70	g/dL	2.3 - 3.5
A : G Ratio (Serum/Derived)	1.14		1.1 - 2.4
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC without P5P)	30	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC without P5P)	54	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	78	U/L	56 - 119
GGT(Gamma Glutamyl Transpeptidase) (Serum/Modified IFCC)	83	U/L	< 55



VERIFIED BY




APPROVED BY

Name : Mr. JAGANATHAN N
PID No. : MED110703997 **Register On** : 13/11/2021 9:51 AM
SID No. : 2322117117 **Collection On** : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male **Report On** : 13/11/2021 10:16 PM
Type : OP **Printed On** : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	285	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	212	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the usual circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	46	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	196.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	42.4	mg/dL	< 30



VERIFIED BY




APPROVED BY

Name : Mr. JAGANATHAN N
PID No. : MED110703997 **Register On** : 13/11/2021 9:51 AM
SID No. : 2322117117 **Collection On** : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male **Report On** : 13/11/2021 10:16 PM
Type : OP **Printed On** : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Non HDL Cholesterol (Serum/Calculated)	239.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	6.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	4.6		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	4.3		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY



APPROVED BY

Name : Mr. JAGANATHAN N
PID No. : MED110703997 **Register On** : 13/11/2021 9:51 AM
SID No. : 2322117117 **Collection On** : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male **Report On** : 13/11/2021 10:16 PM
Type : OP **Printed On** : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	6.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %


Estimated Average Glucose 131.24 mg/dL
(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glyceimic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name : Mr. JAGANATHAN N
PID No. : MED110703997 **Register On** : 13/11/2021 9:51 AM
SID No. : 2322117117 **Collection On** : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male **Report On** : 13/11/2021 10:16 PM
Type : OP **Printed On** : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

Total T3 (Triiodothyronine) (Serum/CMIA)	0.70	ng/mL	0.4 - 1.81
---	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

Total T4 (Thyroxine) (Serum/CMIA)	4.00	µg/dL	4.2 - 12.0
--------------------------------------	-------------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/CMIA)	1.72	µIU/mL	0.35 - 5.50
---	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0


(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



VERIFIED BY



APPROVED BY

Name : Mr. JAGANATHAN N
PID No. : MED110703997
SID No. : 2322117117
Age / Sex : 52 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 13/11/2021 9:51 AM
Collection On : 13/11/2021 10:11 AM
Report On : 13/11/2021 10:16 PM
Printed On : 14/11/2021 1:52 PM

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour (Urine)	Yellow		
Volume (Urine)	30	mL	
Appearance (Urine)	Clear		Clear

CHEMICAL EXAMINATION

pH (Urine)	6.0		4.6 - 8.0
Specific Gravity (Urine)	1.015		1.003 - 1.030
Protein (Urine)	Negative		Negative
Glucose (Urine)	Negative		Negative
Ketones (Urine)	Negative		Negative
Leukocytes (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative



VERIFIED BY




APPROVED BY

Name : Mr. JAGANATHAN N
PID No. : MED110703997
SID No. : 2322117117
Age / Sex : 52 Year(s) / Male
Type : OP
Ref. Dr : MediWheel

Register On : 13/11/2021 9:51 AM
Collection On : 13/11/2021 10:11 AM
Report On : 13/11/2021 10:16 PM
Printed On : 14/11/2021 1:52 PM

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Bilirubin (Urine)	Negative		Negative
Blood (Urine)	Negative		Negative
Urobilinogen (Urine)	0.1	mg/dL	0.1 - 1.0
<u>Urine Microscopy Pictures</u>			
Pus Cells (Urine)	2-4	/hpf	0 - 2
Epithelial Cells (Urine)	1-2	/hpf	0 - 2
RBCs (Urine)	Nil	/hpf	0 - 1
Others (Urine)	Nil		Nil



VERIFIED BY



APPROVED BY


Name : Mr. JAGANATHAN N
PID No. : MED110703997 Register On : 13/11/2021 9:51 AM
SID No. : 2322117117 Collection On : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male Report On : 13/11/2021 10:16 PM
Type : OP Printed On : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)	'O' 'Negative'		
--	----------------	--	--

Remark: Du Negative



DR SRIJANA RAO S P
MD Pathology
Consultant Pathologist
KMC No :104646
APPROVED BY

Name : Mr. JAGANATHAN N

PID No. : MED110703997

Register On : 13/11/2021 9:51 AM

SID No. : 2322117117

Collection On : 13/11/2021 10:11 AM

Age / Sex : 52 Year(s) / Male

Report On : 13/11/2021 10:16 PM

Type : OP

Printed On : 14/11/2021 1:52 PM

Ref. Dr : MediWheel

Name : Mr. JAGANATHAN N
PID No. : MED110703997 **Register On** : 13/11/2021 9:51 AM
SID No. : 2322117117 **Collection On** : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s)/ Male **Report On** : 13/11/2021 10:16 PM
Type : OP **Printed On** : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY

BUN / Creatinine Ratio	12		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	92	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Urine Glucose - Fasting (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	161	mg/dL	70 - 140


INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose (Postprandial) (Urine - PP/GOD - POD)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	12	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	1.1	mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	7.9	mg/dL	3.5 - 7.2
---	------------	-------	-----------




VERIFIED BY



APPROVED BY

Name : Mr. JAGANATHAN N
PID No. : MED110703997 Register On : 13/11/2021 9:51 AM
SID No. : 2322117117 Collection On : 13/11/2021 10:11 AM
Age / Sex : 52 Year(s) / Male Report On : 13/11/2021 10:16 PM
Type : OP Printed On : 14/11/2021 1:52 PM
Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>IMMUNOASSAY</u>			
Prostate specific antigen - Total(PSA) (Serum/Immunometric)	0.394	ng/mL	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0



VERIFIED BY



APPROVED BY

-- End of Report --

Name	MR.JAGANATHAN N	ID	MED110703997
Age & Gender	52Y/MALE	Visit Date	13 Nov 2021
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	2.7cms
LEFT ATRIUM	:	3.2cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.1cms
(SYSTOLE)	:	2.7cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.9cms
(SYSTOLE)	:	1.3cms
POSTERIOR WALL (DIASTOLE)	:	1.0cms
(SYSTOLE)	:	1.3cms
EDV	:	74ml
ESV	:	27ml
FRACTIONAL SHORTENING	:	34%
EJECTION FRACTION	:	64%
EPSS	:	---
RVID	:	1.8cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.54 m/s	A' 0.66 m/s	NO MR
AORTIC VALVE	:	1.34 m/s		NO AR
TRICUSPID VALVE	:	E' 2.09 m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.96 m/s		NO PR

Name	MR.JAGANATHAN N	ID	MED110703997
Age & Gender	52Y/MALE	Visit Date	13 Nov 2021
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **LV DIASTOLIC DYSFUNCTION.**
- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 64%.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC, FICC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST
Kss/vp

Note:

- * **Report to be interpreted by qualified medical professional.**
- * **To be correlated with other clinical findings.**
- * **Parameters may be subjected to inter and intra observer variations.**

Name	MR.JAGANATHAN N	ID	MED110703997
Age & Gender	52Y/MALE	Visit Date	13 Nov 2021
Ref Doctor Name	MediWheel		

Name	MR.JAGANATHAN N	ID	MED110703997
Age & Gender	52Y/MALE	Visit Date	13 Nov 2021
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA	:	2.7cms
LEFT ATRIUM	:	3.2cms
AVS	:	----
LEFT VENTRICLE (DIASTOLE)	:	4.1cms
(SYSTOLE)	:	2.7cms
VENTRICULAR SEPTUM (DIASTOLE)	:	0.9cms
(SYSTOLE)	:	1.3cms
POSTERIOR WALL (DIASTOLE)	:	1.0cms
(SYSTOLE)	:	1.3cms
EDV	:	74ml
ESV	:	27ml
FRACTIONAL SHORTENING	:	34%
EJECTION FRACTION	:	64%
EPSS	:	---
RVID	:	1.8cms

DOPPLER MEASUREMENTS:

MITRAL VALVE	:	E' 0.54 m/s	A' 0.66 m/s	NO MR
AORTIC VALVE	:	1.34 m/s		NO AR
TRICUSPID VALVE	:	E' 2.09 m/s	A' - m/s	NO TR
PULMONARY VALVE	:	0.96 m/s		NO PR

Name	MR.JAGANATHAN N	ID	MED110703997
Age & Gender	52Y/MALE	Visit Date	13 Nov 2021
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.
No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **LV DIASTOLIC DYSFUNCTION.**
- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 64%.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC, FICC
SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST
Kss/vp

Note:

- * **Report to be interpreted by qualified medical professional.**
- * **To be correlated with other clinical findings.**
- * **Parameters may be subjected to inter and intra observer variations.**

Name	MR.JAGANATHAN N	ID	MED110703997
Age & Gender	52Y/MALE	Visit Date	13 Nov 2021
Ref Doctor Name	MediWheel		

Name	JAGANATHAN N	ID	MED110703997
Age & Gender	52Y/M	Visit Date	Nov 13 2021 12:00AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: ***Essentially normal study.***



DR. H.K. ANAND

DR. SHWETHA S

DR. CHARUL

DR.L.MADAN MOHAN BABU

CONSULTANT RADIOLOGISTS