

Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

Collection Time: Feb 12, 2022, 10:34 a.m. Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

Test Description	Unit(s)	Value(s)	Reference Range	
COMPLETE BLOOD COUNT(CBC)				
BLOOD COUNTS				
Hemoglobin (Hb)	12.9	g/dL	11.0 - 16.0	
RED BLOOD CELL COUNT	4.7	mil/μL	4.5 - 5.5	
WHITE BLOOD CELL COUNT	10.1	thou/μL	4.0 - 10.0	
PLATELET COUNT	516	thou/μL	150 - 410	
RBC AND PLATELET INDICES				
HEMATOCRIT	38.8	%	37 - 50	
MEAN CORPUSCULAR VOLUME (MCV)	83	fL	76 - 96	
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	27	pg	27 - 32	
MCHC	33	g/dL	30 - 35	
MEAN PLATELET VOLUM (MPV)	9.5	fL	6.0 - 9.5	
RDW-SD	43.9	fL	37 - 54	
RDW-CV	14.3	%	11.5 - 14.0	
PCT	0.49	%	0.17 - 0.40	
WBC DIFFERENTIAL COUNT				
Neutrophils	72	%	40 - 75	
Absolute Neutrophil Count	7.34	thou/μL	2.0 - 7.0	
Lymphocytes	24	%	20 - 45	
Absolute Lymphocyte Count	2.45	thou/μL	1.5 - 4.0	
Eosinophils	01	%	1 - 6	
Absolute Eosinophil Count	0.09	thou/μL	0.04 - 0.40	
Monocytes	03	%	02 - 10	
Absolute Monocyte Count	0.24	thou/μL	0.20 - 0.80	
Basophils	0	%	00 - 01	
Absolute Basophils Count	0.0	thou/μL	0.01 - 0.10	
IG%	5.2	%	0.00 - 0.5	

\*\*END OF REPORT\*\*

Belin beter test Dr. BANKIM BEHARI MOHANTY MD, PATHOLOGY



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

Collection Time: Feb 12, 2022, 10:34 a.m. Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

Test Description	Unit(s)	Value(s)	Reference Range	
ESR ( 1 hr )  ESR ( Erythrocyte Sedimentation Rate )  (EDTA Whole Blood) [ Capillary Photometry ]	62	mm/hr	< 20	

Interpretation:

High ESR is not diagnostics of any disease but just indicative of some inflammatory process. ESR is to be used to monitor outcome of therapy. Microcytic anemia can increase ESR. High ESR can also be seen in apparently healthy adults.

\*\*END OF REPORT\*\*

Schin beter test Dr. BANKIM BEHARI MOHANTY MD, PATHOLOGY



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

Collection Time: Feb 12, 2022, 10:34 a.m. Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

**Test Description** Unit(s) Value(s) Reference Range

**BLOOD GROUPING & RH TYPING** 

Blood Group (ABO typing) [ Manual-Hemagglutination ] RhD Factor (Rh Typing) [ Manual hemagglutination ]

"B"

Positive

\*\*END OF REPORT\*\*

Belin Seter test Dr. BANKIM BEHARI MOHANTY MD, PATHOLOGY



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

Collection Time: Feb 12, 2022, 10:34 a.m. Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

Test Description	Unit(s)	Value(s)	Reference Range
LIPID PROFILE.			
Cholesterol-Total [ CHOD-POD ]	156.0	mg/dL	Desirable level   < 200
			Borderline High   200-239
			High   >or = 240
riglycerides [ : GOD-POD METHOD ]	118.0	mg/dL	Normal: < 150
			Borderline High: 150-199
			High: 200-499
			Very High: >= 500
IDL Cholesterol [ Serum, Direct measure-PEG ]	25.0	mg/dL	< 40 Low
			>/=60 High
.DL Cholesterol [ Enzymatic selective protection ]	107.40	mg/dL	< 100 Optimal
			100 - 129 Near or above optimal
			130 - 159 Borderline High
			160 - 189 High
			>/= 190 Very High
Ion HDL Cholesterol	131	mg/dL	Optimal: <130
			Desirable : 130 - 150
			Border Line High: 159 - 189
			High: 189 - 220
			Very High: >=220
CHOL/HDL Ratio [ CALCULATED PARAMETER ]	6.24		3.3 - 4.4 Low Risk
			4.5 - 7.0 Average Risk
			7.1 - 11.0 Moderate Risk
			> 11.0 High Risk
DL/HDL Ratio [ CALCULATED PARAMETER ]	4.30		0.5 - 3.0 Desirable/Low Risk
			3.1 - 6.0 Borderline/Moderate Risk
			>6.0 High Risk
/ERY LOW DENSITY LIPOPROTEIN [ Serum, Enzymatic ]	23.60	mg/dL	< 20

\*\*END OF REPORT\*\*

Schin Seles teat Dr. BANKIM BEHARI MOHANTY MD, PATHOLOGY



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

Collection Time: Feb 12, 2022, 10:34 a.m. Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

Test Description	Unit(s)	Value(s)	Reference Range	
LIVED ELINCTION TEST (LET)				
LIVER FUNCTION TEST (LFT)				
Bilirubin - Total [ Serum, Jendrassik Grof ]	0.50	mg/dL	0.3 - 1.2	
Bilirubin - Direct [ Serum, Diazotization ]	0.20	mg/dL	< 0.2	
Bilirubin - Indirect [ Serum, Calculated ]	0.30	mg/dL	0.1 - 1.0	
SGOT [ Serum, UV with P5P, IFCC 37 degree ]	26.0	U/L	< 35	
SGPT [ Serum, UV with P5P, IFCC 37 degree ]	39.0	U/L	< 50	
Alkaline Phosphatase [ PNPP-AMP Buffer/Kinetic ]	49.0	U/L	30 - 120	
Total Protein [ Serum, Biuret, reagent blank end point ]	8.1	g/dL	6.6 - 8.3	
Albumin [ Serum, Bromocresol green ]	4.2	g/dL	3.2 - 4.6	
Globulin [ Serum, EIA ]	3.90	g/dL	1.8 - 3.6	
A/G Ratio [ Serum, EIA ]	1.08		1.2 - 2.2	
Gamma GT(GGT)	34	U/L	<55	

\*\*END OF REPORT\*\*

Belin Seter test Dr. BANKIM BEHARI MOHANTY MD, PATHOLOGY



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

Collection Time: Feb 12, 2022, 10:34 a.m.

Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

Test Description	Unit(s)	Value(s)	Reference Range
RENAL FUNCTION TEST (RFT)			
Urea [ Uricase ]	27.4	mg/dL	17 - 43
Blood Urea Nitrogen-BUN [ Serum, Urease ]	12.80	mg/dL	7 - 18
Creatinine [ Serum, Jaffe ]	0.67	mg/dL	0.57 - 1.11
Uric Acid [ Serum, Uricase ]	4.9	mg/dL	2.6 - 6.0
Sodium	139.3	mmol/L	136 - 149
			Premature, cord: 116-140
			Premature 48 hrs: 128-148
			Newborn cord: 126-166
			Newborn: 133-146
Potassium	4.2	mmol/L	3.8 - 5.0
			?Premature cord: 5-10.2
			Premature, 48 hrs: 3-6
			Newborn cord: 5.6-12
			Newborn: 3.7-5.9
Chlorides	105.7	mmol/L	101.00 - 109.00
Remark:			
In blood, Urea is usually reported as BUN and e	xpressed in mg/dl. BU	N mass units can be c	onverted to urea mass units by multiplying by

\*\*END OF REPORT\*\*

Dr. BANKIM BEHARI MOHANTY MD, PATHOLOGY

Belin baker teat

2.14.



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

**Collection Time :** Feb 12, 2022, 10:34 a.m. **Reporting Time :** Feb 12, 2022, 04:16 p.m.

Sample ID:

22098102

Test Description	Unit(s)	Value(s)	Reference Range	
HbA1C				
HbA1c (GLYCOSYLATED HEMOGLOBIN), BLOOD [	5.5	%	Non-diabetic: < 5.7	
(HPLC, NGSP certified) ]			Pre-diabetics: 5.7 - 6.4	
			Diabetics: $> or = 6.5$	
			ADA Target: 7.0	
			Action suggested: > 8.0	
MEAN PLASMA GLUCOSE [ HB VARIANT (HPLC) ]	111.0		< 116.0	

# Note:

- 1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled.
- 2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

### Comments

HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

## ADA criteria for correlation between HbA1c & Mean plasma glucose levels.

HbA1c(%)	Mean Plasma Glucose (mg/dL)
6	126
7	154
8	183
9	212
10	240
11	269
12	298

## Interpretation

As per American Diabetes Association (ADA)	
Reference Group	HbA1c in %
Non diabetic adults >=18 years	<5.7
At risk (Prediabetes)	5.7 - 6.4
Diagnosing Diabetes	>= 6.5



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

Collection Time: Feb 12, 2022, 10:34 a.m. Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

Test Description	Unit(s)	Value(s)	Reference Range
<u> </u>	.,	.,	
	Age > 19 yea	rs	
	Age > 19 yea Goal of theral Action sugges	oy: < 7.0	
Therapeutic goals for glycemic control	Action sugges	sted: > 8.0	
	Age < 19 yea Goal of thera	oy: <7.5	

\*\*END OF REPORT\*\*

Believ Seter teaf Dr. BANKIM BEHARI MOHANTY MD, PATHOLOGY



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

Collection Time: Feb 12, 2022, 10:34 a.m. Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

Test Description	Unit(s)	Value(s)	Reference Range	
Routine Examination Of Urine				
General Examination				
Colour	PALE YELLOW		Pale Yellow	
Transparency (Appearance)	Slightly Hazy		Clear	
Deposit	Absent		Absent	
Reaction (pH)	Acidic 6.0		4.5 - 7.0	
Specific gravity	1.010		1.005 - 1.030	
Chemical Examination				
Urine Protein (Albumin)	NIL		Absent	
Urine Glucose (Sugar)	NIL		Absent	
Microscopic Examination				
Red blood cells	NIL	/hpf	1 - 2	
Pus cells (WBCs)	6 - 8/HPF	/hpf	1 - 2	
Epithelial cells	10 - 12 /HPF	/hpf	0-4	
Crystals	Absent		Absent	
Cast	Absent		Absent	
Bacteria	Present(Few)		Absent	
Yeast cells	Absent		Absent	
Others	Nil			

\*\*END OF REPORT\*\*

Dr. BANKIM BEHARI MOHANTY MD, PATHOLOGY

Schon Seles test

Referral: SELF



leading you to better treatment

Patient Name: MRS. DEBASMITA TRIPATHY

Collection Time: Feb 12, 2022, 10:34 a.m. Age / Gender: 29 years / Female

Patient ID: 8880 Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

Test Description	Unit(s) Value(s)		Reference Range
THYROID PANEL, SERUM			
T3 [ ELECTROCHEMILUMINESCENCE ]	108.0	ng/dl	80 - 200
T4 [ ELECTROCHEMILUMINESCENCE ]	8.11	ug/dL	5.1 - 14.1
TSH 3RD GENERATION [ ELECTROCHEMILUMINESCENC	E] 5.69	uIU/ml	0.27 - 4.20

Specimen Type: Serum

Interpretation:

#### Reference:

1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R. Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006, 563,

1314-1315.

2. Wallach's Interpretation of Diagnostic tests, 9th Edition, Ed Mary A Williamson and L Michael Snyder. Pub Lippincott Williams and Wilkins, 2011, 234-235.

THYROID PANEL, SERUMTriiodothyronine T3, is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and

heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated

concentrations of T3, and T4 in the blood inhibit the production of TSH.

Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is hyperthyroidism,

and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is

free and biologically active.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3

Levels in	TOTAL T4	TSH3G	TOTAL T3
Pregnancy	(µg/dL)	(µIU/mL)	(ng/dL)
First Trimester	6.6 - 12.4	0.1 - 2.5	81 - 190
2nd Trimester	6.6 - 15.5	0.2 - 3.0	100 - 260
3rd Trimester	6.6 - 15.5	0.3 - 3.0	100 - 260

Below mentioned are the guidelines for age related reference ranges for T3 and T4.

T3 T4 (ng/dL)  $(\mu g/dL)$ New Born: 75 - 260 1-3 day: 8.2 - 19.9 . 1 Week: 6.0 - 15.9

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well

documented in the pediatric population including the infant age group.

Kindly note: Method specific reference ranges are appearing on the report under biological reference range

\*\*END OF REPORT\*\*



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

**Collection Time :** Feb 12, 2022, 10:34 a.m. **Reporting Time :** Feb 12, 2022, 04:16 p.m.

Sample ID:

22098102

Test Description Unit(s) Value(s) Reference Range

Dr. BANKIM BEHARI MOHANTY
MD, PATHOLOGY



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

**Collection Time :** Feb 12, 2022, 10:34 a.m. **Reporting Time :** Feb 12, 2022, 04:16 p.m.

Sample ID:

22098102

Test Description	Unit(s)	Value(s)	Reference Range
BLOOD GLUCOSE ( FASTING)			
Glucose fasting [Fluoride Plasma-F, Hexokinase]	94.0	mg/dL	Normal: 70-110 Impaired Tolerance: 110 - 125 Diabetes mellitus: >= 126 (on more than one occassion) (American diabetes association guidelines 2018)
Urine Fasting	Absent		,

\*\*END OF REPORT\*\*

Dr. BANKIM BEHARI MOHANTY
MD, PATHOLOGY



Patient Name: MRS. DEBASMITA TRIPATHY

Age / Gender: 29 years / Female

Patient ID: 8880

Referral: SELF

**Collection Time :** Feb 12, 2022, 10:34 a.m.

Reporting Time: Feb 12, 2022, 04:16 p.m.

Sample ID:

22098102

Test Description	Unit(s)	Value(s)	Reference Range	
BLOOD GLUCOSE ( PP ) Blood Glucose-Post Prandial [ Hexokinase ] Urine Post Prandial	<b>152.0</b> Absent	mg/dL	70 - 140	

\*\*END OF REPORT\*\*

**Dr. BANKIM BEHARI MOHANTY** MD, PATHOLOGY

Schon Seter teaf

Home Blood Collection & OPD Facilities Available