
12 Lea	Ţ QRS	שי	AXIS	QTc	ផ្ទ	QRSD	PR		Rate
ıd; Stai	110	43	Ϊ	393	381	93	143		64
12 Lead; Standard Placement Unconfirmed Diagnosis	- BORDERLINE ECG -	w		~		w		. Borderline T abnormalities, inferior leads flat/neg, II III aVF	Sinus rhythm
agnosis								leg, II	V-rate
							ŝ	III aVF	50- 99





EYE GLASS PRESCRIPTION

Name : Age : Gender :	178 1-6		Ka_S Emplo	oyee ID:	babu 568105 09/12/3	
Vn (unalded) PGP		6/18p	Glisp			
		SPH	CYL	AXIS	BCVA	
Distance	OD	1.00	0.75	96	6/9	601.10
	os	1.00	0.76	90	6/9	SPLNI
Ado	1	75 NG	-75 @ ·38U	Sin	/ ogressive	lear
Remarks:		CV	· Morn	nal	V-Coating Sites P Sites P	Vt.ltd. * BAH
					Signa	ture

C 040-35353535 ⊕ www.yodadiagnostics.com helpdesk@yodalifeline.in Poor No 6-3-862/A, Lal Bungalow add-on, Ameerpet, Hyderabad, 500 016.
Our Branches at: KPHB PHASE III I MADINAGUDA I VIZAG



Name: M8 Talaka Date: 09/12/23 Address: Hyde	Age :49.	Sex : ☑M	ale 🗆 Female
R			TEMP : B.P : PULSE:
Has came for	general sy	e Essamme	
No 410 Dm and	HCM		
No Holo glasses not	braughy		
SLAT lamp Erec			
i, ob Www L	Mormal		
= . 0 (s while 2	rksmal		
·. cV	Normal	Stics Pvt./fg. *	
		O TOPOL	













Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

 DOB
 : 12/Dec/1974
 Registration
 : 09/Dec/2023 10:38AM

 Ref Doctor
 : SELF
 Collected
 : 09/Dec/2023 10:45AM

 Client Name
 : MEDI WHEELS
 Received
 : 09/Dec/2023 11:15AM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 11:37AM

Hospital Name :

DEPARTMENT OF HAEMATOLOGY					
Test Name	Result	Unit	Biological Ref. Range	Method	

ESR (ERYTHROCYTE SEDIMENTATION RATE)						
Sample Type : WHOLE BLOOD EDTA						
ERYTHROCYTE SEDIMENTATION RATE	5	mm/1st hr	0 - 15	Capillary Photometry		

COMMENTS:

ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.

Increased levels may indicate: Chronic renal failure (e.g., nephritis, nephrosis), malignant diseases (e.g., multiple myeloma, Hodgkin disease, advanced Carcinomas), bacterial infections (e.g., abdominal infections, acute pelvic inflammatory disease, syphilis, pneumonia), inflammatory diseases (e.g. temporal arteritis, polymyalgia rheumatic, rheumatoid arthritis, rheumatic fever, systemic lupus erythematosus [SLE]), necrotic diseases (e.g., acute myocardial infarction, necrotic tumor, gangrene of an extremity), diseases associated with increased proteins (e.g., hyperfibrinogenemia, macroglobulinemia), and severe anemias (e.g., iron deficiency or B12 deficiency).

Falsely decreased levels may indicate: Sickle cell anemia, spherocytosis, hypofibrinogenemia, or polycythemia vera.

Verified By:
M Thirumalesh Reddy

CONTACT US



Approved By:

DR PRANITHA ANAPINDI MD , CONSULTANT PATHOLOGIST

Page 1 of 17







Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB : 12/Dec/1974 Registration : 09/Dec/2023 10:38AM Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM : MEDI WHEELS Client Name Received : 09/Dec/2023 11:15AM : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 11:16AM Client Add

Hospital Name :

DEPARTMENT OF HAEMATOLOGY					
Test Name	Result	Unit	Biological Ref. Range	Method	

CBC(COMPLETE BLOOD COUNT)					
Sample Type : WHOLE BLOOD EDTA					
HAEMOGLOBIN (HB)	14.9	g/dl	13.0 - 17.0	Cyanide-free SLS method	
RBC COUNT(RED BLOOD CELL COUNT)	5.98	million/cmm	4.50 - 5.50	Impedance	
PCV/HAEMATOCRIT	47.2	%	40.0 - 50.0	RBC pulse height detection	
MCV	78.9	fL	83 - 101	Automated/Calculated	
MCH	24.9	pg	27 - 32	Automated/Calculated	
MCHC	31.6	g/dl	31.5 - 34.5	Automated/Calculated	
RDW - CV	12.7	%	11.0-16.0	Automated Calculated	
RDW - SD	36.5	fl	35.0-56.0	Calculated	
MPV	9.9	fL	6.5 - 10.0	Calculated	
PDW	11	fL	8.30-25.00	Calculated	
PCT	0.25	%	0.15-0.62	Calculated	
TOTAL LEUCOCYTE COUNT	6,630	cells/ml	4000 - 11000	Flow Cytometry	
DLC (by Flow cytometry/Microscopy)					
NEUTROPHIL	43.7	%	40 - 80	Impedance	
LYMPHOCYTE	44.3	%	20 - 40	Impedance	
EOSINOPHIL	5	%	01 - 06	Impedance	
MONOCYTE	6.5	%	02 - 10	Impedance	
BASOPHIL	0.5	%	0 - 1	Impedance	
PLATELET COUNT	2.55	Lakhs/cumm	1.50 - 4.10	Impedance	

Verified By:
M Thirumalesh Reddy



Approved By:

DR PRANITHA ANAPINDI MD , CONSULTANT PATHOLOGIST







Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB Registration : 12/Dec/1974 : 09/Dec/2023 10:38AM : 09/Dec/2023 10:45AM Ref Doctor : SELF Collected : MEDI WHEELS Client Name Received : 09/Dec/2023 11:32AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

THYROID PROFILE (T3,T4,TSH)					
Sample Type : SERUM					
T3	1.27	ng/ml	0.60 - 1.78	CLIA	
T4	10.14	ug/dl	4.82-15.65	CLIA	
TSH	2.99	ulU/mL	0.30 - 5.60	CLIA	

INTERPRETATION:

- 1. Serum T3, T4 and TSH are the measurements form three components of thyroid screening panel and are useful in diagnosing various disorders of thyroid gland function.
- 2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.
- 3. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.
- 4. Normal T4 levels accompanied by high T3 levels are seen in patients with T3 thyrotoxicosis. Slightly elevated T3 levels may be found in pregnancy and in estrogen therapy while depressed levels may be encountered in severe illness, malnutrition, renal failure and during therapy with drugs like propanolol and propylthiouracil.
- 5. Although elevated TSH levels are nearly always indicative of primary hypothyroidism, rarely they can result from TSH secreting pituitary tumors (secondary hyperthyroidism).
- 6. Low levels of Thyroid hormones (T3, T4 & FT3, FT4) are seen in cases of primary, secondary and tertiary hypothyroidism and sometimes
- in non-thyroidal illness also.
 7. Increased levels are found in Grave's disease, hyperthyroidism and thyroid hormone resistance.
- 8. TSH levels are raised in primary hypothyroidism and are low in hyperthyroidism and secondary hypothyroidism.
- 9. REFERENCE RANGE

PREGNANCY	TSH in uIU/ mL
1st Trimester	0.60 - 3.40
2nd Trimester	0.37 - 3.60
3rd Trimester	0.38 - 4.04

(References range recommended by the American Thyroid Association)

Comments:

- 1. During pregnancy, Free thyroid profile (FT3, FT4 & TSH) is recommended.
- 2. TSH levels are subject to circadian variation, reaches peak levels between 2-4 AM and at a minimum between 6-10 PM. The variation of the day has influence on the measured serum TSH concentrations.

Verified By:
M Thirumalesh Reddy











Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 1083420

 Age/Gender
 : 48 Y 11 M 27 D /M
 Barcode No
 : 10834205

 DOB
 : 12/Dec/1974
 Registration
 : 09/Dec/2023 10:38AM

 Ref Doctor
 : SELF
 Collected
 : 09/Dec/2023 10:45AM

Client Name : MEDI WHEELS Received : 09/Dec/2023 11:32AM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

	LIVER FUNCTION TEST(LFT)					
Sample Type : SERUM						
TOTAL BILIRUBIN	1.04	mg/dl	0.3 - 1.2	JENDRASSIK & GROFF		
CONJUGATED BILIRUBIN	0.20	mg/dl	0 - 0.2	DPD		
UNCONJUGATED BILIRUBIN	0.84	mg/dl		Calculated		
S.G.O.T	24	U/L	< 50	KINETIC WITHOUT P5P- IFCC		
S.G.P.T	24	U/L	< 50	KINETIC WITHOUT P5P- IFCC		
ALKALINE PHOSPHATASE	85	U/L	30 - 120	IFCC-AMP BUFFER		
TOTAL PROTEINS	7.2	gm/dl	6.6 - 8.3	Biuret		
ALBUMIN	4.2	gm/dl	3.5 - 5.2	BCG		
GLOBULIN	3	gm/dl	2.0 - 3.5	Calculated		
A/G RATIO	1.40			Calculated		

Verified By:
M Thirumalesh Reddy











Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB : 12/Dec/1974 Registration : 09/Dec/2023 10:38AM Ref Doctor : SELF : 09/Dec/2023 10:45AM Collected : MEDI WHEELS Client Name Received : 09/Dec/2023 11:32AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

LIPID PROFILE					
Sample Type : SERUM					
TOTAL CHOLESTEROL	172	mg/dl	Refere Table Below	Cholesterol oxidase/peroxidase	
H D L CHOLESTEROL	41	mg/dl	> 40	Enzymatic/ Immunoinhibiton	
L D L CHOLESTEROL	118.8	mg/dl	Refere Table Below	Enzymatic Selective Protein	
TRIGLYCERIDES	61	mg/dl	See Table	GPO	
VLDL	12.2	mg/dl	15 - 30	Calculated	
T. CHOLESTEROL/ HDL RATIO	4.20	11	Refere Table Below	Calculated	
TRIGLYCEIDES/ HDL RATIO	1.49	Ratio	< 2.0	Calculated	
NON HDL CHOLESTEROL	131	mg/dl	< 130	Calculated	

Interpretation				
NATIONAL LIPID ASSOCIATION RECOMMENDATIONS (NLA-2014)	TOTAL CHOLESTEROL	TRI GLYCERI DE	LDL CHOLESTEROL	NON HDL CHOLESTEROL
Optimal Optimal	<200	<150	<100	<130
Above Optimal	-	/ -	100-129	130 - 159
Borderline High	200-239	150-199	130-159	160 - 189
High	>=240	200-499	160-189	190 - 219
Very High	-	>=500	>=190	>=220

REMARKS	Cholesterol : HDL Ratio
Low risk	3.3-4.4
Average risk	4.5-7.1
Moderate risk	7.2-11.0
High risk	>11.0

Note

- 1.Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL& LDL Cholesterol
- 2. NLA-2014 identifies Non HDL Cholesterol(an indicator of all atherogenic lipoproteins such as LDL , VLDL, IDL, Lpa, Chylomicron remnants)along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL &Non HDL.
- 3.Apolipoprotein B is an optional, secondary lipid target for treatment once LDL & Non HDL goals have been achieved
- 4. Additional testing for Apolipoprotein B, hsCRP, Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement

Verified By:
M Thirumalesh Reddy











Patient Name : Mr. TALAKA SURESH BABU Client Code : 1409

 Age/Gender
 : 48 Y 11 M 27 D /M
 Barcode No
 : 10834205

 DOB
 : 12/Dec/1974
 Registration
 : 09/Dec/2023 10:38AM

Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM

Client Name : MEDI WHEELS Received : 09/Dec/2023 11:32AM
Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

PSA (PROSTATE SPECIFIC ANTIGEN) - TOTAL						
Sample Type : SERUM						
PROSTATE SPECIFIC ANTIGEN	1.362	ng/mL	< 4.0		CLIA	

INTERPRETATION:

Raised Total PSA levels may indicate prostate cancer, benign prostate hypertation (BPH), or inflammation of the prostate. Prostate manipulation by biopsy or rigorous physical activity may temporarily elevate PSA levels. The blood test should be done before surgery or six weeks after manipulation. The total PSA may be ordered at regular intervals during treatment of men who have been diagnosed with Prostate cancer and in prostatic cancer cases under observation.

Verified By : M Thirumalesh Reddy







Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB : 12/Dec/1974 Registration : 09/Dec/2023 10:38AM Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM : MEDI WHEELS Client Name Received : 09/Dec/2023 11:32AM Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

BLOOD UREA NITROGEN (BUN)						
Sample Type : Serum						
SERUM UREA	22	mg/dL	13 - 43	Urease GLDH		
Blood Urea Nitrogen (BUN)	10.3	mg/dl	5 - 25	GLDH-UV		

Increased In:

Impaired kidney function, Reduced renal blood flow {CHF, Salt and water depletion, (vomiting, diarrhea, diuresis, sweating), Shock}, Any obstruction of urinary tract, Increased protein catabolism, AMI, Stress

Decreased In:

Diuresis (e.g. with over hydration), Severe liver damage, Late pregnancy, Infancy, Malnutrition, Diet (e.g., low-protein and high-carbohydrate, IV feedings only), Inherited hyperammonemias (urea is virtually absent in blood)

Limitations:

Urea levels increase with age and protein content of the diet.

Verified By : M Thirumalesh Reddy











Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

 DOB
 : 12/Dec/1974
 Registration
 : 09/Dec/2023 10:38AM

 Ref Doctor
 : SELF
 Collected
 : 09/Dec/2023 10:45AM

 Client Name
 : MEDI WHEELS
 Received
 : 09/Dec/2023 11:32AM

Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

FBS (GLUCOSE FASTING)					
Sample Type : FLOURIDE PLASMA					
FASTING PLASMA GLUCOSE	140	mg/dl	70 - 100	HEXOKINASE	

INTERPRETATION:

Increased In

- Diabetes Mellitus
- Stress (e.g., emotion, burns, shock, anesthesia)
- Acute pancreatitis
- Chronic pancreatitis
- Wernicke encephalopathy (vitamin B1 deficiency)
- Effect of drugs (e.g. corticosteroids, estrogens, alcohol, phenytoin, thiazides)

Decreased In

- Pancreatic disorders
- Extrapancreatic tumors
- Endocrine disorders
- Malnutrition
- Hypothalamic lesions
- Alcoholism
- Endocrine disorders

Verified By:
M Thirumalesh Reddy

CONTACT US



Approved By:



Page 8 of 17







Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB : 12/Dec/1974 Registration : 09/Dec/2023 10:38AM Ref Doctor : SELF Collected : 09/Dec/2023 03:16PM Client Name : MEDI WHEELS Received : 09/Dec/2023 03:51PM : 09/Dec/2023 04:23PM Client Add : F-701, Lado Sarai, Mehravli, N Reported

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

PPBS (POST PRANDIAL GLUCOSE)						
Sample Type : FLOURIDE PLASMA						
POST PRANDIAL PLASMA GLUCOSE	299	mg/dl	<140		HEXOKINASE	

INTERPRETATION:

<u>Increased In</u>

- Diabetes Mellitus
- Stress (e.g., emotion, burns, shock, anesthesia)
- Acute pancreatitis
- Chronic pancreatitis
- Wernicke encephalopathy (vitamin B1 deficiency)
- Effect of drugs (e.g. corticosteroids, estrogens, alcohol, phenytoin, thiazides)

Decreased In

- Pancreatic disorders
- Extrapancreatic tumors
- Endocrine disorders
- Malnutrition
- Hypothalamic lesions
- Alcoholism
- Endocrine disorders

Verified By:
M Thirumalesh Reddy











Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB : 12/Dec/1974 : 09/Dec/2023 10:38AM Registration Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM : MEDI WHEELS : 09/Dec/2023 11:32AM Client Name Received Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

SERUM CREATININE					
Sample Type : SERUM					
SERUM CREATININE	0.87	mg/dl	0.67 - 1.17	KINETIC-JAFFE	

Increased In:

- Diet: ingestion of creatinine (roast meat), Muscle disease: gigantism, acromegaly,
- Impaired kidney function.

Decreased In:

- Pregnancy: Normal value is 0.4-0.6 mg/dL. A value >0.8 mg/dL is abnormal and should alert the clinician to further diagnostic evaluation.
- Creatinine secretion is inhibited by certain drugs (e.g., cimetidine, trimethoprim).

Verified By : M Thirumalesh Reddy











Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 1083420

 Age/Gender
 : 48 Y 11 M 27 D /M
 Barcode No
 : 10834205

 DOB
 : 12/Dec/1974
 Registration
 : 09/Dec/2023 10:38AM

Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM

Client Name : MEDI WHEELS Received : 09/Dec/2023 11:32AM
Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY					
Test Name Result Unit Biological Ref. Range Meth				Method	

GGT (GAMMA GLUTAMYL TRANSPEPTIDASE)					
Sample Type : SERUM					
GGT		31	U/L	0 - 55.0	KINETIC-IFCC

INTERPRETATION:

GGT functions in the body as a transport molecule, helping to move other molecules around the body. It plays a significant role in helping the liver metabolize drugs and other toxins. Increased GGT include overuse of alcohol, chronic viral hepatitis, lack of blood flow to the liver, liver tumor, cirrhosis, or scarred liver, overuse of certain drugs or other toxins, heart failure, diabetes, pancreatitis, fatty liver disease.

Verified By : M Thirumalesh Reddy











Patient Name : Mr. TALAKA SURESH BABU Client Code : 1409 Age/Gender : 48 Y 11 M 27 D /M Barcode No : 10834205

DOB : 12/Dec/1974 : 09/Dec/2023 10:38AM Registration Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM

: MEDI WHEELS : 09/Dec/2023 11:32AM Client Name Received Client Add : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM

Hospital Name

DEPARTMENT OF BIOCHEMISTRY					
Test Name	Result	Unit	Biological Ref. Range	Method	

5 mg/d	3.5 - 7.20	URICASE - PAP
	5 mg/c	5 mg/dl 3.5 - 7.20

Interpretation

Uric acid is the final product of purine metabolism in the human organism. Uric acid measurements are used in the diagnosis and treatment of numerous renal and metabolic disorders, including renal failure, gout, leukemia, psoriasis, starvation or other wasting conditions, and of patients receiving cytotoxic drugs.

Verified By: M Thirumalesh Reddy

K. Deepthi





Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB : 12/Dec/1974 Registration : 09/Dec/2023 10:38AM Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM : MEDI WHEELS Client Name Received : 09/Dec/2023 11:32AM : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 12:26PM Client Add

Hospital Name :

DEPARTMENT OF BIOCHEMISTRY				
Test Name	Result	Unit	Biological Ref. Range	Method

BUN/CREATININE RATIO					
Sample Type : SERUM					
Blood Urea Nitrogen (BUN)	10.3	mg/dl	5 - 25	GLDH-UV	
SERUM CREATININE	0.87	mg/dl	0.67 - 1.17	KINETIC-JAFFE	
BUN/CREATININE RATIO	11.81	Ratio	6 - 25	Calculated	

Verified By : M Thirumalesh Reddy







Visit ID : YOD568105

Patient Name : Mr. TALAKA SURESH BABU

Age/Gender : 48 Y 11 M 27 D /M

DOB : 12/Dec/1974
Ref Doctor : SELF

Client Name : MEDI WHEELS

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name :

UHID/MR No : YOD.0000548217

Client Code : 1409

Barcode No : 10834205

Registration : 09/Dec/2023 10:38AM Collected : 09/Dec/2023 10:38AM

Received :

Reported : 09/Dec/2023 12:55PM

DEPARTMENT OF RADIOLOGY

2D ECHO DOPPLER STUDY

MITRAL VALVE : Normal

AORTIC VALVE : Normal

TRICUSPID VALVE : Normal

PULMONARY VALVE : Normal

RIGHT ATRIUM : Normal

RIGHT VENTRICLE : Normal

LEFT ATRIUM : 3.7 cms

LEFT VENTRICLE

EDD: 4.0 cm IVS(d):1.2 cm LVEF:64 % ESD: 2.5 cm PW (d):1.2 cm FS :32 %

No RWMA

IAS : Intact

IVS : Intact

AORTA : 2.4cms

PULMONARY ARTERY : Normal

PERICARDIUM : Normal

IVS/ SVC/ CS : Normal

Verified By: M Thirumalesh Reddy







Visit ID : YOD568105

Patient Name : Mr. TALAKA SURESH BABU

Age/Gender : 48 Y 11 M 27 D /M

DOB : 12/Dec/1974 Ref Doctor : SELF

: MEDI WHEELS Client Name

Client Add : F-701, Lado Sarai, Mehravli, N

Hospital Name

UHID/MR No : YOD.0000548217

: 1409 Client Code

Barcode No : 10834205

Registration : 09/Dec/2023 10:38AM

Collected : 09/Dec/2023 10:38AM

Received

Reported : 09/Dec/2023 12:55PM

DEPARTMENT OF RADIOLOGY

PULMONARY VEINS : Normal

INTRA CARDIAC MASSES: No

DOPPLER STUDY:

: E 0.9 m/sec, A 0.8 m/sec. MITRAL FLOW

AORTIC FLOW : 1.0m/sec

PULMONARY FLOW : 0.9m/sec

TRICUSPID FLOW : NORMAL

COLOUR FLOW MAPPING: TRIVIAL TR

IMPRESSION:

- * OCCASIONAL ECTOPICS NOTED DURING STUDY
- * MILD CONCENTRIC LVH+
- * NO RWMA OF LV
- * NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV FILLING PATTERN
- * TRIVIAL TR
- * NO PE / CLOT / PAH

Verified By: M Thirumalesh Reddy











Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB : 12/Dec/1974 Registration : 09/Dec/2023 10:38AM Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM : MEDI WHEELS Client Name Received : 09/Dec/2023 01:21PM : F-701, Lado Sarai, Mehravli, N Reported : 09/Dec/2023 03:53PM Client Add

Hospital Name :

DEPARTMENT OF CLINICAL PATHOLOGY					
Test Name	Result	Unit	Biological Ref. Range	Method	

	CUE (COMPLETE U	RINE EXAMIN	ATION)	
Sample Type : SPOT URINE				
PHYSICAL EXAMINATION				
TOTAL VOLUME	20 ML	ml		
COLOUR	PALE YELLOW	\wedge		
APPEARANCE	CLEAR			
SPECIFIC GRAVITY	1.010	\ \	1.003 - 1.035	Bromothymol Blue
CHEMICAL EXAMINATION				
pН	5.5		4.6 - 8.0	Double Indicator
PROTEIN	NEGATIVE		NEGATIVE	Protein - error of Indicators
GLUCOSE(U)	NEGATIVE		NEGATIVE	Glucose Oxidase
UROBILINOGEN	0.1	mg/dl	< 1.0	Ehrlichs Reaction
KETONE BODIES	NEGATIVE	//	NEGATIVE	Nitroprasside
BILIRUBIN - TOTAL	NEGATIVE		Negative	Azocoupling Reaction
BLOOD	NEGATIVE		NEGATIVE	Tetramethylbenzidine
LEUCOCYTE	NEGATIVE		Negative	Azocoupling reaction
NITRITE	NEGATIVE		NEGATIVE	Diazotization Reaction
MICROSCOPIC EXAMINATION	·			·
PUS CELLS	4-5	cells/HPF	0-5	
EPITHELIAL CELLS	2-3	/hpf	0 - 15	
RBCs	NIL	Cells/HPF	Nil	
CRYSTALS	NIL	Nil	Nil	
CASTS	NIL	/HPF	Nil	
BUDDING YEAST	NIL		Nil	
BACTERIA	NIL		Nil	
OTHER	NIL			

Verified By :
M Thirumalesh Reddy



Approved By:

DR PRANITHA ANAPINDI MD , CONSULTANT PATHOLOGIST







Patient Name: Mr. TALAKA SURESH BABUClient Code: 1409Age/Gender: 48 Y 11 M 27 D /MBarcode No: 10834205

DOB : 12/Dec/1974 Registration : 09/Dec/2023 10:38AM Ref Doctor : SELF Collected : 09/Dec/2023 10:45AM : MEDI WHEELS Client Name Received : 09/Dec/2023 01:21PM Reported : F-701, Lado Sarai, Mehravli, N : 09/Dec/2023 03:53PM Client Add

Hospital Name :

DEPARTMENT OF CLINICAL PATHOLOGY					
Test Name	Result	Unit	Biological Ref. Range	Method	

*** End Of Report ***

Verified By:
M Thirumalesh Reddy

DR PRANITHA ANAPINDI MD , CONSULTANT PATHOLOGIST



DEPARTMENT OF RADIOLOGY								
Patient Name	Mr. TALAKA SURESH BABU	Visit ID	YOD568105	Registration Date	09-12-2023 10:38 AM			
Age / Gender	48/MALE	UHID	YOD.0000548217	Collection Date	09-12-2023 10:38 AM			
Ref Doctor	SELF	Hospital Name		Received Date				
Barcode	10834205	Sample Type		Reported Date	09-12-2023 01:18 PM			

X-RAY CHEST PA VIEW

FINDINGS:

Trachea is midline.

Mediastinal outline, and cardiac silhouette are normal.

Bilateral lung fields show normal vascular pattern with no focal lesion.

Bilateral hila are normal in density.

Bilateral costo-phrenic angles and domes of diaphragms are normal.

The rib cage and visualized bones appear normal.

IMPRESSION:

· No significant abnormality detected.

*** End Of Report ***

Suggested clinical correlation & follow up



Approved by

S. SHRAVAN KUMAR (DNB) CONSULTANT RADIOLOGIST



Yoda Diagnostics Pvt Ltd,