Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name Age/Gender UHID/MR NO Visit ID Ref Doctor	: Mr.SANDEEP KUMAR S : 40 Y 10 M 14 D /M : IDCD.0000160568 : IDCD0320922223 : Dr.Mediwheel - Arcofe		Registered O Collected Received Reported Status	n : 11/Dec/2022 0 : 11/Dec/2022 0 : 11/Dec/2022 1 : 11/Dec/2022 1 : Final Report	8: 48: 51 D: 03: 00
		DEPARTMENT ( HEEL BANK OF B			
Test Name		Result	Unit	Bio. Ref. Interval	Method
Blood Group (A	BO & Rh typing) * , Bloo	d			
Blood Group		0			
Rh (Anti-D)		POSITIVE			
. ,					
-	d Count (CBC) * , Whole B				
Haemoglobin		16.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>		5,900.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Ne	utrophils)	55.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	•	40.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes		4.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils		1.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils <b>ESR</b>		0.00	%	< 1	ELECTRONIC IMPEDANCE
Observed		6.00	Mm for 1st hr.		
Corrected		0.00	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count		50.00	%	40-54	
Platelet Count		1.50	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPI
PDW (Platelet Di	stribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet La	arge Cell Ratio)	57.90	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Her	matocrit)	0.16	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Plat RBC Count	elet Volume)	14.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count		5.40	Mill./cumm	4.2-5.5	ELECTRONIC IMPEDANCE

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:45
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 08:48:51
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 10:03:00
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 13:09:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF HAEMATOLOGY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	85.10	fl	80-100	CALCULATED PARAMETER
MCH	30.00	pg	28-35	CALCULATED PARAMETER
MCHC	35.20	%	30-38	CALCULATED PARAMETER
RDW-CV	13.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,245.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	59.00	/cu mm	40-440	



Dr. Shoaib Irfan (MBBS, MD, PDCC)

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:45
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 11:53:12
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 12:54:25
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 13:50:42
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING, Plasma				
Glucose Fasting	91.80	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

108.00	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD
		200 2100000	
	108.00	108.00 mg/dl	140-199 Pre-diabetes

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.



Dr. Shoaib Irfan (MBBS, MD, PDCC)

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:46
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 08:48:51
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 12:39:57
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 15:42:58
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** , EDTA BLOOD				
Glycosylated Haemoglobin (HbA1c)	5.60	% NGSP		HPLC (NGSP)	
Glycosylated Haemoglobin (HbA1c)	38.00	mmol/mol/IFCC			

mg/dl

#### Interpretation:

#### NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

114

• eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B. : Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:46
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 08:48:51
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 12:39:57
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 15:42:58
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
restiname	Result	Unit	DIO. REI. Interval	Method


c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name Age/Gender UHID/MR NO Visit ID Ref Doctor	: Mr.SANDEEP KUMAR SING : 40 Y 10 M 14 D /M : IDCD.0000160568 : IDCD0320922223 : Dr.Mediwheel - Arcofemi		Registered On Collected Received Reported Status	: 11/Dec/2022 08:31: : 11/Dec/2022 08:48: : 11/Dec/2022 10:30: : 11/Dec/2022 11:38: : Final Report	51 23
			OF BIOCHEMIST		
Test Name	MEDIWHE	EL BANK OF BA Result	ARODA MALE A	BOVE 40 YRS Bio. Ref. Interval	Method
lest Maine		Result	Unit		Method
BUN (Blood Urea I Sample:Serum	Nitrogen)	9.57	mg/dL	7.0-23.0	CALCULATED
<b>Creatinine</b> Sample:Serum		0.94	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum		5.84	mg/dl	3.4-7.0	URICASE
LFT (WITH GAM	MA GT) * , Serum				
	tase (Total) :) <b>MINI )</b> , <i>Serum</i>	60.40 107.60 32.20 6.95 4.06 2.89 1.40 145.98 0.44 0.16 0.28	U/L U/L gm/dl gm/dl gm/dl U/L mg/dl mg/dl mg/dl	< 35 < 40 11-50 6.2-8.0 3.8-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30 < 0.8	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIRUET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF JENDRASSIK & GROF
·	(Good Cholesterol)	47.90 112	mg/dl mg/dl	<ul> <li>200-239 Borderline High</li> <li>240 High</li> <li>30-70</li> <li>100 Optimal</li> <li>100-129 Nr.</li> <li>Optimal/Above Optimal</li> <li>130-159 Borderline High</li> <li>160-189 High</li> <li>190 Very High</li> </ul>	DIRECT ENZYMATIC CALCULATED
VLDL Triglycerides		30.64 153.20	mg/dl mg/dl	<ul> <li>100 very high</li> <li>10-33</li> <li>150 Normal</li> <li>150-199 Borderline High</li> <li>200-499 High</li> </ul>	CALCULATED GPO-PAP

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:46
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 08:48:51
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 10:30:23
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 11:38:40
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

**Test Name** 

Result

Unit

Bio. Ref. Interval Method

>500 Very High



Dr. Shoaib Irfan (MBBS, MD, PDCC)

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:46
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 11:47:28
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 12:27:36
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 13:16:39
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RINE EXAMINATION, ROUTINI				
Color	PALE YELLOW			
Specific Gravity	1.030			
Reaction PH	Acidic (6.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Gugor		ama 0/	> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT		0.2 2.0 .	210 011211101111
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:	ABOLINI			
•	$0.1/b \approx f$			MICROSCOPIC
Epithelial cells	0-1/h.p.f			EXAMINATION
Pus cells	ABSENT			LAWINATION
RBCs	ABSENT			MICROSCOPIC
	ADJENT			EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
or ystais	ADJENT			EXAMINATION
Others	ABSENT			
o thors	ADJENT			
UGAR, FASTING STAGE * , Urine	2			
Sugar, Fasting stage	ABSENT	gms%		

#### Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5\text{-}1.0 \\ (+++) & 1\text{-}2 \\ (++++) & > 2 \end{array}$ 

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:46
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 11:47:28
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 12:27:36
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 13:16:39
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

# SUGAR, PP STAGE \* , Urine

Sugar, PP Stage

ABSENT

#### Interpretation:

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%



Dr. Shoaib Irfan (MBBS, MD, PDCC)

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:46
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 08:48:51
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 12:29:57
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 13:26:20
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	0.920	na/mL	< 2.0	CLIA	
Sample:Serum	0.720	ing/ine	2.0	0En (	

#### Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone<sup>-</sup>
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

#### THYROID PROFILE - TOTAL \*\* , Serum

T3, Total (tri-iodothyronine)	130.26	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.17	µIU/mL	0.27 - 5.5	CLIA

#### Interpretation:

0.3-4.5	µIU/mL	First Trimest	er
0.5-4.6	µIU/mL	Second Trim	ester
0.8-5.2	µIU/mL	Third Trimes	ter
0.5-8.9	µIU/mL	Adults	55-87 Years
0.7-27	µIU/mL	Premature	28-36 Week
2.3-13.2	µIU/mL	Cord Blood	> 37Week
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)
1-39	µIU/mL	Child	0-4 Days
1.7-9.1	µIU/mL	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08: 31: 46
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: 11/Dec/2022 08:48:51
UHID/MR NO	: IDCD.0000160568	Received	: 11/Dec/2022 12:29:57
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 13:26:20
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.


5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:47
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: N/A
UHID/MR NO	: IDCD.0000160568	Received	: N/A
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 14:22:26
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### **DEPARTMENT OF X-RAY**

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### X-RAY DIGITAL CHEST PA \* (500 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Both hilar shadows and broncho-vascular markings are prominent.
- Pulmonary parenchyma did not reveal any significant lesion.
- **IMPRESSION :** BRONCHITIS.



Dr. Anoop Agarwal MBBS,MD(Radiology)

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08:31:47
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: N/A
UHID/MR NO	: IDCD.0000160568	Received	: N/A
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 10:23:44
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

#### <u>LIVER</u>

• The liver is normal in size and has a normal homogenous echotexture. No focal lesion is seen.

#### PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

#### **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct are normal at the porta.
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

#### PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

#### **RIGHT KIDNEY**

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

#### LEFT KIDNEY

- Left kidney is normal in size and shape and cortical echotexture.
- Small bright echo (calculus) seen in upper calyx, measures 3.2 mms approx.
- The collecting system is not dilated.

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075

Patient Name	: Mr.SANDEEP KUMAR SINGH	Registered On	: 11/Dec/2022 08: 31: 47
Age/Gender	: 40 Y 10 M 14 D /M	Collected	: N/A
UHID/MR NO	: IDCD.0000160568	Received	: N/A
Visit ID	: IDCD0320922223	Reported	: 11/Dec/2022 10:23:44
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

#### SPLEEN

• The spleen is normal in size and has a homogenous echotexture. No focal lesion is seen.

#### **ILIAC FOSSA**

• Scan over the iliac fossae does not reveal any fluid collection or mass.

#### URINARY BLADDER

- The urinary bladder is normal. Bladder wall is normal in thickness and regular.
- Pre void urine volume is 80 ml.
- Post void residual urine volume is 10 ml.

#### PROSTATE

• Prostate gland is enlarged in size & echotexture is mildly hypoechoic & measures ~ 39.4 x 37.8 x 31.3 mms, weight is 24.48 grams.

#### **IMPRESSION**

- Small left renal calculus
- Grade- I prostatomegaly

*** End Of Report ***					
(**) Test Performed at Chandan Speciality Lab.					
<ul> <li>Image: Second Sec</li></ul>	Dr. Anoop Agarwal MBBS,MD(Radiology				
This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no	additional cost within seven days.				
Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And He Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital M					

Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location

Typed by- shanaya