Name	: Mr. ASHUTOSH MANI TRIPATHI	
PID No.	: MED121024214	Register On : 03/05/2022 9:37 AM
SID No.	: 522215947	Collection On : 03/05/2022 11:30 AM
Age / Sex	: 34 Year(s) / Male	Report On : 03/05/2022 7:28 PM
Туре	: OP	Printed On : 16/05/2022 3:15 PM
Ref. Dr	: MediWheel	

()
MEDALL

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	14.8	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	45.1	%	42 - 52
RBC Count (EDTA Blood)	4.94	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	91.4	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	30.1	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.9	g/dL	32 - 36
RDW-CV	13.5	%	11.5 - 16.0
RDW-SD	43.19	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	4700	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	52.0	%	40 - 75
Lymphocytes (Blood)	39.5	%	20 - 45
Eosinophils (Blood)	2.5	%	01 - 06



VERIFIED BY



APPROVED BY

Name	: Mr. ASHUTOSH MANI TRIPATHI		
PID No.	: MED121024214	Register On : 03/05/2022 9:37 AM	$\mathbf{C}$
SID No.	: 522215947	Collection On : 03/05/2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On : 03/05/2022 7:28 PM	MEDALL
Туре	: OP	Printed On : 16/05/2022 3:15 PM	
Pof Dr	. ModiW/bool		

Ref. Dr :	MediWheel
-----------	-----------

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Monocytes (Blood)	5.4	%	01 - 10
Basophils (Blood)	0.6	%	00 - 02
INTERPRETATION: Tests done on Automated Five F	Part cell counter. All a	bnormal results are i	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	2.44	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.86	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.12	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.25	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.03	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	150	10^3 / µl	150 - 450
MPV (Blood)	13.0	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	8	mm/hr	< 15



VERIFIED BY



APPROVED BY

Name	: Mr. ASHUTOSH MANI TRIPATHI		
PID No.	: MED121024214	Register On : 03/05/2022 9:37 AM	$\mathbf{C}$
SID No.	: 522215947	Collection On : 03/05/2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On : 03/05/2022 7:28 PM	MEDALL
Туре	: OP	Printed On : 16/05/2022 3:15 PM	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	1.70	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.50	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	1.20	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i> )	76.36	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	135.15	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	54.87	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i> )	115.1	U/L	53 - 128
Total Protein (Serum/Biuret)	7.44	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.98	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.46	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	2.02		1.1 - 2.2





APPROVED BY

Name	: Mr. ASHUTOSH MANI TRIPATHI			
PID No.	: MED121024214	Register On	: 03/05/2022 9:37 AM	M
SID No.	: 522215947	<b>Collection On</b>	: 03/05/2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On	: 03/05/2022 7:28 PM	MEDALL
Туре	: OP	Printed On	: 16/05/2022 3:15 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	156.32	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/ <i>GPO-PAP with ATCS</i> )	118.35	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	46.06	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i> )	86.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	23.7	mg/dL	< 30
DE RAVIKUMAR R MBBS, MD BIOCHEMISTRY CONSULTANT BIOCHEMIST Reg No : 78771 VERIFIED BY		MD P/	MIM JAVED ATHOLOGY 6 88902
		AP	PROVED BY

Name	: Mr. ASHUTOSH MANI TRIPATHI			
PID No.	: MED121024214	Register On : 0	3/05/2022 9:37 AM	m
SID No.	: 522215947	Collection On : (	03/05/2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On : (	)3/05/2022 7:28 PM	MEDALL
Туре	: OP	Printed On : 1	6/05/2022 3:15 PM	
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observe</u> Value		Biological Reference Interval
(Serum/Ca		110.3	8	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220
2.It is the	<b>RETATION:</b> 1.Non-HDL Cholester sum of all potentially atherogenic pr y target for cholesterol lowering ther	oteins including LDL, I		sk marker than LDL Cholesterol. acrons and it is the "new bad cholesterol" and is a
	olesterol/HDL Cholesterol Rat			Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglycer (TG/HDI (Serum/Ca	,	2.6		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HD	L Cholesterol Ratio	1.9		Optimal: 0.5 - 3.0

LDL/HDL Cholesterol Ratio (Serum/Calculated) Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





APPROVED BY

Name	: Mr. ASHUTOSH MANI TRIPATHI		
PID No.	: MED121024214	Register On : 03/05/2022 9:37 AM	M
SID No.	: 522215947	Collection On : 03/05/2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On : 03/05/2022 7:28 PM	MEDALL
Туре	: OP	Printed On : 16/05/2022 3:15 PM	
Ref. Dr	: MediWheel		
			Distant
<u>Investiga</u> Glycosyl		<u>Observed</u> <u>Unit</u> <u>Value</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Glycosyl</u> HbA1C	<u>ation</u> ated Haemoglobin (HbA1c) ood/HPLC)		
<u>Glycosyl</u> HbA1C (Whole Ble	a <b>ted Haemoglobin (HbA1c)</b> ood/HPLC)	Value	Reference Interval Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

Estimated Average Glucose	102.54	mg
---------------------------	--------	----

(Whole Blood)

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E

ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.





APPROVED BY

Name	: Mr. ASHUTOSH MANI TRIPATHI			
PID No.	: MED121024214	Register On : 03/05/2	022 9:37 AM	M
SID No.	: 522215947	Collection On : 03/05/2	2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On : 03/05/2	2022 7:28 PM	MEDALL
Туре	: OP	Printed On : 16/05/2	2022 3:15 PM	
Ref. Dr	: MediWheel			
<u>Investig</u> a	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
IMM	JNOASSAY			
<u>THYRO</u>	ID PROFILE / TFT			
T3 (Triid (Serum/EC	odothyronine) - Total	1.45	ng/ml	0.7 - 2.04
Commen Total T3 v		dition like pregnancy, drugs, neph	rosis etc. In such c	ases, Free T3 is recommended as it is
T4 (Tyro (Serum/E0	oxine) - Total	9.43	µg/dl	4.2 - 12.0
Commen Total T4 v		dition like pregnancy, drugs, neph	rosis etc. In such c	ases, Free T4 is recommended as it is
TSH (Th (Serum/EC	yroid Stimulating Hormone)	) 2.57	µIU/mL	0.35 - 5.50
Reference 1 st trimes 2 nd trime 3 rd trime (Indian Th <b>Commen</b> 1.TSH ref 2.TSH Le	erence range during pregnancy devels are subject to circadian varia		n 2-4am and at a m	ncentration, race, Ethnicity and BMI. inimum between 6-10PM.The variation can b ions.

3. Values&amplt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.





APPROVED BY

Name	: Mr. ASHUTOSH MANI TRIPATHI			
PID No.	: MED121024214	Register On	: 03/05/2022 9:37 AM	$\mathbf{C}$
SID No.	: 522215947	Collection On	: 03/05/2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On	: 03/05/2022 7:28 PM	MEDALL
Туре	: OP	Printed On	: 16/05/2022 3:15 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
CLINICAL PATHOLOGY			
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>			
Colour (Urine)	Yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	15		
<u>CHEMICAL EXAMINATION (URINE</u> COMPLETE)			
pH (Urine)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.030		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 8 of 12

Name	: Mr. ASHUTOSH MANI TRIPATHI		
PID No.	: MED121024214	Register On : 03/05/2022 9:37 AM	m
SID No.	: 522215947	Collection On : 03/05/2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On : 03/05/2022 7:28 PM	MEDALL
Туре	: OP	Printed On : 16/05/2022 3:15 PM	
Ref. Dr	: MediWheel		
Investiga	ntion	<u>Observed</u> <u>Unit</u> <u>Value</u>	Biological Reference Interval
Glucose (Urine/GO)	D - POD)	Negative	Negative
Leukocyt (Urine)	tes(CP)	Negative	
MICDO			

### <u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)

Pus Cells	1-2	/hpf	NIL
(Urine)			
Epithelial Cells	0-1	/hpf	NIL
(Urine)			
RBCs	Nil	/hpf	NIL
(Urine)			
Others	Nil		
(Urine)			

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



VERIFIED BY



APPROVED BY

Name	-	r. ASHUTOSH MANI RIPATHI					
PID No.	: ME	ED121024214	Register On	:	03/05/2022 9:37 AM	$\mathbf{M}$	
SID No.	: 522	2215947	<b>Collection On</b>	:	03/05/2022 11:30 AM		
Age / Sex	: 34	Year(s) / Male	Report On	:	03/05/2022 7:28 PM	MEDALL	
Туре	: OF	C	Printed On	:	16/05/2022 3:15 PM		
Ref. Dr	: Me	ediWheel					

**Investigation** 

<u>Observed</u> <u>Value</u> <u>Unit</u>

Biological Reference Interval

# **IMMUNOHAEMATOLOGY**

# BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'O' 'Positive'

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.



VERIFIED BY



APPROVED BY

Name	:	Mr. ASHUTOSH MANI TRIPATHI					
PID No.	:	MED121024214	Register On	:	03/05/2022 9:37 AM	$\mathbf{C}$	
SID No.	:	522215947	<b>Collection On</b>	:	03/05/2022 11:30 AM		
Age / Sex	:	34 Year(s) / Male	Report On	:	03/05/2022 7:28 PM	MEDALL	
Туре	:	OP	Printed On	:	16/05/2022 3:15 PM		
		MadilAlbaal					

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	12		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	91.39	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative	Negative
(Urine - F/GOD - POD)		
Glucose Postprandial (PPBS)	91.19 mg/dI	70 - 140
(Plasma - PP/GOD-PAP)		

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	12.3	mg/dL	7.0 - 21
Creatinine	0.99	mg/dL	0.9 - 1.3

## (Serum/Modified Jaffe)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	6.22	mg/dL	3.5 - 7.2
(Serum/Enzymatic)			





APPROVED BY

Name	: Mr. ASHUTOSH MANI TRIPATHI		
PID No.	: MED121024214	Register On : 03/05/2022 9:37 AM	M
SID No.	: 522215947	Collection On : 03/05/2022 11:30 AM	
Age / Sex	: 34 Year(s) / Male	Report On : 03/05/2022 7:28 PM	MEDALL
Туре	: OP	Printed On : 16/05/2022 3:15 PM	
Ref. Dr	: MediWheel		

-- End of Report --