



LABORATORY REPORT

Name :	Mr. Dipak M Shete	Reg. No :	301101178
Sex/Age :	Male/50 Years	Reg. Date :	28-Jan-2023 09:24 AM
Ref. By :		Collected On :	
Client Name :	Mediwheel	Report Date :	28-Jan-2023 02:56 PM

Medical Summary

GENERAL EXAMINATION

Height (cms) : 168

Weight (kgs) : 72.6

Blood Pressure :120/84 mmHg

Pulse : 69/Min

No Clubbing/Cynosis/Pallor/Pedel Oedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur


Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy – N/A

This is an electronically authenticated report



Dr. Jay Soni
M.D, GENERAL MEDICINE

LETTER OF APPROVAL / RECOMMENDATION

To,

The Coordinator,
Mediwheel (Arcofemi Healthcare Limited)
Helpline number: 011- 41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS	EMPLOYEE DETAILS
NAME	MR. M DIPAK SHETE
EC NO.	157045
DESIGNATION	RETAIL LIABILITY BACK OFFICE
PLACE OF WORK	GANDHINAGAR,GIFT CITY,NATIONAL
BIRTHDATE	21-10-1972
PROPOSED DATE OF HEALTH CHECKUP	28-01-2023
BOOKING REFERENCE NO.	22M157045100036346E

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from **10-01-2023** till **31-03-2023**. The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

Chief General Manager
HRM Department
Bank of Baroda

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))



गणराज्य महाराष्ट्र
GOVERNMENT OF MAHARASHTRA




नाम: दिपाक माधुकर शेटे
Name: DIPAK MADHUKAR SHETE

कर्मचारी कोड नं.: 157045
Employee Code No.

अधिकारी अधिकारी
Authorizing Authority

व्यक्ति का नाम
Signature of Member

Handwritten notes:
21.10.1957
Mob. 9822582286



Dr. Jay Soni
M.D. (General Medicine)
Reg. No.: G-23899


TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Results	Unit	Biological Ref. Interval
-----------	---------	------	--------------------------

COMPLETE BLOOD COUNT (CBC)
 Specimen: EDTA blood

Hemoglobin	13.5	g/dL	13.0 - 18.0
Hematocrit (Calculated)	L 39.20	%	47 - 52
RBC Count	L 4.57	million/cmm	4.7 - 6.0
MCV	85.9	fL	78 - 110
MCH (Calculated)	29.6	Pg	27 - 31
MCHC (Calculated)	34.5	%	31 - 35
RDW (Calculated)	L 11.0	%	11.5 - 14.0
WBC Count	8770	/cmm	4000 - 10500
MPV (Calculated)	8.7	fL	7.4 - 10.4

DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]	EXPECTED VALUES
Neutrophils (%)	65	%	42.0 - 75.2	5701 /cmm	2000 - 7000
Lymphocytes (%)	28	%	20 - 45	2456 /cmm	1000 - 3000
Eosinophils (%)	05	%	0 - 6	175 /cmm	200 - 1000
Monocytes (%)	02	%	2 - 10	439 /cmm	20 - 500
Basophils (%)	00	%	0 - 1	0 /cmm	0 - 100

PERIPHERAL SMEAR STUDY


RBC Morphology Normocytic and Normochromic.
 WBC Morphology Normal

PLATELET COUNTS

Platelet Count (Volumetric Impedance) 236000 /cmm 150000 - 450000
 Platelets Platelets are adequate with normal morphology.
 Parasites Malarial parasite is not detected.
 Comment -

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
 Dr. Keyur Patel
 M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 04:17 PM

Page 1 of 12

**TEST REPORT**

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

HEMATOLOGY**BLOOD GROUP & RH**

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO	"O"
Rh (D)	Positive
Note	-

ERYTHROCYTE SEDIMENTATION RATE [ESR]


ESR 1 hour <i>Intra rod measurement</i>	02	mm/hr	ESR AT 1 hour : 1-7
---	----	-------	---------------------

ERYTHRO SEDIMENTATION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg, corticosteroids, contraceptives). It is especially low (0-1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur Patel
M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:54 PM

Page 2 of 12


TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Flouride F, Flouride PP

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

FASTING PLASMA GLUCOSE
 Specimen: Flouride plasma

Fasting Blood Sugar (FBS)	105.60	mg/dL	70 - 110
---------------------------	--------	-------	----------

GOD-POD Method

Criteria for the diagnosis of diabetes

1. HbA1c \geq 6.5 %
Or
2. Fasting plasma glucose $>$ 126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.
Or
3. Two hour plasma glucose \geq 200mg/dL during an oral glucose tolerance test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.
Or
4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose \geq 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.
 American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34:S11.

POST PRANDIAL PLASMA GLUCOSE


Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)	120.4	mg/dL	70 - 140
----------------------------------	-------	-------	----------

GOD-POD Method

This is an electronically authenticated report.

^ This test has been out sourced.

Approved By :  **Dr. Keyur Patel**
 M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:53 PM

Page 3 of 12


TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum


Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

Lipid Profile

Cholesterol	219.00	mg/dL	Desirable: < 200 Boderline High: 200 - 239 High: > 240
<i>Enzymatic, colorimetric method</i>			
Triglyceride	86.30	mg/dL	Normal: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
<i>Enzymatic, colorimetric method</i>			
HDL Cholesterol	48.00	mg/dL	High Risk : < 40 Low Risk : = 60
<i>Accelerator selective detergent method</i>			
LDL	153.74	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130-159 High : 160-189 Very High : >190.0
<i>Calculated</i>			
VLDL	17.26	mg/dL	15 - 35
<i>Calculated</i>			
LDL / HDL RATIO	3.20		0 - 3.5
<i>Calculated</i>			
Cholesterol /HDL Ratio	4.56		0 - 5.0
<i>Calculated</i>			

This is an electronically authenticated report.

* This test has been out sourced.

 Approved By : 
 Dr. Keyur Patel
 M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:54 PM

Page 4 of 12


TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum


Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

BIO - CHEMISTRY
LFT WITH GGT

Total Protein <i>Buret Reaction</i>	7.01	gm/dL	6.3 - 8.2
Albumin <i>By Bromocresol Green</i>	4.70	g/dL	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs: 3.8 - 5.4 14 - 19 yrs: 3.2 - 4.5 20 - 60 yrs: 3.5 - 5.2 60 - 90 yrs: 3.2 - 4.6 > 90 yrs: 2.9 - 4.5
Globulin <i>Calculated</i>	2.31	g/dL	2.3 - 3.5
A/G Ratio <i>Calculated</i>	2.03		0.8 - 2.0
SGOT <i>UV without P5P</i>	30.80	U/L	0 - 40
SGPT <i>UV without P5P</i>	30.20	U/L	0 - 40
Alkaline Phosphatase <i>p-Nitrophenylphosphate (PNPP)</i>	32.7	U/L	53 - 128
Total Bilirubin <i>Vanadate Oxidation</i>	0.54	mg/dL	0 - 1.2
Conjugated Bilirubin	0.10	mg/dL	0.0 - 0.4
Unconjugated Bilirubin <i>Calculated</i>	0.44	mg/dL	0.0 - 1.1
GGT <i>SZASZ Method</i>	19.00	mg/dL	15 - 73

This is an electronically authenticated report.

* This test has been out sourced.

 Approved By : 
Dr. Keyur Patel
 M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:54 PM

Page 5 of 12




TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur Patel
M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:54 PM

Page 6 of 12

**TEST REPORT**

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum


Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

BIO - CHEMISTRY

Uric Acid <i>Enzymatic, colorimetric method</i>	5.53	mg/dL	Adult : 3.5 - 8.5 Child : 2.5 - 5.5
Creatinine <i>Enzymatic Method</i>	0.82	mg/dL	Adult : 0.72 - 1.18 Child : 0.5 - 1.0
BUN <i>UV Method</i>	10.40	mg/dL	Adult : 7.0 - 20.0 Child : 5.0 - 18.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur Patel
M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:54 PM

Page 7 of 12


TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

HEMOGLOBIN A1 C ESTIMATION
Specimen: Blood EDTA

*Hb A1C	5.2	% of Total Hb	Normal : < 5.7 % Pre-Diabetes : 5.7 % - 6.4 % Diabetes : 6.5 % or higher
---------	-----	---------------	--

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose	102.54	mg/dL
--------------------	--------	-------

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.

* Some danger of hypoglycemic reaction in Type I diabetics.

* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION :-

*Total haemoglobin A1 c is continuously synthesised in the red blood cell through its 120 days life span. The concentration of HbA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HbA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurement which reflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.


*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures

HbA1c assay Interferences:

*Erroneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur Patel
M.B.DCP

Approved On : 28-Jan-2023 04:41 PM

Generated On : 28-Jan-2023 05:45 PM



TEST REPORT

Reg. No : 301101178 **Ref Id** : **Collected On** : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete **Reg. Date** : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male **Pass. No.** : **Tele No.** : 9825023806
Ref. By : **Dispatch At** :
Location : CHPL **Sample Type** : Urine Spot

Test	Result	Unit	Biological Ref. Interval
------	--------	------	--------------------------

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Quantity	20 cc	
Colour	Pale Yellow	
Clarity	Clear	Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)


pH	6	4.6 - 8.0
Sp. Gravity	1.025	1.001 - 1.035
Protein	Nil	Nil
Glucose	Nil	Nil
Ketone Bodies	Nil	Nil
Urobilinogen	Nil	Nil
Bilirubin	Nil	
Nitrite	Nil	Nil
Blood	Present (+)	Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)	1 - 2/hpf	Absent
Erythrocytes (Red Cells)	2 - 3/hpf	Absent
Epithelial Cells	1 - 2/hpf	Absent
Crystals	Absent	Absent
Casts	Absent	Absent
Amorphous Material	Absent	Absent
Bacteria	Absent	Absent
Remarks	-	

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur Patel
M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:04 PM


TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

IMMUNOLOGY
THYROID FUNCTION TEST

T3 (Triiodothyronine) <small>CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY</small>	0.95	ng/mL	0.86 - 1.92
---	------	-------	-------------

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine) <small>CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY</small>	7.10	µg/dL	3.2 - 12.6
--	------	-------	------------

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).


In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding sites.
2. F T4 values may be decreased in patients taking carbamazepine.
3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By :  **Dr. Keyur Patel**
M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:53 PM



TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

TSH **11.810** $\mu\text{IU/ml}$ 0.55 - 4.78
CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-releasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy :

First Trimester : 0.1 to 2.5 $\mu\text{IU/ml}$.

Second Trimester : 0.2 to 3.0 $\mu\text{IU/ml}$.

Third trimester : 0.3 to 3.0 $\mu\text{IU/ml}$.

Reference : Carl A.Burtis,Edward R.Ashwood,David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics. 5th Eddition. Philadelphia: WB Saunders,2012:2170

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : **Dr.Keyur Patel**
M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:53 PM



TEST REPORT

Reg. No : 301101178	Ref Id :	Collected On : 28-Jan-2023 09:24 AM
Name : Mr. Dipak M Shete		Reg. Date : 28-Jan-2023 09:24 AM
Age/Sex : 50 Years / Male	Pass. No. :	Tele No. : 9825023806
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
------------------	---------------	-------------	---------------------------------

IMMUNOLOGY

*TOTAL PROSTATE SPECIFIC ANTIGEN (PSA) <i>CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY</i>	0.58	ng/mL	0 - 4
--	------	-------	-------

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

----- End Of Report -----

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : Dr.Keyur Patel
M.B.DCP

Generated On : 28-Jan-2023 05:45 PM

Approved On : 28-Jan-2023 03:53 PM



LABORATORY REPORT

Name : Mr. Dipak M Shete

Sex/Age : Male/50 Years

Ref. By :

Client Name : Mediwheel

Reg. No : 301101178

Reg. Date : 28-Jan-2023 09:24 AM

Collected On :

Report Date : 28-Jan-2023 02:23 PM

Electrocardiogram

Findings

Normal Sinus Rhythm.

Within Normal Limit.

This is an electronically authenticated report



Dr. Jay Soni
M.D, GENERAL MEDICINE



DIPRAK
SHEETE

HR 69/min

Rx is: 50 °

32

Date

Intervals:
RR 874 ms

P 50 °
QRS 6 °
T 41 °

50 years
168 cm / 73 kg

P 102 ms
PR 140 ms
QRS 76 ms
QT 360 ms
QTc 387 ms
(Bazett)

P (II) 8.12 mV
S (VI) -0.18 mV
R (V5) 0.93 mV
Sokol. 1.33 mV

10 mm/mV

10 mm/mV

I

aVR

V1

V4

II

aVL

V2

V5

III

aVF

V3

V6

II

10 mm/mV

25 mm/s

2.25-25 Hz 552 555 558 28.2° 28.2° 4.1° 27.4°

CURCOVIS HEALTHCARE

2019-09-11 10:00



LABORATORY REPORT

Name : Mr. Dipak M Shete

Reg. No : 301101178

Sex/Age : Male/50 Years

Reg. Date : 28-Jan-2023 09:24 AM

Ref. By :

Collected On :

Client Name : Mediwheel

Report Date : 28-Jan-2023 03:11 PM

X RAY CHEST PA

Both lung fields appear clear.

No evidence of any active infiltrations or consolidation.

Cardiac size appears within normal limits.


Both costo-phrenic angles appear free of fluid.

Both domes of diaphragm appear normal.

COMMENT: No significant abnormality is detected.

----- End Of Report -----

This is an electronically authenticated report



DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494

Page 2 of 2



LABORATORY REPORT

Name :	Mr. Dipak M Shete	Reg. No :	301101178
Sex/Age :	Male/50 Years	Reg. Date :	28-Jan-2023 09:24 AM
Ref. By :		Collected On :	
Client Name :	Mediwheel	Report Date :	28-Jan-2023 03:10 PM

USG ABDOMEN

Liver appears normal in size & echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic biliary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern. No evidence of focal lesions.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder is partially distended. No evidence of calculus or mass.

Prostate appears normal in size and echopattern. No evidence of focal lesions.

No evidence of free fluid in peritoneal cavity.


No evidence of para aortic lymph adenopathy.

No evidence of dilated small bowel loops.

COMMENTS :

NO SIGNIFICANT ABNORMALITY DETECTED.

This is an electronically authenticated report



DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494



LABORATORY REPORT

Name : Mr. Dipak M Shete
Sex/Age : Male/50 Years
Ref. By :
Client Name : Mediwheel

Reg. No : 301101178
Reg. Date : 28-Jan-2023 09:24 AM
Collected On :
Report Date : 28-Jan-2023 03:05 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: +6.00

CY: -6.75

AX: 94

LEFT EYE

SP : +5.50

CY : -5.50

AX :73

	Without Glasses	With Glasses
Right Eye	6/5	N.A
Left Eye	6/5	N.A

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision : Normal

Comments: Normal

----- End Of Report -----

This is an electronically authenticated report

Dr Kejal Patel
MB,DO(Ophth)


NAME: - DIPAK SHETE.

ID NO :-

AGE:- 50Y/ M

Date:- 28/01/2023

AUDIOGRAM



EAR \ MODE	Air Conduction		Bone Conduction		Colour Code
	Masked	UnMasked	Masked	UnMasked	
LEFT	<input type="checkbox"/>	×	<input type="checkbox"/>	>	Blue
RIGHT	△	○	□	<	Red

NO RESPONSE : Add J. below the respective symbols

Threshold in dB	RIGHT	LEFT
AIR CONDUCTION	11.5	11.5
BONE CONDUCTION		
SPEECH		

Comments:-

Bilateral Hearing Sensitivity Within Normal Limits.

